

WET DIAMOND CORE DRILLS



CROWN DIAMOND CORE DRILLS 1/2" BSP THREAD

- Professional quality
- Use with hand-held or rig-mounted motors
- Suitable for masonry material & concrete with steel reinforcement



ORDER CODE	DIAMETER	LENGTH	THREAD SIZE	PRICE £
CDC6-W-12-B	12	150	1/2" BSP	70.00
CDC6-W-14-B	14	150	1/2" BSP	72.00
CDC6-W-15-B	15	150	1/2" BSP	74.00
CDC6-W-16-B	16	300	1/2" BSP	76.00
CDC6-W-18-B	18	300	1/2" BSP	78.00
CDC6-W-20-B	20	300	1/2" BSP	80.00
CDC6-W-22-B	22	300	1/2" BSP	82.00
CDC6-W-24-B	24	300	1/2" BSP	84.00
CDC6-W-25-B	25	300	1/2" BSP	86.00
CDC6-W-28-B	28	300	1/2" BSP	88.00
CDC6-W-30-B	30	300	1/2" BSP	92.00
CDC6-W-32-B	32	300	1/2" BSP	105.00
CDC6-W-35-B	35	300	1/2" BSP	120.00
CDC6-W-37-B	37	300	1/2" BSP	128.00
CDC6-W-40-B	40	300	1/2" BSP	137.00
CDC6-W-47-B	47	300	1/2" BSP	150.00



SEGMENTED DIAMOND CORE DRILLS 1/2" BSP THREAD

- Professional quality
- Easy start roof-top segments
- Use with hand-held or rig-mounted motors



ORDER CODE	ORDER CODE	DIAMETER	LENGTH	THREAD SIZE	PRICE £
CDS5-W-25-B	CDS6-W-25-B	25	300	1/2" BSP	65.00
CDS5-W-26-B	CDS6-W-26-B	26	300	1/2" BSP	66.00
CDS5-W-28-B	CDS6-W-28-B	28	300	1/2" BSP	69.00
CDS5-W-30-B	CDS6-W-30-B	30	300	1/2" BSP	74.00
CDS5-W-32-B	CDS6-W-32-B	32	300	1/2" BSP	76.00
CDS5-W-36-B	CDS6-W-36-B	36	300	1/2" BSP	80.00
CDS5-W-37-B	CDS6-W-37-B	37	300	1/2" BSP	82.00
CDS5-W-40-B	CDS6-W-40-B	40	300	1/2" BSP	87.00
CDS5-W-42-B	CDS6-W-42-B	42	300	1/2" BSP	89.00
CDS5-W-47-B	CDS6-W-47-B	47	300	1/2" BSP	90.00

ORDER CODE	ORDER CODE	ORDER CODE	ORDER CODE	DIAMETER	LENGTH	THREAD	PRICE £
CDS4-W-52-B	CDS5-W-52-B	CDS6-W-52-B	CDS9-W-52-B	52	300	1/2" BSP	102.00
CDS4-W-57-B	CDS5-W-57-B	CDS6-W-57-B	CDS9-W-57-B	57	300	1/2" BSP	106.00
CDS4-W-62-B	CDS5-W-62-B	CDS6-W-62-B	CDS9-W-62-B	62	300	1/2" BSP	119.00
CDS4-W-67-B	CDS5-W-67-B	CDS6-W-67-B	CDS9-W-67-B	67	300	1/2" BSP	124.00
CDS4-W-72-B	CDS5-W-72-B	CDS6-W-72-B	CDS9-W-72-B	72	300	1/2" BSP	140.00
CDS4-W-77-B	CDS5-W-77-B	CDS6-W-77-B	CDS9-W-77-B	77	300	1/2" BSP	142.00
CDS4-W-82-B	CDS5-W-82-B	CDS6-W-82-B	CDS9-W-82-B	82	300	1/2" BSP	144.00
CDS4-W-87-B	CDS5-W-87-B	CDS6-W-87-B	CDS9-W-87-B	87	300	1/2" BSP	146.00
CDS4-W-92-B	CDS5-W-92-B	CDS6-W-92-B	CDS9-W-92-B	92	300	1/2" BSP	148.00
CDS4-W-102-B	CDS5-W-102-B	CDS6-W-102-B	CDS9-W-102-B	102	300	1/2" BSP	161.00
CDS4-W-107-B	CDS5-W-107-B	CDS6-W-107-B	CDS9-W-107-B	107	300	1/2" BSP	171.00
CDS4-W-112-B	CDS5-W-112-B	CDS6-W-112-B	CDS9-W-112-B	112	300	1/2" BSP	174.00
CDS4-W-117-B	CDS5-W-117-B	CDS6-W-117-B	CDS9-W-117-B	117	300	1/2" BSP	186.00
CDS4-W-122-B	CDS5-W-122-B	CDS6-W-122-B	CDS9-W-122-B	122	300	1/2" BSP	194.00
CDS4-W-127-B	CDS5-W-127-B	CDS6-W-127-B	CDS9-W-127-B	127	300	1/2" BSP	199.00
CDS4-W-132-B	CDS5-W-132-B	CDS6-W-132-B	CDS9-W-132-B	132	300	1/2" BSP	220.00
CDS4-W-142-B	CDS5-W-52-B	CDS6-W-142-B	CDS9-W-142-B	142	300	1/2" BSP	233.00
CDS4-W-152-B	CDS5-W-152-B	CDS6-W-152-B	CDS9-W-152-B	152	300	1/2" BSP	240.00

WET DIAMOND CORE DRILLS

SEGMENTED DIAMOND CORE DRILLS 1 1/4" UNC THREAD

- Available in a choice of 4 bonds
- Professional quality
- For heavy duty drill motors



ORDER CODE	ORDER CODE	ORDER CODE	ORDER CODE	DIAMETER	LENGTH	THREAD SIZE	PRICE £
CDS4-W-52-U	CDS5-W-52-U	CDS6-W-52-U	CDS9-W-52-U	52	450	1 1/4" UNC	102.00
CDS4-W-57-U	CDS5-W-57-U	CDS6-W-57-U	CDS9-W-57-U	57	450	1 1/4" UNC	120.00
CDS4-W-62-U	CDS5-W-62-U	CDS6-W-62-U	CDS9-W-62-U	62	450	1 1/4" UNC	120.00
CDS4-W-67-U	CDS5-W-67-U	CDS6-W-67-U	CDS9-W-67-U	67	450	1 1/4" UNC	124.00
CDS4-W-72-U	CDS5-W-72-U	CDS6-W-72-U	CDS9-W-72-U	72	450	1 1/4" UNC	130.00
CDS4-W-77-U	CDS5-W-77-U	CDS6-W-77-U	CDS9-W-77-U	77	450	1 1/4" UNC	140.00
CDS4-W-82-U	CDS5-W-82-U	CDS6-W-82-U	CDS9-W-82-U	82	450	1 1/4" UNC	144.00
CDS4-W-87-U	CDS5-W-87-U	CDS6-W-87-U	CDS9-W-87-U	87	450	1 1/4" UNC	160.00
CDS4-W-92-U	CDS5-W-92-U	CDS6-W-92-U	CDS9-W-92-U	92	450	1 1/4" UNC	165.00
CDS4-W-102-U	CDS5-W-102-U	CDS6-W-102-U	CDS9-W-102-U	102	450	1 1/4" UNC	174.00
CDS4-W-107-U	CDS5-W-107-U	CDS6-W-107-U	CDS9-W-107-U	107	450	1 1/4" UNC	184.00
CDS4-W-112-U	CDS5-W-112-U	CDS6-W-112-U	CDS9-W-112-U	112	450	1 1/4" UNC	185.00
CDS4-W-117-U	CDS5-W-117-U	CDS6-W-117-U	CDS9-W-117-U	117	450	1 1/4" UNC	186.00
CDS4-W-122-U	CDS5-W-122-U	CDS6-W-122-U	CDS9-W-122-U	122	450	1 1/4" UNC	209.00
CDS4-W-127-U	CDS5-W-127-U	CDS6-W-127-U	CDS9-W-127-U	127	450	1 1/4" UNC	213.00
CDS4-W-132-U	CDS5-W-132-U	CDS6-W-132-U	CDS9-W-132-U	132	450	1 1/4" UNC	220.00
CDS4-W-138-U	CDS5-W-138-U	CDS6-W-138-U	CDS9-W-138-U	138	450	1 1/4" UNC	320.00
CDS4-W-142-U	CDS5-W-142-U	CDS6-W-142-U	CDS9-W-142-U	142	450	1 1/4" UNC	233.00
CDS4-W-152-U	CDS5-W-152-U	CDS6-W-152-U	CDS9-W-152-U	152	450	1 1/4" UNC	266.00
CDS4-W-158-U	CDS5-W-158-U	CDS6-W-158-U	CDS9-W-158-U	158	450	1 1/4" UNC	354.00
CDS4-W-162-U	CDS5-W-162-U	CDS6-W-162-U	CDS9-W-162-U	162	450	1 1/4" UNC	288.00
CDS4-W-172-U	CDS5-W-172-U	CDS6-W-172-U	CDS9-W-172-U	172	450	1 1/4" UNC	301.00
CDS4-W-182-U	CDS5-W-182-U	CDS6-W-182-U	CDS9-W-182-U	182	450	1 1/4" UNC	335.00
CDS4-W-192-U	CDS5-W-192-U	CDS6-W-192-U	CDS9-W-192-U	192	450	1 1/4" UNC	355.00
CDS4-W-198-U	CDS5-W-198-U	CDS6-W-198-U	CDS9-W-198-U	198	450	1 1/4" UNC	461.00
CDS4-W-200-U	CDS5-W-200-U	CDS6-W-200-U	CDS9-W-200-U	200	450	1 1/4" UNC	372.00
CDS5-W-212-U	CDS5-W-212-U	CDS6-W-212-U	CDS9-W-212-U	212	450	1 1/4" UNC	428.00
CDS5-W-225-U	CDS5-W-225-U	CDS6-W-225-U	CDS9-W-225-U	225	450	1 1/4" UNC	476.00
CDS4-W-250-U	CDS5-W-250-U	CDS6-W-250-U	CDS9-W-250-U	250	450	1 1/4" UNC	501.00
CDS4-W-276-U	CDS5-W-276-U	CDS6-W-276-U	CDS9-W-276-U	276	450	1 1/4" UNC	665.00
CDS4-W-300-U	CDS5-W-300-U	CDS6-W-300-U	CDS9-W-300-U	300	450	1 1/4" UNC	561.00
CDS4-W-350-U	CDS5-W-350-U	CDS6-W-350-U	CDS9-W-350-U	350	450	1 1/4" UNC	659.00
CDS4-W-400-U	CDS5-W-400-U	CDS6-W-400-U	CDS9-W-400-U	400	450	1 1/4" UNC	775.00
CDS4-W-450-U	CDS5-W-450-U	CDS6-W-450-U	CDS9-W-450-U	450	450	1 1/4" UNC	899.00
CDS4-W-500-U	CDS5-W-500-U	CDS6-W-500-U	CDS9-W-500-U	500	450	1 1/4" UNC	1050.00
CDS4-W-550-U	CDS5-W-550-U	CDS6-W-550-U	CDS9-W-550-U	550	450	1 1/4" UNC	1096.00
CDS4-W-600-U	CDS5-W-600-U	CDS6-W-600-U	CDS9-W-600-U	600	450	1 1/4" UNC	1202.00
CDS4-W-650-U	CDS5-W-650-U	CDS6-W-650-U	CDS9-W-650-U	650	450	1 1/4" UNC	1332.00
CDS4-W-700-U	CDS5-W-700-U	CDS6-W-700-U	CDS9-W-700-U	700	450	1 1/4" UNC	1452.00
CDS4-W-750-U	CDS5-W-750-U	CDS6-W-750-U	CDS9-W-750-U	750	450	1 1/4" UNC	1560.00
CDS4-W-800-U	CDS5-W-800-U	CDS6-W-800-U	CDS9-W-800-U	800	450	1 1/4" UNC	1769.00



Bond CDS4

- W Segment design
- Fast drilling
- Reinforced flint concrete



Bond CDS5

- Dimple Segment design
- Fast drilling / long-life
- Reinforced hard aggregate concrete



Bond CDS6

- Roof-top Segment design
- Easy start - good-life
- Medium - hard materials



Bond CDS9

- Roof-top Segment design
- Easy start - long-life
- Asphalt / abrasive materials



• Add 10% per additional 100mm for drill tubes up to 1500mm length.

WET DIAMOND CORE DRILL ACCESSORIES



DRILL ADAPTORS

- Precision machined
- High quality steel bodies
- Corrosion resistant plated finish



ORDER CODE	DESCRIPTION	RETIK PRICE £
CD-W-ADA-1	1 1/4" UNC Female to 1/2" BSP Female	39.00
CD-W-ADA-2	1 1/4" UNC Male to 1/2" BSP Male	39.00
CD-W-ADA-3	1/2" BSP Male to 1/2" BSP Male	33.60
CD-W-ADA-4	1/2" BSP Female to Hilti 6-Slot	42.00
CD-W-ADA-4	1/2" BSP Female to 1/2" BSP Female	21.00



STEEL EXTENSION RODS 1/2" BSP

- Core drill extension rods for deep drilling
- 4 lengths available
- Electro-plated corrosion resistant finish



ORDER CODE	DIAMETER	LENGTH	THREAD SIZE	PRICE
CD-W-200-EXB	30	200	1/2" BSP	39.00
CD-W-300-EXB	30	300	1/2" BSP	55.00
CD-W-400-EXB	30	400	1/2" BSP	68.00
CD-W-500-EXB	30	500	1/2" BSP	87.00



STEEL EXTENSION RODS 1 1/4" UNC

- Core drill extension rods for deep drilling
- 5 lengths available
- Electro-plated corrosion resistant finish



ORDER CODE	WIDTH	LENGTH	THREAD SIZE	PRICE
CD-W-100-EXU	41	100	1 1/4" UNC	29.00
CD-W-200-EXU	41	200	1 1/4" UNC	42.00
CD-W-300-EXU	41	300	1 1/4" UNC	65.00
CD-W-400-EXU	41	400	1 1/4" UNC	75.00
CD-W-500-EXU	41	500	1 1/4" UNC	81.00



HEXAGONAL ALUMINIUM EXTENSION RODS

- Core drill extension rods for deep drilling
- 4 lengths available
- Machined and ground aluminium
- Lightweight and strong



ORDER CODE	DIAMETER	LENGTH	THREAD SIZE	PRICE
CD-W-200-EXA	41	200	1 1/4" UNC	55.00
CD-W-300-EXA	41	300	1 1/4" UNC	69.00
CD-W-400-EXA	41	400	1 1/4" UNC	90.00
CD-W-500-EXA	41	500	1 1/4" UNC	98.00

DRY DIAMOND CORE DRILLS & ACCESSORIES

DRY DIAMOND CORE DRILLS

- W-Segment design
- Fastest cutting in harder masonry materials
- Very long life



ORDER CODE	DIAMETER	LENGTH	THREAD SIZE	PRICE £
CDS4-D-52-B	52	150	1/2" BSP	81.00
CDS4-D-65-B	65	150	1/2" BSP	109.00
CDS4-D-77-B	77	150	1/2" BSP	112.00
CDS4-D-91-B	91	150	1/2" BSP	116.00
CDS4-D-102-B	102	150	1/2" BSP	118.00
CDS4-D-107-B	107	150	1/2" BSP	118.00
CDS4-D-117-B	117	150	1/2" BSP	121.00
CDS4-D-127-B	127	150	1/2" BSP	127.00
CDS4-D-132-B	132	150	1/2" BSP	150.00
CDS4-D-142-B	142	150	1/2" BSP	155.00
CDS4-D-152-B	152	150	1/2" BSP	169.00
CDS4-D-162-B	162	150	1/2" BSP	187.00
CDS4-D-172-B	172	150	1/2" BSP	200.00
CDS4-D-182-B	182	150	1/2" BSP	210.00
CDS4-D-200-B	200	150	1/2" BSP	228.00



DRY DIAMOND CORE DRILLS

- General purpose design
- Good all-round performance in Brick and Blockwork



ORDER CODE	DIAMETER	LENGTH	THREAD SIZE	PRICE £
CDC6-D-22-B	22	300	1/2" BSP	56.00
CDC6-D-28-B	28	300	1/2" BSP	61.00
CDS6-D-32-B	32	150	1/2" BSP	58.00
CDS6-D-38-B	38	150	1/2" BSP	61.00
CDS6-D-48-B	48	150	1/2" BSP	68.00
CDS6-D-52-B	52	150	1/2" BSP	70.00
CDS6-D-65-B	65	150	1/2" BSP	88.00
CDS6-D-77-B	77	150	1/2" BSP	91.00
CDS6-D-91-B	91	150	1/2" BSP	94.00
CDS6-D-102-B	102	150	1/2" BSP	108.00
CDS6-D-107-B	107	150	1/2" BSP	111.00
CDS6-D-117-B	117	150	1/2" BSP	120.00
CDS6-D-127-B	127	150	1/2" BSP	123.00
CDS6-D-132-B	132	150	1/2" BSP	128.00
CDS6-D-142-B	142	150	1/2" BSP	133.00
CDS6-D-152-B	152	150	1/2" BSP	143.00
CDS6-D-162-B	162	150	1/2" BSP	153.00
CDS6-D-172-B	172	150	1/2" BSP	167.00
CDS6-D-182-B	182	150	1/2" BSP	173.00
CDS6-D-202-B	202	150	1/2" BSP	192.00



DRY CORE DRILL ACCESSORIES

- Adaptors and extension rods for dry core drill range



ORDER CODE	DESCRIPTION	PRICE £
CD-D-ADA-1	Hex Adaptor, Pilot Rod, Drift Key	24.50
CD-D-ADA-2	SDS Adaptor, Pilot Rod, Drift Key	16.00
CD-D-DA-1	Hex Drive Adaptor	14.50
CD-D-DA-2	SDS Drive Adaptor	16.00
CD-D-DA-3	1/2" M to 1/2" M Drive Adaptor	24.00
CD-D-GR	Pilot Guide Rod	7.00
CD-D-PD	Pilot Drill Bit	7.50
CD-D-DK	Drift Key	2.00
CD-D-150-EXHEX	150mm Hex Extension Rod	19.00
CD-D-250-EXHEX	250mm Hex Extension Rod	20.00
CD-D-200-EXSDS	200mm SDS Ext Rod	28.00

