2018

REFINA

FLOORING TRADE TOOLS & EQUIPMENT CATALOGUE

- MEGAMIXER® Mortar, Epoxy & Latex Mixers
- ROTAMIXER® Mortar, Resin & Screed Mixers
- RESIMIXER® Aggregate & Resin Mixer
- FLOORMIX Liquid Screed, Self Leveller & Latex Mixer
- EIBENSTOCK Scabblers, Polishers & Grinders
- PERGO SCHWAMMFIX Tile Grout Sponge Machines
- EIBENSTOCK Diamond Cutters & Diamond Drills
- REFINA® Hand Tools & Trowels

EIBENSTOCK
Elektrowerkzeuge
Made in Germany

MEGAMIXER® H HANDLE

MM30 1800W H HANDLE MEGAMIXER®

- new design H handle for improved cable protection
- powerful motor & long life two speed gearbox
- supplied with MR3 spiral paddle
- dust cover for switch
- soft start & low splash
- smooth, lump free mixes
- easy & comfortable handling
- high torque, slow speed for powerful mixing
- heavy duty plaster & mortar mixers
- large range of interchangeable paddles
- guaranteed German made mixers & paddles

The plastering and rendering trades' favourite MEGAMIXER, the MM30 is a well proven and robust power tool with an 1800w motor that will generate a fast, thorough mix action for consistent results. The new H handle gives easy handling and a comfortable work position whilst protecting the power tool motor from damage

All MEGAMIXERS have soft start variable speed that minimises splashing when starting. The power mixers are supplied with an MR3 spiral paddle that is the most efficient for converting power tool torque to an easy and consistent mix action

With its heavy duty 1800w high torque motor and two speed gearbox, this is the most powerful mixer for contractors requiring constant output

The two speed mixer MM30 is best for mixing heavy materials and large volume mixes including plasters, hardwall and bonding, external renders, floor screed, repair and epoxy mortars. It will easily handle a four bag mix without struggling and it will do so day in, day out

MEGAMIXER®	MM30
Power	1800w
Speed	250/580rpm
Weight	6.9kg
Paddle	MR3 160G 6¼"
Capacity	50-100kg
Output	1200kg/hr
Vibration level	1.7m/s
Noise level	72dBA
Voltage	110v or 230v

EIBENSTOCK

Made in Germany

- ✓ pourable floor coatings
- ✓ epoxy mortars
- ✓ floor screed
- ✓ latex & coatings
- ✓ resin aggregates
- ✓ self levelling & liquid floor screeds
- ✓ self levelling floor toppings
- ✓ cement powders
- ✓ injection & chemical grouts
- ✓ pourable grouts

MM30 MEGAMIXER & MR3 160G paddle

new handle design

improved cable protection

new switch cover

H HANDLE MEGAMIXER®

MEGAMIXER, with paddle, H handle, variable two speed, soft start

Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45303160	MM30 two speed mixer drill	1800w	6.9kg	250/580rpm	MR3 160G 6¼"	50-100kg	389.00

MM21 & MM22 1150W H HANDLE

- new design H handle for improved cable protection
- powerful motor & long life gearbox
- soft start, low splash
- smooth, lump free mixes
- easy & comfortable handling
- high torque, slow speed for powerful mixing
- medium weight plaster & mortar mixer
- large range of interchangeable paddles
- guaranteed German made mixers & paddles

The MM21 & MM22 MEGAMIXERs are medium weight power mixers with H handle, all metal gearbox and reliable 1150w motor

They generate a fast, thorough mix action suitable for modern plasters and building materials

All MEGAMIXERs have soft start, variable speed, that minimises splashing when starting

The H handle gives easy handling and a comfortable mix position; the new design handle helps protect the power tool motor from damage

The power mixers are supplied with an MR3 spiral paddle but can also be supplied with a variety of different paddle designs

The two speed MM22 with the extra slow speed will mix both heavy mortars as well as lightweight powders, plaster, bonding, drylining adhesive and epoxy coatings, liquid and stiff mixes

MEGAMIXER®	MM21	MM22
Power	1150w	1150w
Speed	580rpm	250/450rpm
Weight	4.9kg	5.1kg
Paddle	MR3 140G 5½"	MR3 140G 5½"
Capacity	25-75kg	25-75kg
Output	600kg/hr	600kg/hr
Vibration level	1.3m/s	1.8m/s
Noise level	74dBA	76dBA
Voltage	110v or 230v	110v or 230v

EIBENSTOCK

Made in Germany

- ✓ pourable floor coatings
- ✓ epoxy mortars
- ✓ floor screed
- ✓ latex & coatings
- ✓ resin aggregates
- ✓ self levelling & liquid floor screeds
- ✓ self levelling floor toppings
- ✓ cement powders
- ✓ injection & chemical grouts
- ✓ pourable grouts

MM21 MEGAMIXER & MR3 140G paddle

MM22 MEGAMIXER & MR3 140G paddle

MR3 spiral paddle

MR3 spiral paddle

MR1 hoop paddle

MR8 impellor paddle

MEGAMIXERS® H HANDLE

MEGAMIXER, with paddle, H handle, variable single speed, soft start

Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45213140	MM21 mixer drill	1150w	4.9kg	580rpm	MR3 140G 5½"	25-75kg	279.00

MEGAMIXER, with paddle, H handle, variable two speed, soft start

Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45223140	MM22 two speed mixer drill	1150w	5.1kg	250/450rpm	MR3 140G 5½"	25-75kg	309.00

MR1 HOOP PADDLES, basket type for multi-finish plasters, coatings, cement powders & latex

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
011402	MR1 140G 5½" paddle	550w	140mm	600mm	25-75 ltr	17.00
011602	MR1 160G 6¼" paddle	650w	160mm	600mm	30-100 ltr	19.00
011802	MR1 180G 7" paddle	750w	180mm	600mm	40-150 ltr	21.00

MR8 IMPELLOR PADDLES, use with higher speed drills, for fluid & pourable latex & coatings

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
081202	MR8 120G 4¾" paddle	600w	120mm	600mm	20-50 ltr	26.00
081502	MR8 150G 6" paddle	700w	150mm	600mm	30-100 ltr	39.00

MEGAMIXER® D & H HANDLE

MM19 D HANDLE & MM20 H HANDLE

- solidly made, hard working power tools
- heavy duty motor & long life gearbox
- MM19 back & hoop handle mixer for easy handling
- MM20 with ergonomic H handle
- high torque & slow speed for heavy materials
- large range of paddle sizes & designs
- reliable power tools with fast service backup
- guaranteed German made mixer drills & paddles

The MM19 MEGAMIXER is a D handle power mixer and combines a simple well proven design, reliable gearbox and powerful 1050w motor

The MM19 will mix finish and browning plasters, bonding and drywall adhesive, floor coatings and epoxy paints; ideal for one and two bag mixes

The MM19 is our best selling multi purpose mixer for the plastering and building trades

The MM20 MEGAMIXER is a single speed 1100w power mixer with H handle design. The H handle gives easy handling and a comfortable mix position; the new design handle helps protect the power tool motor from damage

Both mixers have robust well proven motors, soft start switches and MR3 130 spiral mixer paddles

The simple robust designs make them powerful and reliable power tools for plastering and building trades

MEGAMIXER®	MM19	MM20
Power	1050w	1100w
Speed	450rpm	450rpm
Weight	3.1kg	4.1kg
Paddle	MR3 130G 5"	MR3 130G 5"
Capacity	25-50kg	25-50kg
Output	400kg/hr	400kg/hr
Vibration level	1.9m/s	1.9m/s
Noise level	71dBA	71dBA
Voltage	110v or 230v	110v or 230v

EIBENSTOCK

Made in Germany

MM19 MEGAMIXER & MR3 130G paddle

- ✓ pourable floor coatings
- ✓ epoxy mortars
- ✓ floor screed
- ✓ latex & coatings
- ✓ resin aggregates
- ✓ self levelling & liquid floor screeds
- ✓ self levelling floor toppings
- ✓ cement powders
- ✓ injection & chemical grouts
- ✓ pourable grouts

MM20 MEGAMIXER & MR3 130G paddle

D & H HANDLE MEGAMIXER®

MEGAMIXER, with paddle, D back handle, variable single speed, soft start

Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
45193130	MM19 mixer drill	1050w	3.1kg	450rpm	MR3 130G 5"	25-50kg	209.00

MEGAMIXER, with paddle, H handle, variable single speed, soft start

Stock no	Description	Power	Weight	Speed	Paddle	Mix	£ ex VAT
451801	MM20 mixer drill	1100w	4.1kg	450rpm	MR3 130G 5"	25-50kg	249.00

TWIN PADDLE MEGAMIXERS®

MZR21 & EZR23 TWIN PADDLE

- new design H handle for improved cable protection
- powerful contra-rotating positive mix action
- twin paddles for thorough mixing
- soft start, low splash
- easy & comfortable handling
- for heavy & difficult to mix materials

The twin contra-rotating paddles generate a thorough and consistent mix action that reduces air entrainment

The twin paddles reduce counter rotational torque and the mixer drill does not try and twist when mixing heavier materials; minimising operator fatigue particularly with stiff mixes

The twin paddles give the most thorough mix for heavy mortars, fibre filled cements, pastes, putties and epoxies

The mixers are suited to multi-component, specialist materials and critical mix applications

MEGAMIXER®	MZR21	EZR23
Power	1200w	1800w
Speed	400rpm	200-530rpm
Weight	6.7kg	7.1kg
Paddles	2 x EZR120	2xEZR130
Capacity	25-75kg	75-100kg
Output	600kg/hr	800kg/hr
Vibration level	4.3m/s	4.3m/s
Noise level	77dBA	77dBA
Voltage	110v or 230v	110v or 230v

EIBENSTOCK

Made in Germany

EZR23 MEGAMIXER & twin paddles

MZR21 MEGAMIXER & twin paddles

- ✓ anti skid road surfaces
- ✓ highway repair surfaces
- ✓ polymer screeds
- ✓ epoxy mortars & coatings
- ✓ floor coatings
- ✓ heavy bodied paints & coatings
- ✓ quartz & epoxy screeds
- ✓ adhesives & cements
- ✓ concrete repair mortars
- ✓ lime & heritage mortars
- ✓ repair or fibre filled mortar
- ✓ grouts & pourable cements
- ✓ cementitious toppings
- ✓ latex & self levellers

TWIN PADDLE MEGAMIXER®

MEGAMIXER, with double contra-rotating paddles, variable single speed, soft start

Stock no	Description	Power	Weight	Speed	Paddles	Mix	£ ex VAT
452210	MZR21 twin paddle mixer	1150w	6.7kg	400rpm	2x120mm	25-75kg	569.00

MEGAMIXER, with double contra-rotating paddles, variable single speed, soft start

Stock no	Description	Power	Weight	Speed	Paddles	Mix	£ ex VAT
452310	EZR23 twin paddle mixer	1800w	7.1kg	530rpm	2x130mm	75-100kg	599.00

EPI MIXER THREADED PADDLES

- trade quality technically designed paddles
- generate a thorough mix action
- threaded shaft to fit directly into mixer drill
- largest range of designs & sizes
- guaranteed German made quality

Threaded EPI mixer paddles fit directly into the front end M14 thread of the mixer drill

The paddles are of proven design to give efficient mix action; they are produced to ensure a perfectly balanced shape that eliminates paddle wobble

MR3 paddles with negative top to bottom mix action are the most popular design for a wide range of bagged materials, plaster, cements, resins, coatings, wet and pourable mixes. The mix action is thorough and consistent; the paddle floats in the mix making handling easy

The MR3R paddles are the same design but with a right hand spiral and positive bottom to top mix action

The MR4 design are a screw spiral, turning and lifting the material. The MR4 paddles are for stiffer mortars and epoxies

The MR1 hoop paddles whisk the mix and are used for lighter weight powder mixes

The MR8 paddles are an impellor design that generates a semi-dispersion mix for paints and coatings

- ✓ mix liquids & powders
- ✓ plasters & textures
- ✓ renders & lime mortars
- ✓ paints & coatings
- ✓ cements & mortars
- ✓ resins & epoxies
- ✓ latex & screed
- ✓ tile cements & adhesives

MR3
spiral paddle
negative mix action

MR3R
spiral paddle
positive mix action

000203G
BS connector
M14 to hex shaft

433101
mixer drill chuck & connector
for hex shaft paddles

MR4
screw paddle

MR1
hoop paddle

MR8
impellor paddle

THREADED M14 PADDLES

MR1 HOOP PADDLES, basket type for multi-finish plasters, coatings, cement powders & latex

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
011402	MR1 140G 5½" paddle	550w	140mm	600mm	25-75 ltr	17.00
011602	MR1 160G 6¼" paddle	650w	160mm	600mm	30-100 ltr	19.00
011802	MR1 180G 7" paddle	750w	180mm	600mm	40-150 ltr	21.00

MR3 SPIRAL PADDLES, reverse spiral for wet mixes, plasters, coatings and powders

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
031002	MR3 100G 4" paddle	600w	100mm	600mm	10-25 ltr	26.00
031202	MR3 120G 4¾" paddle	650w	120mm	600mm	20-50 ltr	28.00
031302	MR3 130G 5" paddle	700w	130mm	600mm	20-50 ltr	29.00
031402	MR3 140G 5½" paddle	750w	140mm	600mm	25-75 ltr	29.00
031602	MR3 160G 6¼" paddle	850w	160mm	600mm	30-100 ltr	33.00
031802	MR3 180G 7" paddle	950w	180mm	600mm	40-150 ltr	39.00
032002	MR3 200G 8" paddle	1000w	200mm	600mm	50-200 ltr	43.00

MR3R SPIRAL PADDLES, right hand spiral for wet mixes, plasters, coatings and powders

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
031203	MR3R 120G 4¾" paddle	650w	120mm	600mm	20-50 ltr	28.00
031403	MR3R 140G 5½" paddle	750w	140mm	600mm	25-75 ltr	30.00
031603	MR3R 160G 6¼" paddle	850w	160mm	600mm	30-100 ltr	33.00

MR4 SCREW SPIRAL PADDLES, for dry & stiff mixes, mortars, renders & epoxies

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
041002	MR4 100G 4" paddle	600w	100mm	600mm	10-25 ltr	25.00
041202	MR4 120G 4¾" paddle	650w	120mm	600mm	20-50 ltr	27.00
041402	MR4 140G 5½" paddle	750w	140mm	600mm	25-75 ltr	29.00
041602	MR4 160G 6¼" paddle	850w	160mm	600mm	30-100 ltr	33.00

MR8 IMPELLOR PADDLES, use with higher speed drills, for fluid & pourable latex & coatings

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
081202	MR8 120G 4¾" paddle	600w	120mm	600mm	20-50 ltr	26.00
081502	MR8 150G 6" paddle	700w	150mm	600mm	30-100 ltr	39.00

DRILL CHICKS, for use with mixer drills & hex shaft paddles

Stock no	Description	£ ex VAT
433101	mixer drill chuck & M14 connector	25.00
000203G	BS connector M14 female to hex shaft adapter	10.00

MIXING TUBS

- heavy duty plastic tubs
- for mixing & gauging
- plaster & cement
- epoxy & mortar
- can be used for material handling & transport

The black mixing tubs are produced in heavy gauge plastic and are tapered for easy stacking

The narrower 30 ltr tub with hoop handle is often used for finish plaster and coatings

The white plastic mixing tubs are produced from rigid plastic with a heavy gauge wall thickness

They are designed for site use, handling and mixing construction materials

The tubs have moulded side handles and are used for mixing plaster, render, mortar and epoxy

The Mack bucket scoop is designed by Andy McKay from Ringwood and is available to buy on the REFINA website

323001
30 ltr mixing tub

326502
65 ltr mixing tub

321010
35 ltr mixing tub

321013
100 ltr mixing tub

321011
50 ltr mixing tub

35 ltr mixing tub & Mack bucket scoop

MIXING TUBS

HEAVY DUTY PLASTIC TUB, with metal hoop handle

Stock no	Description	Top width	Height	Capacity	£ ex VAT
323001	mixing tub, 7 gallon	32cm	40cm	30 ltr	13.00

HEAVY DUTY MIXING TUBS, black plastic, with side grips

Stock no	Description	Top width	Height	Capacity	£ ex VAT
326502	mixing tub, 14 gallon	60cm	33cm	65 ltr	12.00
329002	mixing tub, 20 gallon	68cm	35cm	90 ltr	13.00

HEAVY DUTY MIXING TUBS, white plastic, with side handles

Stock no	Description	Top width	Height	Capacity	£ ex VAT
321010	plastic mixing vessel 8 gallons	39cm	41cm	35 ltr	11.00
321011	plastic mixing vessel 11 gallons	45cm	47cm	50 ltr	16.00
321012	plastic mixing vessel 16 gallons	49cm	57cm	75 ltr	21.00
321013	Plastic mixing vessel 22 gallons	52cm	67cm	100 ltr	27.00

DAINES® MIXAL FORCED ACTION MIXER

DAINES® MR40 MIXER

- compact forced action mixer
- simple L shape paddle for thorough mix action
- light weight & easy to use
- easy clean & low maintenance
- produced in the UK

The DAINES Mixal MR40 drum mixer is solidly built with a rigid grp shell, L shape paddle, 32 litre metal drum and simple basket drive. It is easy to clean and gives an excellent mix

The rotating drum produces a centrifugal action and the paddle mixes from the outside in

The mixer uses a 32 ltr steel drum with pail type handle and is for one bag mixes of mortar and epoxy, floor paints and coatings

The new MR30 mixer is built around the same grp shell but includes a tapered 30 litre plastic tub and tapered drive basket

DAINES® MIXAL MIXER	MR40
Power	0.75kw
Machine weight	36kg
Size WxL	55x170cm
Height	87cm
Paddle	L shape
Capacity	15-30kg
Output	600kg/hr
Noise level	65dBA
Voltage	110v or 230v

Made in UK

- ✓ concrete repair mortars
- ✓ epoxy mortars
- ✓ resin & aggregates
- ✓ floor coatings
- ✓ heavy bodied paints & coatings
- ✓ mix quantity 1 bag

DAINES MR40
rotary drum mixer

323203
32 ltr metal drum

DAINES MR30
rotary drum mixer

323004
30 ltr plastic tub

DAINES® MIXAL ROTARY DRUM MIXER

FORCED ACTION ROTARY DRUM MIXER, 32 ltr metal drum

Stock no	Description	Power	Tub	Mix	£ ex VAT
709001	DAINES MR40 mixer	0.75kw	30 ltr	15-30kg	759.00

REPLACEMENT METAL DRUM, with pail handle

Stock no	Description	Width Ø	Depth	£ ex VAT
323203	mixing drum, 32 ltr	36cm	33cm	20.00

FORCED ACTION ROTARY DRUM MIXER, 30 ltr plastic drum

Stock no	Description	Power	Tub	Mix	£ ex VAT
709003	DAINES MR30 mixer	0.75kw	30 ltr	15-30kg	749.00

REPLACEMENT PLASTIC DRUM, with pail handle

Stock no	Description	Width Ø	Depth	£ ex VAT
323004	mixing drum, 30 ltr	32cm	40cm	13.00

RM65 & RM90 ROTAMIXER®

- robust forced action paddle mixers
- stainless steel adjustable paddles
- twin paddles for thorough mix action
- radial & axial mix, turns & lifts material
- easy clean for epoxies & cements
- produced in the UK

The RM65 and RM90 mixers are robust forced action mixers designed for those materials that can't be successfully mixed in a conventional free-fall cement mixer

The rotating drum produces a centrifugal mix and the technically designed paddles generate a radial and axial action

The machines are easy to clean and maintain, and replacement mixing tubs are economically priced. The machine includes a stainless steel L shaped side paddle and a rotary claw paddle which will mix right up to the tub centre, sides and base

The RM65 is a compact forced action mixer for up to two bags of repair or fibre filled mortar, grout, epoxy, screed, flooring latex and coatings, cements, tile adhesives and special plasters. The RM90 can mix up to three bags

These mixers are produced with a 110v high torque motor and sealed gear box; 230v and 415v motors are also available for both models

ROTAMIXER®	RM65
Power	1.1kw
Machine weight	67kg
Size WxL	60x130cm
Height	94cm
Paddles	L & X shapes
Capacity	30-65kg
Output	1200kg/hr
Noise level	67dBA
Voltage	110v or 230v

ROTAMIXER®	RM90
Power	1.1kw
Machine weight	69kg
Size WxL	60x130cm
Height	94cm
Paddles	L & X shapes
Capacity	30-75kg
Output	1500kg/hr
Noise level	67dBA
Voltage	110v or 230v

Made in UK

- ✓ concrete repair mortars
- ✓ epoxy mortars
- ✓ resin & aggregates
- ✓ floor coatings
- ✓ heavy bodied paints
- ✓ self levelling epoxy coatings

RM65
rotary tub mixer

RM90
rotary tub mixer

twin stainless
steel paddles

326501
65 ltr mixing tub

706501
lift & tip trolley

ROTAMIXER® ROTARY TUB MIXERS

ROTAMIXER FORCED ACTION ROTARY MIXER, with L shaped side paddle & rotary paddle & two plastic tubs

Stock no	Description	Power	Tub	Mix	£ ex VAT
706600	RM65 rotary tub mixer twin paddle	1.1kw	65 ltr	30-60kg	1195.00

REPLACEMENT ROTAMIXER PLASTIC TUB

Stock no	Description	Width Ø	Depth	£ ex VAT
326501	mixing tub, 65 ltr black plastic	59cm	33cm	19.00

ROTAMIXER FORCED ACTION ROTARY MIXER, with L shaped side paddle & rotary paddle & two plastic tubs

Stock no	Description	Power	Tub	Mix	£ ex VAT
709000	RM90 rotary tub mixer twin paddle	1.1kw	90 ltr	30-75kg	1395.00

REPLACEMENT ROTAMIXER PLASTIC TUB

Stock no	Description	Width Ø	Depth	£ ex VAT
329003	mixing tub, 90 ltr black plastic	67cm	36cm	20.00

TUB LIFTING TROLLEY

Stock no	Description	£ ex VAT
706501	lift & tip trolley for 65 ltr or 90 ltr tubs	180.00

RMX120 RESIMIXER®

- heavy duty rotary paddle mixer
- removable 120 ltr stainless steel drum
- 4 x 25kg bags of aggregate mix capacity
- adjustable stainless steel mixer blades
- uniform & consistent mixing
- bottom outlet for discharge into barrow
- easy to clean, no centre mixing shaft
- produced by REFINA in the UK

The RMX120 is produced in the UK and is the first machine designed to mix aggregate and resin material used for resin bound surfaces and driveways

The rotary paddle forced action mixer will mix resin bound aggregates, driveway materials, resins, rubber crumb and playground surfaces

The machine has a removable stainless steel drum and paddles for easy cleaning

The motor and gearbox is mounted on the top of the mixer drum and is removed for cleaning

It has two adjustable paddles and is driven by a powerful electric motor and sealed gearbox

The mixer is supplied with a 1.5kw 110v motor. The 110v mixer should be used with a 5kva transformer and only one 4mm 32amp extension lead

A 230v motor is available for domestic building work

The mixer will run off 110v construction site electrics using a 32 amp 5kva transformer or 6kva generator

RESIMIXER®	RMX120
Power	1.5kw
Machine weight	85kg
Size WxL	85x95cm
Height	120cm
Paddles	3 blade set up
Drum size	55cm
Output	600kg/hr
Noise level	71dBA
Voltage	110v or 230v



Stainless steel replaceable drum

Made in UK

- ✓ mix resin bound aggregates
- ✓ epoxy mortars & coatings
- ✓ anti skid road surfaces
- ✓ highway repair surfaces
- ✓ driveway surfaces
- ✓ playground surfaces
- ✓ wet pour safety surfaces
- ✓ polymer screeds
- ✓ rubber crumb toppings
- ✓ decorative resin surfaces
- ✓ quartz & epoxy screeds
- ✓ adhesives & cements
- ✓ concrete repair mortars
- ✓ lime & heritage mortars
- ✓ repair or fibre filled mortar

RESIMIXER® ROTARY PADDLE AGGREGATE & RESIN MIXER

RESIN MIXER, rotary paddle, bottom outlet

Stock no	Description	Power	Drum Ø	Mix	£ ex VAT
700150	RMX120 rotary paddle mixer	1.5kw	55cm	100kg	1995.00

RMX140 ROTAMIXER®

- heavy duty rotary paddle mixer
- three adjustable mixer blades
- uniform & consistent mixing
- bottom outlet for discharge into barrow
- for dry & bulk mixes
- easy to clean, low maintenance

The RMX140 is a rotary paddle forced action pan mixer with large capacity drum

It will mix mortars and external colour through renders including monocouche and K-Rend

It has three adjustable paddles and is driven by a powerful electric motor and sealed gearbox. This mixer is powerful enough to mix the heaviest render, mortar and screed

The RMX140 can mix materials with aggregate up to 8mm. The mixer is supplied with a 1.5kw 110v motor; a 230v motor is available for domestic building work

It will mix 5 bags of mortar or a 4 to 1 sand and cement mix

The mixer will run off a good 110v construction site electrical supply using a 32amp 5kva transformer or 6kva generator. The 110v mixers are not designed to run off a domestic 13amp supply

For refractory cements use a 415v three phase machine

ROTAMIXER®	RMX140
Power	1.5kw
Machine weight	95kg
Size WxL	90x95cm
Height	110cm
Paddles	3 blade set up
Drum size	70cm
Output	800kg/hr
Noise level	71dBA
Voltage	110v or 230v

- ✓ sand & cement screed
- ✓ polymer screed & mortars
- ✓ repair mortars & cements
- ✓ refractory cements

RMX140
paddle mixer

ROTAMIXER® ROTARY PADDLE & MORTAR MIXER

MORTAR MIXER, rotary paddle, bottom outlet

Stock no	Description	Power	Drum Ø	Mix	£ ex VAT
700130	RMX140 rotary paddle mixer	1.5kw	70cm	50-150kg	1895.00

LATEX & LIQUID SCREED MIXER



FLOORMIX MOBILE MIXER

- heavy duty motor
- two mechanical speeds
- additional electronic speed reductions
- 5 x 20kg capacity for pourable cement floor toppings
- large diameter stirring paddle
- centrally located paddle gives full sweep of material
- paddle mixes right to the tub base & edge
- no unmixed powders at the tub base
- connection for dust extraction
- drive unit & paddle easily removed
- mobile mix & pour station
- inexpensive additional tubs

The FloorMix will thoroughly and quickly mix up to 5 x 20kg bags of liquid cementitious materials

The centre mounted full sweep paddle ensures a thorough mix with no unmixed pockets

A range of paddles are available for floor paints and pourable epoxies

Mixing and placing of floor toppings is easy and fast, boosts productivity, lowers labour costs and reduces physical effort

It will mix, transport and pour directly onto the floor

The FloorMix is designed for self levelling floor compounds but will mix a range of pourable floor paints, coatings and grouts

There is a dust extraction port for vacuum connection. The mixer top is partly covered to reduce air born dust. There is an additional removable cover for dust and splash reduction fully enclosing the mix

The mixer will run off 110v construction site electrics using a 32 amp 5kva transformer or 6kva generator

FLOORMIX	FM2300
Power	2300w
Speed 1	70/**130**rpm
Speed 2	160/**280**rpm
Machine weight	48kg
Capacity	100kg
Noise level	67dBA
Voltage	110 or 230v

Recommended speed 130rpm and 280rpm

EIBENSTOCK

Made in Germany

centre mounted motor for full sweep mix

FloorMix 2300 mobile mixer

- ✓ self levelling latex screed
- ✓ levelling compounds
- ✓ pourable coatings & epoxies
- ✓ grouts & adhesives
- ✓ liquid floor screeds



full sweep mixer paddle no unmixed pockets in tub corners

326110 mixing tub

FLOORMIX MOBILE FLOOR MIXER

MOBILE MIXER, with spiral paddle and side scrapers, for pourable floor toppings & coatings

Stock no	Description	Power	Weight	Tub	Mix	£ ex VAT
458280	FloorMix 2300 mobile mixer	2300w	48kg	110 ltr	100kg	1295.00

REPLACEMENT PLASTIC TUB

Stock no	Description	Width Ø	Depth	£ ex VAT
326110	mixing tub, 110 ltr black plastic	52cm	73cm	49.00

ENCLOSED MORTAR & EPOXY MIXER

TWINMIX MOBILE MIXER

- contra rotating paddles
- outer scraper paddle to turn & fold the mix
- faster inner paddle for intensive mixing
- mobile for site use
- robust high torque two speed motor
- thermal cut-out & motor overload
- fully enclosed dust cover
- vacuum outlet for dust control

The TwinMix is a robust universal high powered motor mobile mixer with mix trolley and 65 ltr tub

The contra rotating mixer paddles with scraper, avoids material deposits on the bucket sides rim, while the fast inner paddle ensures thorough mixing

The standard trolley with handles and large wheel is for transporting the mix around site

The tipper trolley uses a simple mechanism to unload the mix

The mixer will run off 110v construction site electrics using a 32 amp 5kva transformer or 6kva generator

TWINMIX	TM1800
Power	1800w
Speed 1 outer/inner paddle	20/250rpm
Speed 2 outer/inner paddle	36/450rpm
Machine weight	70kg
Capacity	50kg
Noise level	67dBA
Voltage	110v or 230v

EIBENSTOCK

Made in Germany

- ✓ homogeneous & lump free mixing
- ✓ self-levelling compounds
- ✓ adhesives & thin-bed mortars
- ✓ epoxies, mortars & pastes
- ✓ fibre filled repair mortars
- ✓ ceramics, granulates & rubbers
- ✓ putties & lime mortars
- ✓ fibre filled materials
- ✓ specialist paints & coatings

TwinMix 1800
mobile mixer with tub
trolley

4530666
tipping trolley



contra rotating
centre paddle

TWINMIX MOBILE MIXER

MOBILE MIXER STATION, with spiral paddle and side scraper

Stock no	Description	Power	Weight	Tub	Mix	£ ex VAT
453066	TwinMix 1800 mobile mixer	1800w	70kg	65 ltr	50kg	1549.00

MOBILE TROLLEYS, for easy transportation

Stock no	Description	£ ex VAT
4530665	tub trolley	249.00
4530666	tipping trolley	499.00

EPO180H 7" MULTI-SURFACER & STRIPPER

- powerful multi-surfacer
- paint & coating stripper
- dust free with dustex hood & vac
- reduced vibration H handle

The EPO180H with ATX disc will strip water-based paints, textures and graffiti from plasterboard, ceilings, trowelled concrete, smooth brickwork, masonry and stone

The ATX discs are hard backed silicone carbide abrasives for paint removal

The hard backed ZTX coarse discs are for coating removal including epoxies

No backing pad is required with the ATX and ZTX hard backed discs

MULTI-SURFACER	EPO180H
Power	1500w
Variable speed	1300-4000rpm
Weight	3.8kg
Disc	180mm
Prep rate	up to 30m/hr
Vibration level	2.5m/s
Noise level	79dBA
Voltage	110v or 230v

EIBENSTOCK

Made in Germany

- ✓ stripping paint & coatings
- ✓ cleaning flat brick, stone & concrete
- ✓ smoothing & refurbishing stone
- ✓ sanding & finishing concrete
- ✓ prepping walls, floors & ceilings
- ✓ epoxy paints
- ✓ latex screed
- ✓ terrazzo tiles

EPO180H-ATX
multi-surfacer & stripper

EPO180H-ATX
without dustex guard

300180
ATX stripper disc

305181
ZTX hard backed disc

MULTI-SURFACER PAINT STRIPPER

MULTI-SURFACER & PAINT STRIPPER, with dustex hood, variable speed H handle

Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
481208	EPO180H 7" paint stripper	1500w	3.8kg	1300-4000rpm	180mm	389.00

PAINT STRIPPING DISCS, hard backed, web silicone carbide, for water based paint removal, no backing pad required

Stock no	Description	Disc Ø	Rec speed	Grit	£ ex VAT
300180	ATX 7" stripper & cleaning disc	180mm	3000rpm	60	9.95

RIBBED DISCS, hard backed, silicone carbide, for coating removal, no backing pad required

Stock no	Description	Disc Ø	Rec speed	Grits	£ ex VAT
305181	ZTX 7" hard backed coarse disc	180mm	3000rpm	12,16,24,36	4.50

EP0180H-SRX SCABBLER-SURFACER

- rotary surface scabbler
- replaceable cutters
- solid tungsten cutters or tct cutters
- for paint, render & refurbishment trades
- dust free with vac

The EP0180H with scabbler head will clean, key and prepare interior and exterior wall and floor surfaces. The scabbler is excellent for stripping exterior facades and interiors before refurbishment or replastering, keying cellar walls for tanking

The scabbler uses freely rotating cutters to key and peen the surface. The cutters are replaceable

C6 tungsten carbide tipped scabbling cutters, for render and plaster; leaves a rough finish

C4 solid tungsten carbide claw cutters are for shaving off coatings; leaves a peened finish

C5 solid tungsten star cutters are for keying hard coatings; leaves a keyed surface

SCABBLER	EP0180H
Power	1500w
Speed	1300-4000rpm
Weight	5.9kg
Prep head	150mm
Prep rate	up to 30m/hr
Vibration level	7.9m/s
Noise level	79dBA
Voltage	110v or 230v

EIBENSTOCK

Made in Germany

- ✓ scabbling concrete & render
- ✓ taking off masonry paints & tyrolean
- ✓ leaves peened or roughened surface
- ✓ stripping internal paints & exterior coatings
- ✓ chipping off paint & textures
- ✓ cleaning masonry & brick
- ✓ keying back internal walls & plaster
- ✓ taking off floor paints & coatings

EP0180H-SRX6
scabbler-surfacer

356560F
dustex hood

346376
C6 cutters

346374
C4 cutters

346375
C5 cutters

C6
tungsten tipped
cutters

C4
solid tungsten
claw cutters

C5
solid tungsten
star cutters

SCABBLER-SURFACERS & CUTTERS

MULTI-SURFACE SCABBLERS, for keying & cleaning concrete, render & masonry

Stock no	Description	Power	Weight	Speed	Cutters	£ ex VAT
4811876	EP0180H-SRX6-C6	1500w	5.9kg	1300-4000rpm	C6 x14	539.00
4811874	EP0180H-SRX6-C4	1500w	5.9kg	1300-4000rpm	C4 x28	579.00
4811875	EP0180H-SRX6-C5	1500w	5.9kg	1300-4000rpm	C5 x21	559.00
356560F	dust hood for 6" scabbler head					49.00

SCABBLER HEADS, for keying back & cleaning render, concrete, screed & coatings

Stock no	Description	Cutters	Rec speed	£ ex VAT
346386	SRX6-C6 6" scabbler	C6 tungsten tip	3000rpm	209.00
346384	SRX6-C4 6" scabbler	C4 solid tungsten claw	3000rpm	249.00
346385	SRX6-C5 6" scabbler	C5 solid tungsten star	3000rpm	229.00

REPLACEMENT CUTTERS, with spacers

Stock no	Description	Cutter set	£ ex VAT
348146	C6 tungsten tipped 6.0mm cutters	14	65.00
348284	C4 solid tungsten 3.5mm claw cutters	28	105.00
348505	C5 solid tungsten 4.0mm star cutters	21	85.00

DIAMOND STONE & CONCRETE POLISHER

EPN1800 DIAMOND WET POLISHER

- powerful concrete & stone polisher
- metal bond discs for hard grinding
- resin bond discs for smoothing & polishing
- wet finishing for finer surfaces
- water feed suppresses harmful dust

The EPN1800 wet polisher with water feed is for smoothing, polishing and finishing concrete, natural stone, granite and terrazzo

The motor is protected from water ingress

The system uses discs from 50 to 3000 grit with a final buff pad to achieve a high gloss surface

It is recommended that advice is taken before working on granite, marble or natural stone, composite or quartz surfaces

EIBENSTOCK

Made in Germany

- ✓ wet polishing & finishing
- ✓ natural stone & granite
- ✓ marble & terrazzo
- ✓ concrete floors & surfaces
- ✓ worktops & synthetic surfaces

DIAMOND WET POLISHER	EPN1800
Power	1800w
Speed	2000rpm
Weight	4.6kg
Diamond disc	100mm
Prep rate	up to 10m/hr
Vibration level	2.4m/s
Noise level	72dBA
Voltage	110v or 230v

EPN1800
diamond polisher

300214
velcro backing pad



315113
metal dot pad

315134
resin bond pad



315116
polishing discs

DIAMOND WET POLISHER

DIAMOND WET POLISHER WATER FEED, with velcro backing pad for diamond polishing pads

Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
481380	EPN1800 diamond polisher	1800w	4.6kg	2000rpm	100mm	389.00

DIAMOND WET DISCS, metal bond, use wet or dry, velcro backed, for first stage grinding concrete & terrazzo

Stock no	Description	Disc Ø	Rec speed	Grits	£ ex VAT
315113	4" metal dot pad	100mm	2000rpm	30,60,150,300	39.00

DIAMOND DISCS, use wet or dry, velcro backed, for polishing concrete & terrazzo

Stock no	Description	Disc Ø	Rec speed	Grits	£ ex VAT
315134	4" pad	100mm	2000rpm	medium, fine, extra fine	19.00
315134K	4" pads, set of 3	100mm	2000rpm	medium, fine, extra fine	57.00

DIAMOND DISCS, use wet or dry, velcro backed, for polishing granite & stone

Stock no	Description	Disc Ø	Rec speed	Grits	£ ex VAT
315116	4" pads	100mm	2000rpm	50,100,200,400,800,1500,3000	10.00

VELCRO BACKING PADS, for use with stone finishing diamonds & abrasives discs

Stock no	Description	Disc Ø	£ ex VAT
300214	4" velcro backing pad	100mm	16.00

DIAMOND CONCRETE GRINDER

EBS1802H 5" DIAMOND GRINDER

- powerful hand-held grinder
- fitted with low vibration handle
- removable front guard for edging
- dust free with dustex vac

The EBS1802H is a powerful 1650w 5" diamond grinder, supplied with a segmented diamond disc. The new generation of diamond discs are excellent for prepping a wide range of difficult to remove materials including thick and elastomeric coatings, cement adhesive, bitumens and hardened epoxies

It is produced with a reduced vibration H-handle for easy and smooth working on hard floors. The diamond grinder has a dustex guard and the front is removable for edging

The grinder-planer will level floors, slabs and walls, stone, curbs, stairs and pillars; face off shuttered concrete lines and pour spills; remove hardened epoxies and stone paints; smooth out trowel marks from screed and latex; cut back carpet adhesive and tile cement residues; skim off traffic markings and thermoplastics

A range of specialist application diamond discs are available. Only 5" discs will fit the EBS1802H

EIBENSTOCK

Made in Germany

- ✓ grinding & levelling concrete, screed & stone
- ✓ remove hard epoxy & cement coatings
- ✓ cut through floor adhesives
- ✓ removing tile cements
- ✓ finish shuttered concrete

DIAMOND GRINDER	EBS1802H
Power	1650w
Speed	10000rpm
Weight	5.9kg
Diamond discs	125mm
Prep rate	up to 30m/hr
Vibration level	4.4m/s
Noise level	78dBA
Voltage	110v or 230v

EBS1802H
diamond grinder

315125
DX5-G15 disc

315200
DX5-H5 disc

315194
DX5-MC disc



315170
DX5-K6 disc

DIAMOND GRINDER

DIAMOND GRINDER-PLANER, with twin row diamond disc, for planing & reducing concrete & screed

Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
483180	EBS1802 5" diamond grinder	1650w	5.9kg	10000rpm	125mm	549.00

DIAMOND DISC, twin row for grinding concrete, hard coatings & surface removal

Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VAT
315125	DX5-G15 5" twin open row cup disc	125mm	10000rpm	15	40	89.00

DIAMOND DISC, curved segments, for aggressive grinding of coatings

Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VAT
315200	DX5-H5 5" diamond cup disc	125mm	10000rpm	6	24	85.00

DIAMOND DISCS, continuous ring, for smoothing concrete, terrazzo & stone

Stock no	Description	Disc Ø	Rec speed	Segment	Grits	£ ex VAT
315194	DX5-MC 5" solid ring diamond cup disc	125mm	10000rpm	continuous	40,80,120	99.00

DIAMOND DISC, PCD polycrystalline solid segments, for removing thick coatings, bitumastic & adhesives, latex & epoxies

Stock no	Description	Disc Ø	Rec speed	Segment	£ ex VAT
315170	DX5-K6 5" pcd diamond cup disc	125mm	10000rpm	6	179.00

REFINA

COATING SHAVER FOR WOOD FLOORS & CONCRETE



EOF100 SURFACE SHAVER

- rotary surface stripper
- adjustable depth from 0.1mm to 1.0mm
- swivel dust guard for edging
- solid tungsten disc or diamond disc
- dust free with vac XD181

The EOF100 has a powerful 1400w motor with soft start, temperature control and constant speed. It's soft bow handle allows for less vibration and non slip handling

The EOF100 has a micro depth control hood for shaving off surface coatings

It is supplied with a tungsten carbide shaver disc for removing both hard and soft coatings and surfaces from wood, grp and plastic, floor coverings and toppings

The diamond PCD disc will remove coatings from concrete and hard floors

SURFACE SHAVER	EOF100
Power	1400w
Speed	10000rpm
Weight	3.1kg
Milling depth	0.1mm-1.0mm
Disc	100mm
Vibration level	2.5m/s
Noise level	79dBA
Voltage	230v

EIBENSTOCK

Made in Germany

- ✓ stripping off paints & surfaces
- ✓ varnish & resins
- ✓ adhesives & residues
- ✓ use on wooden boards & decking
- ✓ marine coatings & finishes
- ✓ plastics & laminates
- ✓ gelcoat & grp

EOF100
surface shaver

315178
tungsten carbide disc

315176
PCD diamond disc

SURFACE SHAVER

SURFACE SHAVER, for fine stripping of paint, varnish & resins

Stock no	Description	Power	Weight	Speed	£ ex VAT
483022	EOF100-TC shaver with tungsten disc	1400w	3.1kg	10000rpm	389.00

TUNGSTEN CARBIDE DISC, for shaving off varnish & paint from grp, wooden surfaces & decking

Stock no	Description	Disc Ø	Rec speed	£ ex VAT
315178	TC tungsten carbide disc	100mm	10000rpm	89.00

PCD DIAMOND DISC, for shaving off coatings & epoxies

stock no	Description	Disc Ø	Rec speed	£ ex VAT
315176	DX PCD diamond disc	100mm	10000rpm	99.00

ELS225 9" LONG REACH SANDER

- with quick change flexi joint
- no tool needed for changing the flexi joint
- powerful large area sander
- cushioned velcro backing pad
- large holes for effective dust control
- removable guard side for edging

The ELS225 is a long reach sander with a simple and light handle extension. The sander head has a flexi joint that can be simply replaced without tools

The sander is used for sanding back and smoothing paints and coatings; prepping and sanding floors prior to painting

It is lightweight and comes complete with dust guard allowing dust free operation when coupled with a suitable vac

The edge of the dust guard is cut away allowing sanding right to the edge

The range of 9" discs are velcro backed including yellow multi-dot sanding disc, tungsten carbide sanding discs and diamond button polishing discs for terrazzo, natural stone and concrete

EIBENSTOCK
Made in Germany

✓ sanding & smoothing walls & ceilings
✓ prepping back wall paints & coatings
✓ sanding wooden floors & boards

robust multi angle joint
to reach walls, ceilings & floor

LONG REACH SANDER	ELS225
Power	750w
Speed	1050-1600rpm
Weight	4.9kg
Discs	225mm
Prep rate	up to 50m/hr
Vibration level	2.4m/s
Noise level	78dBA
Voltage	110v or 230v

ELS225
sander

KEY FEATURE
quick change
flexi joint

300711
multi-hole sanding disc

341085
diamond button disc



243471
tungsten carbide disc

LONG REACH SANDER

LONG REACH SANDER, for paints & wooden floors

Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
481700	ELS225 long reach 9" sander	750w	4.9kg	1050-1600rpm	225mm	599.00

MULTI-HOLE YELLOW SANDING DISCS, velcro backed, for paints & coatings

Stock no	Description	Disc Ø	Grits	£ ex VAT
300711	9" yellow sanding disc	225mm	40,60,80,100,120,150,180,220	2.95

DIAMOND RENOVATION & POLISHING DISC, velcro backed, for polishing terrazzo & concrete floors

Stock no	Description	Disc Ø	Grits	£ ex VAT
341085	9" diamond button disc	230mm	30,50,60,100,120,220,400,800,1500,3000	59.00

TUNGSTEN DISCS, velcro backed for abrading painted surfaces & surface scouring

Stock no	Description	Disc Ø	Grits	£ ex VAT
243471	9" tungsten disc	200mm	60,80	29.00

FLOOR GRINDER & ADHESIVE STRIPPER

EBS180F CONCRETE GRINDER

- powerful motor
- compact & easy to use machine
- foldable front dust guard for edging
- adjustable handle
- leaves smooth & level finish
- for use by industrial flooring contractors
- factory maintenance & refurbishment
- commercial & carpet floor trades
- brush rim with outlet to connect to industrial vac

The EBS180F floor grinder is supplied with a 180mm diamond disc and foldable front dust guard for up to the edge grinding

The adjustable floor guiding device and optimal handle adjustment provides comfort and ease of use

The diamond EBS180F grinder is ideal for surface preparation prior to the application of epoxy coatings and floor paints, will effectively remove rubber deposits, adhesives, bituminous coatings and impacted dirt from factory floors

A profiled surface is left that provides a suitable key for resurfacing if used with coarse grit diamonds

The machine is suitable for domestic refurbishment and work in commercial and retail premises as it will run off a standard 13amp supply 230v or for site use 32 amp 110v

FLOOR GRINDER	EBS180F
Power	2500w
Speed	8500rpm
Weight	10.5kg
Disc	180mm
Prep rate	up to 40m/hr
Vibration level	6.5m/s
Noise level	79dBA
Voltage	230v

EIBENSTOCK

Made in Germany

EBS180F concrete grinder

- ✓ removing tile adhesive
- ✓ grinding off concrete & laitance
- ✓ prepping epoxy & polyurethane floors
- ✓ smoothing out trowel marks
- ✓ resurfacing old concrete & slabs
- ✓ stripping floor coatings & paints
- ✓ removing membranes & hardeners
- ✓ renovating & maintaining factory floors
- ✓ taking off adhesives & sealers
- ✓ levelling & smoothing latex

XD30/3 autovac

PC95T pre-separator cyclone

CONCRETE GRINDER

FLOOR GRINDER, with adjustable handle and folding dust guard for edging work

Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
483173	EBS180F 7" diamond grinder	2500w	10.5kg	8500rpm	180mm	839.00

DIAMOND DISC, twin row for grinding concrete, hard coatings & surface removal

Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VAT
315129	DX5-G15 5" twin open row cup disc	125mm	10000rpm	15	40	129.00

DIAMOND PCD GRINDING DISC, for grinding & prepping floor coatings

Stock no	Description	Disc Ø	£ ex VAT
315169	DX7-K9 7" PCD cup disc	180mm	199.00

DUSTEX AUTOVAC, for plaster, concrete, stone, paint & wood dust

Stock no	Description	Power	Weight	Airflow	£ ex VAT
360045	XD30/3 autovac	3000w	26kg	476m/hr	989.00

PRE-SEPARATOR DRUM, with trolley, removes 95% of dust before vac & improves filter efficiency

Stock no	Description	Weight	£ ex VAT
359008	PC95T pre-separator cyclone drum	10kg	180.00

FLOOR STRIPPER

- sturdy machine construction
- large solid wheels
- produced in the UK

The RFX210 is a compact floor carpet stripper for lifting floor coverings, carpet tiles and foam backed carpet, lino, rubber floor coverings and vinyls

The floor stripper works off screed, latex, concrete or wood surfaces and will lift floor coverings leaving a minimum of residue and backing

The floor stripper is built round a power tool driven oscillating stripper head; it has a solid motor cover and rubber mounted handle

Made in UK

- ✓ strip floor coverings
- ✓ lift carpet tiles & foam backed carpets
- ✓ remove felt, underlay
- ✓ lino & vinyls
- ✓ cork tiles & matting
- ✓ remove thick adhesive

FLOOR STRIPPER	RFX210
Power	2000w
Speed	6600rpm
Weight	11.5kg
Blade	210mm
Prep rate	up to 60m/hr
Vibration level	11.5m/s
Noise level	79dBA
Voltage	110v or 230v

RFX210
floor stripper

510210

FLOOR & CARPET STRIPPER

FLOOR & CARPET STRIPPER, for removing stuck down floor coverings

Stock no	Description	Power	Speed	Weight	Blade	£ ex VAT
512000	8" floor stripper	2000w	6600rpm	11.5kg	210mm	699.00

REPLACEMENT BLADE, universal steel blade

Stock no	Description	Width	£ ex VAT
510210	8" blade	210mm	9.00

PD23 FLOOR GRINDER

- heavy duty diamond floor grinder
- range of diamond segments & grits
- compact & easy to use machine
- leaves smooth & level finish
- for use by industrial & epoxy floor contractors
- factory maintenance & refurbishment
- commercial & carpet floor trades

The PD23 is a heavy duty floor grinder with 230mm diamond plates and flexible drive coupling. The design is simple and the machine is easy to set up, use and maintain

The concrete and surface grinders are available with a range of grinding plates, segments and abrasives for levelling and prepping floor surfaces and coatings, grinding hard floors including concrete, epoxy and terrazzo

The coarse grit plates are for floor paint and coating removal; they will effectively remove rubber deposits, glass fibre and impacted dirt from factory floors

The diamond grinders are ideal for surface preparation prior to the application of epoxy coatings and floor paints, will effectively remove rubber deposits, adhesives, bituminous coatings and impacted dirt from factory floors. A profiled surface is left that provides a suitable key for resurfacing if used with coarse grit diamonds

The 230v machine is suitable for domestic refurbishment and work in commercial and retail premises as it will run off a standard 13amp supply

FLOOR GRINDER	PD23
Power	1.5kw
Speed	1400rpm
Weight	42kg
Size WxL	42x84cm
Height	105cm
Disc	230mm
Prep rate	up to 40m/hr
Vibration level	6.5m/s
Noise level	79dBA
Voltage	110v or 230v

Made in UK

- ✓ grinding off concrete & laitance
- ✓ prepping epoxy & polyurethane floors
- ✓ smoothing out trowel marks
- ✓ resurfacing old concrete & slabs
- ✓ stripping floor coatings & paints
- ✓ removing membranes & hardeners
- ✓ renovating & maintaining factory floors
- ✓ finishing & levelling terrazzo
- ✓ taking off adhesives & sealers
- ✓ levelling & removing latex

PD23
diamond grinder

XD30/3
autovac

PC95T
pre-separator
cyclone

340032K
diamond disc 230mm
with four mini plates



340032
diamond disc 230mm

DIAMOND FLOOR GRINDER

DIAMOND FLOOR GRINDER, including diamond disc

Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
340015	PD23 9" diamond grinder	1.5kw	42kg	1400rpm	230mm	1095.00

DUSTEX AUTOVAC, for plaster, concrete, stone, paint & wood dust

Stock no	Description	Power	Weight	Airflow	£ ex VAT
360045	XD30/3 autovac	3000w	26kg	476m/hr	989.00

PRE-SEPARATOR DRUM, with trolley, removes 95% of dust before vac & improves filter efficiency

Stock no	Description	Weight	£ ex VAT
359008	PC95T pre-separator cyclone drum	10kg	180.00

DIAMOND GRINDING DISC, for grinding & finishing concrete

Stock no	Description	Use	Disc Ø	Grits	Bond	£ ex VAT
340032K	9" disc with 4 mini plates	general concrete	230mm	16,24,40	H7	169.00
340033K	9" disc with 4 mini plates	coating removal	230mm	16,24,40	H6	169.00
340034K	9" disc with 4 mini plates	long life	230mm	16,24,40	H8	169.00

DIAMOND GRINDING PLATES, blue, general purpose, for grinding & finishing concrete

Stock no	Description	Use	Disc Ø	Grit	Bond	£ ex VAT
340032	9" plate & 8 diamond segments	general purpose	230mm	40	H7	199.00

DIAMOND PREP SEGMENTS

- diamond abrasive mini plates
- range of segments & grits
- premium quality diamond abrasives

The bolt on mini plates are available with a wide range of segment types, bonds and diamond grits, extending the variety of floors and surfaces that the PD23 can successfully grind, level, prep, finish and polish

The silver mini plates are for removing surface coatings and toppings including epoxy paints, adhesive residues and latex

The blue mini plates are for grinding and finishing concrete and are available in abrasive grits down to 400 grit

The new PCD polycrystalline diamond segments are high tech abrasive tools for reducing and removing floor toppings and difficult to remove coatings and adhesives, black jack and bitumens, latex, cement toppings and epoxy. The PCD discs are cost effective to use because of their long life on toppings and coatings

- ✓ concrete, screed & latex
- ✓ tile adhesive, stone & terrazzo
- ✓ grinding & levelling, smoothing & polishing
- ✓ grinding off concrete surfaces & contaminants
- ✓ removing membranes & hardeners
- ✓ latex & cement based adhesives
- ✓ epoxy paints & finishes
- ✓ adhesive residues & black jack
- ✓ bitumens & waterproofers
- ✓ blue segments for concrete & terrazzo
- ✓ silver segments for coating removal



341062
quick change backing disc
(plates extra)

340081
DG-H5 mini plate
coarse segments

340084
DG-TX mini plate
PCD chip segments

340083
DG-TZ mini plate
PCD scraper segments

340080
DGP-H6 mini plate
coarse grit segments

340080
DGP-H6 mini plate
fine grit round segments



340072
DGS-R6 mini plate
puck disc

DIAMOND MINI PLATES

DIAMOND GRINDING PLATES, bolt on mini plates & diamond segments, coarse grit, for removing floor coatings & latex

Stock no	Description	Use	Grits	Bond	£ ex VAT
340081	DG-H5 mini plate (1)	epoxy paints	16,25,40	H5	21.00

CHIP PCD DIAMOND GRINDING PLATES, bolt on mini plates & diamond segments, for removing adhesives, latex, hard & soft coating

Stock no	Description	Use	Grits	£ ex VAT
340084	DG-TX mini plate (1)	latex, epoxy & adhesives	PCD	39.00

SOLID PCD DIAMOND GRINDING PLATES, bolt on mini plates & diamond segments, for removing adhesives, latex, hard & soft coating

Stock no	Description	Use	Grits	£ ex VAT
340083	DG-TZ mini plate (1)	adhesives & bitumens	PCD	49.00

DIAMOND SMOOTHING & POLISHING PLATES, bolt on mini plates & segments, metal bond, use wet or dry, for finishing terrazzo & concrete

Stock no	Description	Use	Grits	Bond	£ ex VAT
340080	DGP-H6 mini plate (1)	smoothing terrazzo & concrete	30,60,120,250,400	H6	21.00

DIAMOND POLISHING PLATES, bolt on mini plates & diamond puck disc, resin bond, use wet or dry, for polishing terrazzo & concrete

Stock no	Description	Use	Grits	£ ex VAT
340072	DGS-R6 mini plate (1)	polishing terrazzo & concrete	50,100,200,400,800,1500,3000	17.00

BACKING DISCS, for bolt on mini plates

Stock no	Description	Disc Ø	£ ex VAT
341061	9" backing disc for three mini plates	230mm	29.00
341060	9" backing disc for four mini plates	230mm	29.00
341062	9" magnetic disc for three mini plates	230mm	79.00

ORBITAL FLOOR MULTI-SURFACER

- versatile floor preparation machine
- wide range of discs & accessories
- for commercial renovation & repair work
- use by carpet & wood floor trades
- dust free with vac

This is a powerful multi-purpose machine for cleaning and prepping floors, concrete, terrazzo, stone, tiles and wood. A wide range of discs and heads are available to cover most cleaning, prep, sanding and floor maintenance requirements

Applications include keying floor surfaces for recoating, sanding wood, removing trowel marks in latex, adhesives and carpet residues

The standard drive plate for use with the silicone carbide sanding discs is included

FLOOR MULTI-SURFACER	PGP43
Power	1100w
Speed	154rpm
Weight	65kg
Size WxL	49x70cm
Height	122cm
Disc	430mm
Prep rate	up to 40m/hr
Vibration level	2.5m/s
Noise level	56dBA
Voltage	110v or 230v

- ✓ surface preparation & cleaning
- ✓ factory floor maintenance
- ✓ sanding wood floors & parquet
- ✓ buffing & brushing shop floors
- ✓ removing floor paint & coatings
- ✓ prepping latex & floor toppings
- ✓ polishing & refurbishing terrazzo
- ✓ cleaning vinyls & lino

PGP43
orbital multi-surfacer

300755
wood sanding disc

314619
wood sanding disc



315112
metal dot pad

341083
diamond button pad

FLOOR MULTI-SURFACER

FLOOR SURFACER, for cleaning, sanding & abrading factory & hard floor surfaces

Stock no	Description	Power	Weight	Speed	£ ex VAT
342453	PGP43 orbital multi-surfacer	1100w	65kg	154rpm	1695.00

MULTI-HOLE YELLOW SANDING DISCS, velcro-backed, for sanding of wooden floors & coatings

Stock no	Description	Disc Ø	Grits	£ ex VAT
300755	5" velcro-backed sanding disc	125mm	40,60,80,120,150,220,280,320,360,400	1.00

MULTI-HOLE YELLOW SANDING DISCS, velcro-backed, for sanding of wooden floors & coatings

Stock no	Description	Disc Ø	Grits	£ ex VAT
300757	7" velcro-backed sanding disc	180mm	40,60,80,120,150,220,280,320,360,400	1.50

MULTI-HOLE YELLOW SANDING DISCS, velcro-backed, multi-hole perforated sanding discs, for sanding of wooden floors & coatings

Stock no	Description	Disc Ø	Grits	£ ex VAT
314619	velcro-backed sanding disc	430mm	40,60,80,120,150,220,280,320,360,400	6.75

DIAMOND DISCS, metal dot, use wet or dry, velcro backed, for grinding concrete & stone surfaces

Stock no	Description	Disc Ø	Grits	£ ex VAT
315112	5" metal dot pad	125mm	30,60,150,300	59.00

DIAMOND BUTTON RENOVATION & POLISHING PADS, for renovating & polishing terrazzo & concrete floors

Stock no	Description	Disc Ø	Grits	£ ex VAT
341083	renovation & polishing pad	400mm	50,100,200,400,800,1500,3000	85.00

TP43 FLOOR MULTI-SURFACER

- 16" floor surfacer & sander
- versatile floor preparation machine
- wide range of discs & accessories
- for commercial renovation & repair work
- use by carpet & wood floor trades
- dust free with vac

This is a powerful multi-purpose machine for cleaning and prepping floors, concrete, terrazzo, stone, tiles and wood. A wide range of discs and heads are available to cover most cleaning, prep, sanding and floor maintenance requirements

Applications include keying floor surfaces for recoating, sanding wood, removing trowel marks in latex, adhesives and carpet residues

The standard drive plate for use with the silicone carbide sanding discs is included

FLOOR MULTI-SURFACER	TP43
Power	1.1kw
Speed	160rpm
Weight	35kg
Size WxL	44x59cm
Height	120cm
Disc	430mm
Prep rate	up to 40m/hr
Vibration level	2.5m/s
Noise level	76dBA
Voltage	110v or 230v

- ✓ surface preparation & cleaning
- ✓ factory floor maintenance
- ✓ sanding wood floors & parquet
- ✓ buffing & brushing shop floors
- ✓ removing floor paint & coatings
- ✓ prepping latex & floor toppings
- ✓ polishing & refurbishing terrazzo
- ✓ cleaning vinyls & lino

TP43 surfacer



315345 tungsten disc

drive plate included

317512 silicone carbide disc

FLOOR MULTI-SURFACER

FLOOR SURFACER, for cleaning, sanding & abrading factory & hard floor surfaces

Stock no	Description	Power	Weight	Speed	£ ex VAT
342456	TP43 surfacer	1.1.kw	35kg	160rpm	795.00

TUNGSTEN DISCS, velcro-backed for abrading painted surfaces & surface scouring

Stock no	Description	Disc Ø	Grits	£ ex VAT
315345	17" tungsten disc	430mm	medium, coarse	59.00

SILICONE CARBIDE FLOOR SANDING DISCS, double sided for rubbing down latex, paints & hard floor surfaces

Stock no	Description	Disc Ø	Grits	£ ex VAT
317512	17" silicone carbide disc	430mm	16,24,36,40,60,80,100,120	12.00

TILE GROUT POWER SPONGE CLEANER

GROUT POWER SPONGE CLEANER

- continuous band sponging machine
- for sponging off cement grouts
- quickly cleans off grout
- from quarry tiles & pool surrounds
- granite sets & paviors
- leaves uniform & strong joint
- for external pavements & pedestrian areas
- saves up to 70% of grouting time & labour

The machines use a continuous sponge band that is fed through a water bucket and rollers; the excess sludge and water is squeezed out leaving the sponge clean to repeat the cycle

The Schwammfix machines are for cleaning cements and grouts from quarry tiles, external paviers, natural stone and granite sets

The grout is pumped or poured into the joint; the Schwammfix machine is used to pass over the newly grouted area and to sponge off the residue leaving a clean surface and compact joint

The system improves the joint quality, avoiding washing away the cement in the joint

The machines will mechanically do the time consuming "hands and knees" job of removing cementitious and epoxy grout

POWER SPONGE	SWM200E
Power	700w
Weight	18kg
Size WxL	50x65cm
Height	80cm
Sponge width	20cm
Prep rate	100m/hr
Vibration level	2.5m/s
Noise level	76dBA
Voltage	110v or 230v

The EPG400 is a hand held rotary power float and sponge for finishing external renders and monocouche

The power sponge uses a slow speed motor to sponge or float finish large areas of spray or trowel applied backing coat plaster or one coat render

- ✓ cleaning tiles of cement residues
- ✓ sponging off grouts
- ✓ finishing granite sets hard landscaping
- ✓ block paving
- ✓ tiling & stone flooring
- ✓ streetscape & public works

SWM200E

EPG400
power sponge

TILE GROUT POWER SPONGE CLEANER

TILE GROUT & FLOOR POWER CLEANER, electric motor

Stock no	Description	Power	Weight	Sponge width	£ ex VAT
540200	SWM200E 8" power sponge	700w	18kg	20cm	1895.00

SPONGES, continuous band for cleaning off tiles & paviers

Stock no	Description	Sponge width	£ ex VAT
540201	8" grout sponge	20cm	88.00

POWER FLOAT & SPONGE

WALL POWER SPONGE & FLOAT, for backing coat plasters & one coat renders

Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
484400	EPG400 16" power float	500w	3.5kg	60rpm	400mm	389.00

SPONGE, velcro backed, use wet or dry

Stock no	Description	Disc Ø	Colour	Texture	£ ex VAT
550413	16" sponge	400mm	tan	medium	29.95

PAVIOUR GROUT POWER SPONGE CLEANER

GROUT POWER SPONGE CLEANER

- for cement & epoxy grouts
- quickly cleans grout from quarry tiles
- granite sets & paviers
- leaves uniform & strong joints
- for external pavements & pedestrian areas
- saves up to 70% of grouting time & labour

The Schwammfix 680P is a heavy duty version of the 620P and is for cleaning cements and grouts from quarry tiles, external paviers, natural stone and granite sets

The machines will mechanically do the time consuming "hands and knees" job of removing cementitious grouts

The machines use a continuous sponge band that is fed through a water bucket and rollers; the excess sludge and water is squeezed out leaving the sponge clean to repeat the cycle

The sponge cleaning method avoids washing away the cement content in the joint and leaves a uniform, compact joint

Finishing rates up to 200m²/hr

POWER SPONGE	SWM680
Power	4hp
Weight	80kg
Size WxL	60x110cm
Height	96cm
Sponge width	36cm
Prep rate	200m/hr
Vibration level	2.5m/s
Noise level	76dBA

- ✓ cleaning tiles of cement residues
- ✓ sponging off grouts
- ✓ finishing granite sets hard landscaping
- ✓ block paving
- ✓ tiling & stone flooring
- ✓ streetscape & public works

SWM680
power sponge

PAVIOUR GROUT POWER SPONGE CLEANER

PAVIOUR GROUT & FLOOR POWER CLEANER, petrol motor

Stock no	Description	Power	Weight	Sponge width	£ ex VAT
540680P	SWM680P 14" power sponge	4hp	80kg	36cm	2995.00

REPLACEMENT SPONGES, continuous band for cleaning off tiles, sets & paviers

Stock no	Description	Sponge width	£ ex VAT
540361	14" cement sponge	36cm	85.00
540375	14" plastic backed cement sponge	36cm	185.00

LARGE FORMAT DIAMOND TILE CUTTER

DIAMOND WET & DRY COMBI CUTTER

- water connection for wet cutting
- vac outlet for dust free cutting with vac
- mitre adjustments without the need for tools
- continuous cutting depth adjustment
- easily adjust depth without the need for tools
- precise cutting
- dust free if used with vac
- supplied in metal case

This is a heavy duty versatile diamond cutter for both wet and dry cutting

Use dry for dust free cutting concrete slabs, tiles and blocks

There is a connection with a quick coupling connector for water feed

Use water feed input for wet cutting hard concrete, stone and tiles

New design handle for more ergonomic operation

Guide rail available for long accurate cuts

Roller guided plate enables smooth guiding whilst protecting the surface

For 110v a 32amp, 5kva transformer is required

DIAMOND CUTTER	EDS181
Power	2300w
Speed	4300rpm
Weight	7.7kg
Diamond disc	200mm
Cut depth	68mm
Vibration level	2.9m/s
Noise level	78dBA
Voltage	110v or 230v

EIBENSTOCK

Made in Germany

- ✓ large format tiles
- ✓ for fast, clean cutting
- ✓ dry cut for concrete slabs
- ✓ masonry, brick & blockwork
- ✓ wet cut for reinforced concrete
- ✓ stone & hard tiles

EDS181 diamond cutter

water connection

EDS181 diamond cutter 45° angle

dust port

4581821 guide rail

DIAMOND CUTTER

DIAMOND CUTTER, use wet or dry, with single disc, for cutting concrete, tiles & stone

Stock no	Description	Power	Weight	Speed	Cut depth	£ ex VAT
458181	EDS181 8" single blade cutter	2300w	7.7kg	4300rpm	68mm	669.00

CUTTER GUIDE RAIL, for straight cuts of large tiles & stone

Stock no	Description	Size	£ ex VAT
4581820	cutter rail	750mm	59.00
4581821	cutter rail	1500mm	79.00
4581822	suction holders for guide rail set 2		97.00
4581824	assembly bar		25.00

DIAMOND CHASER & CHANNEL CUTTER



EMF180 DIAMOND CUTTER

- diamond chaser for channel cutting
- dust free if used with a vac
- supplied in metal case

This diamond wall chaser and channel slot cutter are supplied with twin diamond cutting discs

The diamond cutter is set up for wall chasing where the direction of the blade helps the power tool work in a downwards direction

An additional blade and spacer kit is required for 3 blade cutting

With dust extraction there is a clear view of the work

Twin or triple blade set up

For 110v a 32amp, 5kva transformer is required

DIAMOND CUTTER	EMF180
Power	2300w
Speed	3100rpm
Weight	7.5kg
Diamond disc	180mm
Cut depth	60mm
Cut width	46mm
Vibration level	2.9m/s
Noise level	78dBA
Voltage	110v or 230v

EIBENSTOCK

Made in Germany

- ✓ fast, clean channel & slot cutting
- ✓ for concrete & masonry, brick & blockwork
- ✓ crack chasing for concrete repairs
- ✓ slot cutting in floors & walls
- ✓ plaster & internal block walls
- ✓ concrete & masonry
- ✓ brick & blockwork
- ✓ walls & floors

EMF180
twin blade chaser

458186
spacer kit for 3 blade cutting

DIAMOND WALL CHASER & CHANNEL CUTTER

DIAMOND CHANNEL CUTTER 7", with twin diamond discs, for chasing internal walls, bricks & blockwork

Stock no	Description	Power	Weight	Speed	Cut depth	Cut width	£ ex VAT
458180	EMF180 7" twin blade cutter	2300w	7.5kg	3100rpm	60mm	46mm	729.00

SPACERS, use with 3 blades for easy breaking centre slot

Stock no	Description	£ ex VAT
458186	three blade spacer kit	15.00

DIAMOND DRILL FOR TILE & STONE



END1550P WET DIAMOND CORE DRILL

- high speed small diameter diamond drill
- water feed for drilling into reinforced concrete
- clean, accurate holes in tiles & stone
- ideal for multiple fixings & anchor holes
- supplied in metal case

The END1550P is a high speed diamond drill for use with small diameter core bits

It will drill accurate holes in reinforced stone, tiles, concrete and masonry for resin anchors, chemical fixings and rawl bolts

Using GB diamond core bits, the power tool will quickly drill granite and limestone, hard tiles and porcelain

Quick release connector is available

The END1550P can be used with vacuum based drill rigs

Max hand held drilling in concrete 52mm

Max drilling with rig in concrete 52mm

EIBENSTOCK

Made in Germany

- ✓ fast small hole drilling
- ✓ drilling reinforced concrete
- ✓ expanding bolts & chemical fixings
- ✓ masonry & stone trades
- ✓ tilers & bathroom fitters
- ✓ hard tiles & stone

DIAMOND DRILL	END1550P
Power	1500w
Speed	1800-4400rpm
Weight	3.6kg
Collar	53mm
Max core	68mm
Vibration level	2.9m/s
Noise level	78dBA
Voltage	110v

END1550P
diamond drill

BST50V

FIXINGS CORE DRILL

ROTARY WET DIAMOND DRILL, high speed, hand held, with clutch, for accurate fixing holes in concrete, stone & tiles

Stock no	Description	Power	Weight	Speed	Max core Ø	Connector	£ ex VAT
471152	END1550P diamond drill	1500w	3.6kg	1800-4400rpm	68mm	½" BSP female	389.00

DIAMOND DRILL UNIT, for drilling holes in concrete, floors & walls

Stock no	Description	Power	Weight	Speed	Max core Ø	Rig	£ ex VAT
472354	drill & rig	1500w	10.6kg	1800-4400rpm	68mm	BST50	878.00

DIAMOND COMBI DRILL FOR CONCRETE & STONE

ETN130/3P WET & DRY DRILL

- heavy duty all metal motor body & gearbox
- dual thread for ½" male & 1¼" female cores
- water feed for drilling hard materials
- large bore outlet for dust extraction
- drill large diameter, clean holes
- dust free diamond drilling with vac
- supplied in plastic case

The ETN130/3P has a heavy duty three speed gearbox and powerful motor with dual thread 1¼" spindle

It is a diamond core drill designed for drilling through hard concrete, masonry and brick

The drill can be used hand held or with a drill rig

The ETN130/3P is for use by specialist drilling trades and contractors; the clutch is set harder for use by experienced drilling contractors

The drill can also be used for dry drilling into brick and blockwork; it has a large port for dust extraction

Max hand held drilling in brick and block 162mm

Max hand held drilling in concrete 80mm

Max drilling with rig in concrete 152mm

EIBENSTOCK

Made in Germany

- ✓ wet drilling in reinforced concrete
- ✓ wet drilling in stone & tiles
- ✓ drilling in hard brick
- ✓ for plumbing & heating holes
- ✓ electrical & telecoms holes

DIAMOND DRILL	ETN130/3P
Power	1800w
Speeds	600/1300/2800
Drill weight	8.2kg
Rig weight	7kg
Collar	60mm
Max core	162mm
Vibration level	3.4m/s
Noise level	78dBA
Voltage	110v or 230v

ETN130/3P diamond drill

BST90

WET DIAMOND CORE DRILL

ROTARY WET DIAMOND DRILL, heavy duty metal body, with hard clutch, for drilling concrete

Stock no	Description	Power	Weight	Speed	Max core Ø	Thread	£ ex VAT
471419	ETN130/3P diamond drill	1800w	8.2kg	600/1300/2800	162mm	½" & 1¼" UNC	789.00

DIAMOND DRILL UNIT, for drilling large diameter holes in concrete, floors & walls

Stock no	Description	Power	Weight	Speed	Max core Ø	Rig	£ ex VAT
472152	DBE130 drill & rig	1800w	15.2kg	600/1300/2800	162mm	BST90	1169.00

RIG VACUUM BASE

Stock no	Description	£ ex VAT
473701	vac base	119.00

Stainless Steel Trowels
Made in Germany



REFINA HAND TOOLS & TROWELS

REFINA supply only the best quality trade tools and equipment. All tools and trowels are produced in Germany, the UK and Europe and are guaranteed for trade use

REFINA specialise in stainless steel trowels which are rust free and durable, and we stock the largest range of specialist stainless steel trowels in the UK for the plaster, floor, concrete, repair and paint trades

Many of those difficult to find or specialist tools are available off the shelf

- FINATEX® Premium Laying on Trowels
- Cement, Poole & Floor Trowels
- CLIKCLAK® Sponge Floats
- Feather Edges & Box Rules
- Edging & Coving Trowels
- Squeegees & Toothed Rake
- Pin & Notched Levellers
- Notched Trowels
- Spike Rollers
- Floor Paint Rollers
- Concrete Placers & Levellers

FINATEX® TROWELS

- hand finished premium trowel blade
- super flat plastering trowels
- the straightest finishing edge
- slightly radiused corners
- machine chamfered side edges
- chrome stainless steel, rust free
- produced with soft composite blue rubber handle
- available with traditional wooden handles
- new composite leather & cork handles
- made in Germany

These trowels are premium quality trowels for plaster, rendering and cement trades

They are made from the finest and flattest chrome stainless steel for rust free use, manufactured using the most modern production techniques and hand finished to ensure the finest trade quality trowel

The newly improved and lightweight trowels are produced with a slimmer shape handle and are mechanically broken in. The soft blue composite handle has been redesigned, is comfortable on the hand, easier to grip and reduces muscle and joint strain

Our range of additional handles include leather, cork and wood that can be easily changed

The new canvas multi-trowel holder can fit up to three trowels. It has strong buckle fasteners and carry handles and can be folded to go in to a bucket or can be hung up from the two corner eyelets

Stainless Steel Trowels
Made in Germany

RT12 FINATEX trowel
with composite moulded handle

RT16 FINATEX trowel
with composite moulded handle

630036
canvas multi-trowel holder, open

630036
canvas multi-trowel holder, closed

FINATEX® TROWELS

PREMIUM PLASTERING TROWELS, 4¾" wide, super flat edges, pre-worn in edges, chrome stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
221911	FINATEX RT11 trowel 11"	280x120mm	0.6mm	31.00
221912	FINATEX RT12 trowel 12"	305x120mm	0.6mm	32.00
221913	FINATEX RT13 trowel 13"	330x120mm	0.6mm	33.00
221914	FINATEX RT14 trowel 14"	355x120mm	0.6mm	34.00
221916	FINATEX RT16 trowel 16"	405x120mm	0.6mm	39.00

LEATHER TROWEL HOLDERS, premium leather holders to hold & protect the trowel

Stock no	Description	Size	£ ex VAT
630012	leather holder 12"	325x165mm	10.00
630014	leather holder 14"	380x165mm	10.00
630016	leather holder 16"	425x165mm	10.00

CANVAS TROWEL HOLDERS, synthetic holders to hold & protect the trowel

Stock no	Description	Size	£ ex VAT
630024	canvas holder 14"	380x165mm	8.00
630026	canvas holder 16"	425x165mm	8.00

CANVAS MULTI-TROWEL HOLDERS, synthetic holders to protect the blade, fits 3 trowels with blades up to 140mm wide

Stock no	Description	Size	£ ex VAT
630036	canvas multi-trowel holder 16"	790x440mm	29.00
630038	canvas multi-trowel holder 18"	790x490mm	29.00

TROWEL HANDLES, replacement handles

Stock no	Description	£ ex VAT
229981	blue handle	6.00
229982	cork handle	6.00
229994	leather handle	6.00
229990	wooden handle	6.00

CEMENT, POOL & FLOOR TROWELS

- chrome stainless steel trowels, rust free
- soft composite rubber handle
- narrower stiffer trowels
- range of sizes & designs
- available with traditional wooden handles
- new composite leather & cork handles
- for cement & plaster finishes
- screed & epoxy

These are a range of premium quality trowels produced for trade use on plaster and cement

The trowels are slightly narrower and more rigid than the wider more flexible plastering trowels

They are made from the finest chrome stainless steel for rust free use

The trowels are produced with a composite rubber soft handle. The soft handle is easier to grip and reduces muscle and joint strain. The soft handles are not resistant to solvents

The pool trowels are supplied with either long shank for stiffness or short shank for a more flexible finishing trowel. They are rounded at both ends and used on specialist floor & wall finishes

The pointed end floor trowels have a long shank for stiffness

Our range of additional handles include wood, leather and cork that can be easily changed

Stainless Steel Trowels
Made in Germany

RC14
14" cement trowel

RC14N
14" narrow cement trowel

PCS14R
14" trowel

222214
12" trowel

222416
with wooden handle

222416
16" pool trowel

222618
18" pool trowel

PREMIUM CEMENT, POOL & FLOOR TROWELS

PREMIUM CEMENT TROWELS, 4" wide, with stiffer blade for cement & render, chrome stainless steel - rust free

Stock no	Description	Size	£ ex VAT
221612	RC12 trowel 12"	300x100mm	31.00
221614	RC14 trowel 14"	355x100mm	33.00
221616	RC16 trowel 16"	405x100mm	39.00

PREMIUM NARROW CEMENT TROWELS, 3" wide, with narrow stiff blade, chrome stainless steel - rust free

Stock no	Description	Size	£ ex VAT
221412	RC12N trowel 12"	305x80mm	30.00
221414	RC14N trowel 14"	350x80mm	33.00

PREMIUM CEMENT TROWEL, 4" wide rounded corners, chrome stainless steel - rust free

Stock no	Description	Size	£ ex VAT
221214	PCS14R trowel 14"	350x100mm	34.00

PREMIUM POOL TROWEL, 4" wide, rounded ends, chrome stainless steel - rust free

Stock no	Description	Size	£ ex VAT
222214	trowel 14", short shank	350x100mm	33.00

PREMIUM POOL TROWELS, 4" rounded ends, chrome stainless steel - rust free

Stock no	Description	Size	£ ex VAT
222416	trowel 16", long shank	405x100mm	42.00
222418	trowel 18", long shank	460x100mm	43.00
222420	trowel 20", long shank	510x100mm	44.00

PREMIUM FLOOR TROWEL, 4" wide, pointed, chrome stainless steel - rust free

Stock no	Description	Size	£ ex VAT
222618	trowel 18", pointed end	460x110mm	42.00

CLIKCLAK® SPONGE FLOATS

- range of sponge types & sizes
- fine, medium or coarse sponges
- for smoothing plaster & cement surfaces
- opens up the surface before final finishing
- helps remove trowel marks
- sponges out pockets from sprayed & one coat plaster

The CLIKCLAK sponge floats have a quick change plate with sponge attached that allows easy changing between sponge densities

The orange sponge floats are produced with fine, medium and coarse 15mm thick sponge faces

They are the trade standard for sponging up plaster surfaces before final trowelling

The dense sponge floats are used more often on render and cement surfaces

The yellow thick sponges are for use on tile grouts

The wash bucket has twin rollers for washing and rolling out grout residues

261150
11" CLIKCLAK sponge float



261152
11" CLIKCLAK sponge float

261154
11" CLIKCLAK sponge float

328504
tiler's wash bucket

CLIKCLAK® SPONGE FLOATS

SPONGE FLOAT, CLIKCLAK quick change sponge float kit, for plaster surfaces

Stock no	Description	Size	Sponges	Colour	£ ex VAT
261150	plaster sponge float 11", 3 sponge kit	280x140mm	fine, medium, coarse	orange	26.00
261155F	single replacement sponge 11"	280x140mm	fine	orange	8.00
261155M	single replacement sponge 11"	280x140mm	medium	orange	8.00
261155C	single replacement sponge 11"		coarse	orange	8.00

SPONGE FLOAT, CLIKCLAK quick change sponge float kit, for render & cement surfaces

Stock no	Description	Size	Sponges	Colour	£ ex VAT
261152	render sponge float 11", 3 sponge kit	280x140mm	fine, dense, hard	black, blue, grey	26.00
261155K	single replacement sponge 11"	280x140mm	fine	black	8.00
261155B	single replacement sponge 11"	280x140mm	dense	blue	9.00
261155G	single replacement sponge 11"	280x140mm	hard	grey	10.00

SPONGE FLOAT, CLIKCLAK quick change sponge float kit, for tile grout

Stock no	Description	Size	Sponges	Colour	£ ex VAT
261154	tiling sponge float 11", 2 sponge kit	280x140mm	open, square cut face	yellow	20.00
261154T	single replacement sponge 11"	280x140mm	open	yellow	8.00
261154S	single replacement sponge 11"	280x140mm	square cut face	yellow	8.00

TILERS WASH BUCKET, with wheels & twin rollers for cleaning off grout

Stock no	Description	Size	£ ex VAT
328504	wash bucket, twin plastic rollers	16 ltr	20.00

STRAIGHT EDGES & LEVELS

- full range of shapes & sizes
- for levelling & ruling off
- plaster & render
- floors & walls

The trapezium profile feather edges and box section rules are produced from precision aluminium extrusions and have plastic end caps

They are for finishing and levelling plaster and render, wall and floor surfaces. They help to identify hollows and high spots before sponging and trowelling up

The h profile feather edge is often used with projection plasters

253720
trapezium feather edge

253520
h section feather edge

252520
board & floor rule

ALUMINIUM STRAIGHT EDGES

FEATHER EDGES, aluminium trapezium shape, tapered profile, mid weight

Stock no	Description	Length	Profile	£ ex VAT
253710	feather edge 3'4"	1.00m	100x18mm	16.00
253715	feather edge 5'0"	1.50m	100x18mm	22.00
253718	feather edge 6'0"	1.80m	100x18mm	26.00
253720	feather edge 6'8"	2.00m	100x18mm	28.00
253725	feather edge 8'2"	2.50m	100x18mm	34.00

FEATHER EDGES, aluminium h section shape, 115mm face, with bevelled lip

Stock no	Description	Length	£ ex VAT
253515	feather edge 5'0"	1.50m	22.00
253518	feather edge 6'0"	1.80m	26.00
253520	feather edge 6'8"	2.00m	29.00
253525	feather edge 8'2"	2.50m	36.00

STRAIGHT EDGE & SCREED RULES, aluminium box section, heavy duty

Stock no	Description	Length	Profile	£ ex VAT
252510	board & floor rule 3'4"	1.00m	80x40mm	20.00
252520	board & floor rule 6'8"	2.00m	80x40mm	36.00
252525	board & floor rule 8'2"	2.50m	80x40mm	42.00
252530	board & floor rule 10'0"	3.00m	80x40mm	50.00

EDGING & COVE TROWELS

- produced from stainless steel
- traditional wooden handles
- cove trowels produce smooth corners
- used particularly in hygienic environments

The corner, cove and edging trowels are all produced in stainless steel and have traditional wooden handles

The cove trowels are for producing smooth corners particularly in hygienic environments; the mitred corner cove trowels are for making consistent corner coves

646420
2" gutter & cove trowel



646020
2" floor coving trowel



646220
2" mitred coving trowel

EDGING & COVE TROWELS

FLOOR COVE TROWELS, stainless steel - rust free

Stock no	Description	Size	Height	Radius	£ ex VAT
646010	coving trowel 6" 1" radius	150x140mm	130mm	25mm	24.00
646015	coving trowel 6" 1½" radius	150x140mm	130mm	40mm	24.00
646020	coving trowel 6" 2" radius	150x140mm	130mm	50mm	24.00

CORNER COVE TROWELS, stainless steel - rust free

Stock no	Description	Size	Height	Radius	£ ex VAT
646210	mitred coving trowel pair, 1" radius	150x140mm	130mm	25mm	59.00
646215	mitred coving trowel pair, 1½" radius	150x140mm	130mm	40mm	59.00
646220	mitred coving trowel pair, 2" radius	150x140mm	130mm	50mm	59.00

GUTTER & COVE TROWEL, stainless steel - rust free

Stock no	Description	Size	Height	Radius	£ ex VAT
646420	gutter & cove trowel, 2" radius	150x100mm	50mm	50mm	24.00

SQUEEGEES & COMB RAKE

- specialist application squeegees
- heavy gauge steel frame and replaceable blades
- black rubber blades that are economical to replace
- soft neoprene sponge rubber (normally used in pairs)
- hard wearing and solvent resistant polyurethane blades
- v notch serrated blades
- all blades are replaceable & interchangeable
- they can be reversed to use on both sides
- produced by REFINA in the UK

Made in UK

647223
24" squeegee



647249
24" rubber blade

647144
24" notched blade

647224
24" comb rake

RUBBER & POLYURETHANE SQUEEGEES

SQUEEGEE, with replaceable black rubber blades

Stock no	Description	Size	Handle Ø	£ ex VAT
647223	squeegee 24"	600mm	28mm	22.00

REPLACEMENT SQUEEGEE BLADE, polyurethane, solvent resistant, non marking

Stock no	Description	Size	Hardness	£ ex VAT
647242	polyurethane blade 24"	600x50mm	medium	10.00

REPLACEMENT SQUEEGEE BLADE, black rubber

Stock no	Description	Size	Hardness	£ ex VAT
647246	rubber blade 24", black	600x50mm	medium	3.00

REPLACEMENT SQUEEGEE BLADE, neoprene sponge

Stock no	Description	Size	Hardness	£ ex VAT
647248	neoprene rubber blade 24"	600x50mm	soft	3.00

REPLACEMENT NOTCHED RUBBER BLADES, triangular serrations, polyurethane, solvent resistant, non marking

Stock no	Description	Size	Hardness	Notch depth	£ ex VAT
647144	polyurethane blade 24"	600x50mm	medium	3mm	11.00
647146	polyurethane blade 24"	600x50mm	medium	4mm	11.00
647148	polyurethane blade 24"	600x50mm	medium	6mm	11.00

METAL TOOTH COMB RAKE

METAL COMB RAKE, stainless steel toothed bar

Stock no	Description	Size	Tooth depth	Handle Ø	£ ex VAT
647224	comb rake 24"	600mm	18mm	28mm	39.00

PIN & NOTCHED LEVELLERS

- adjustable height coating & topping gaugers
- used for setting various material depths
- aluminium frame & slotted stainless steel blades
- with stainless steel hardened pins
- adjustable end skids
- produced by REFINA in the UK
- for epoxy coatings & latex
- pumped screeds & self-levellers

The pin leveller uses a set of hardened pins with an adjustable stainless steel plate to gauge and level floor toppings and coatings. The pins will wear down with regular use and the pin bar is easily replaceable. The depth is adjustable from 1mm to 20mm

The skid leveller has the same adjustable stainless steel blade but also two end anchor type skids. It is more suitable for working on rough and uneven floors. The depth is fully adjustable from 10mm to 30mm

The hook leveller uses rounded loop shaped pins to run over the floor surface

The notched levellers are used for pulling out floor surfaces to a precise depth and for putting down scratch coats. Any of the notched blades can be fitted to the leveller

Made In UK

647024
24" pin leveller

647324
24" skid leveller

647025
24" hook leveller

6470246
swivel bracket



647122
22" notched leveller

PIN & NOTCHED LEVELLERS

PIN LEVELLERS, with replaceable pin bars, adjustable stainless steel blade, rust free

Stock no	Description	Size	Handle Ø	£ ex VAT
647024	pin leveller 24"	60cm	28mm	49.95
647022	swivel bracket pin leveller 24"	60cm	28mm	69.95

SKID LEVELLERS, with replaceable skids, adjustable stainless steel blade, rust free

Stock no	Description	Size	Handle Ø	£ ex VAT
647324	skid leveller 24"	60cm	28mm	59.95
647324	swivel bracket skid leveller 24"	60cm	28mm	79.95

HOOK LEVELLERS, with 6 hooks, adjustable stainless steel blade, rust free

Stock no	Description	Size	Handle Ø	£ ex VAT
647025	hook leveller 24"	60cm	28mm	49.95
647026	swivel bracket hook leveller 24"	60cm	28mm	69.95

NOTCHED LEVELLERS, with replaceable notched blades

Stock no	Description	Size	Handle Ø	£ ex VAT
647122	notched leveller 22"	56cm	28mm	39.95
647124	swivel bracket notched leveller 22"	56cm	28mm	59.95



NOTCHED LEVELLERS & TROWELS

- various notches & shapes
- replaceable notched & serrated blades

The trowels are produced in stainless steel

They have a slotted edge to take the range of serrated blades

201906R
11" notched slotted trowel

201736C3
square notched blade

201736R15
scalloped notched blade

NOTCHED TROWELS

SLOTTED TROWEL, with hole for notched blade insert, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
201906R	slotted trowel 11" for notch blade	280x100mm	15.00

NOTCHED BLADES, square serrations

Stock no	Description	Notched depth	Tip to tip	Flat width	£ ex VAT
201736C3	C3 blade insert notch	3.00mm	3.00mm	3.00mm	1.45
201736C1	C1 blade insert notch	4.00mm	4.00mm	4.00mm	1.45
201736C2	C2 blade insert notch	6.00mm	6.00mm	6.00mm	1.45
201736C4	C4 blade insert notch	8.00mm	8.00mm	8.00mm	1.45
201736C5	C5 blade insert notch	10.00mm	10.00mm	10.00mm	1.45

NOTCHED BLADES, round scalloped serrations

Stock no	Description	Notched depth	Tip to tip	Flat width	£ ex VAT
201736R10	R10 blade insert notch blade	10.00mm	30.00mm	10.00mm	1.45
201736R15	R15 blade insert notch blade	15.00mm	30.00mm	10.00mm	1.45
201736R20	R20 blade insert notch blade	20.00mm	30.00mm	10.00mm	1.45

SPIKED ROLLERS

- sizes from 7" to 30"
- freely rotating & replaceable discs
- for rolling out air bubbles
- levelling & moving
- epoxy coatings & self-levellers
- produced in the UK

The spiked rollers have individual discs that freely rotate on the centre bar

They are produced with spike lengths of 15mm with an overall diameter of 75mm

There are two new 10" rollers with fixed discs that make a one piece roller. Available with standard and long spikes

Order rollers and frames separately

Made in UK

order spiked rollers & frames separately

608312
roller frame

590112
12" spiked roller

590122
10" long spiked roller

SPIKED ROLLERS

SPIKED ROLLERS, individually rotating discs, 15mm spike, for epoxy and cementitious floor coatings

Stock no	Description	Size	Roller Ø	£ ex VAT
590107	spike roller 7"	180mm	75mm	6.95
590109	spike roller 9"	230mm	75mm	8.95
590112	spike roller 12"	315mm	75mm	11.95
590115	spike roller 15"	395mm	75mm	14.95
590118	spike roller 18"	460mm	75mm	17.95
590124	spike roller 24"	600mm	75mm	23.95
590130	spike roller 30"	770mm	75mm	29.95

SPIKED ROLLER & FRAME, fixed discs 15mm spike, for epoxy and cementitious floor coatings

Stock no	Description	Size	Roller Ø	£ ex VAT
590121	fixed spike roller 10"	250mm	75mm	14.00

SPIKED ROLLER & FRAME, fixed discs 40mm spike, for epoxy and cementitious floor coatings

Stock no	Description	Size	Roller Ø	£ ex VAT
590122	fixed spike roller 10"	250mm	125mm	16.00

ROLLER FRAMES, double arm, heavy duty, with quick release clip

Stock no	Description	Size	Roller Ø	£ ex VAT
608309	roller frame 9"	230mm	28mm	12.00
608310	roller frame 10"	250mm	28mm	13.00
608312	roller frame 12"	305mm	28mm	14.00
608315	roller frame 15"	380mm	28mm	15.00
608318	roller frame 18"	460mm	28mm	16.00
608324	roller frame 24"	610mm	28mm	20.00
608330	roller frame 30"	760mm	28mm	24.00

ROLLER FRAME, single arm, for 7" spike roller

Stock no	Description	Size	Roller Ø	£ ex VAT
608307	roller frame 7"	180mm	28mm	5.00

FLOORING ROLLERS

- lo-fluff rollers made from fully bonded nylon
- minimal fluff use on epoxy top coats
- used for floor coatings & finishes
- sizes 9" to 18"
- 28mm Ø handle tube
- heavy duty double arm metal roller frame
- for use with heavy duty wooden handles
- produced by REFINA in the UK

The 10" rollers are for use with push-in roller frames which are made with a heavy duty, zinc coated bar to prevent rust

Order rollers and frames separately

608315
double arm roller frame

order
rollers & frames
separately

601115
15" mid pile roller

608110
single arm roller frame

601610
burnhole roller

601310
10" mid pile roller

600804
4" mini roller

FLOOR PAINT ROLLERS

LO-FLUFF FLOOR TRADE ROLLERS, fully nylon mid pile, for top coats, sealers & finishes

Stock no	Description	Size	£ ex VAT
601109	roller 9" mid pile nylon	230mm	6.25
601112	roller 12" mid pile nylon	315mm	6.95
601115	roller 15" mid pile nylon	380mm	8.50
601118	roller 18" mid pile nylon	460mm	10.25

FLOOR TRADE ROLLERS, synthetic, for top coats, sealers & finishes

Stock no	Description	Size	£ ex VAT
601310	roller 10" synthetic blue stripe	250mm	4.95

STIPPLE & TEXTURE ROLLERS, synthetic foam

Stock no	Description	Size	£ ex VAT
601610	push on burnhole roller 10"	250mm	9.50
601710	yellow foam roller 10" black end cap	250mm	8.50

MINI ROLLER, blue stripe

Stock no	Description	Size	£ ex VAT
600804	mini rad roller 4"	100mm	1.50

ROLLERS FRAMES, double arm, heavy duty, with quick release clip

Stock no	Description	Size	Handle Ø	£ ex VAT
608309	roller frame 9"	230mm	28mm	12.00
608312	roller frame 12"	305mm	28mm	14.00
608315	roller frame 15"	380mm	28mm	15.00
608318	roller frame 18"	460mm	28mm	16.00

ROLLER FRAMES, single arm

Stock no	Description	Size	Handle Ø	£ ex VAT
608104	roller frame 4" single long arm	100mm	26mm taper end	3.00
608110	roller frame 10" single arm 8mm bar	255mm	26mm taper end	3.00

WOODEN HANDLES, heavy duty

Stock no	Description	Length	Handle Ø	£ ex VAT
608705	handle 5'0" wooden	1.50m	28mm for double arm frame	4.00
608701	handle 5'0" wooden	1.50m	28mm tapered end for single arm frame	4.00

EPOXY & SCREED PLACERS

- aluminium levelling tools
- sturdy & lightweight
- for placing & levelling
- resin bound aggregate
- epoxy driveway materials
- concrete & cementitious floor toppings

The aluminium placing and levelling tools are robust yet lightweight

The blades are produced from aluminium, the brackets are produced in steel

The wooden handle is supplied as an extra

adjustable angle bracket

256071
aluminium smoothing float

256081
placer & leveller

256085
serrated placer & leveller



647234
liquid screed bar

EPOXY & SCREED PLACERS & RAKES

EPOXY & SCREED FLOAT, aluminium straight edge, flexible joint bracket

Stock no	Description	Length	£ ex VAT
256071	smoothing float	100cm	58.00

EPOXY & SCREED PLACERS, aluminium straight edge, steel handle bracket

Stock no	Description	Length	£ ex VAT
256081	placer & leveller	60cm	29.00
256082	placer & leveller	80cm	33.00

EPOXY & SCREED PLACERS, aluminium serrated edge, steel handle bracket

Stock no	Description	Length	£ ex VAT
256085	placer & leveller	60cm	32.00
256086	placer & leveller	80cm	36.00

SCREED BAR, stainless steel dapple bar

Stock no	Description	Length	£ ex VAT
647234	liquid screed roll bar	60cm	55.00
647236	liquid screed roll bar	80cm	59.00

WOODEN HANDLE, heavy duty

Stock no	Description	Length	Handle Ø	£ ex VAT
608707	handle 6'0" wooden	1.80m	31mm	9.00

REFINA

Refina Ltd. Unit 7 Factory Road, Upton Industrial Estate, Poole, Dorset, BH16 5SL UK

Tel: 01202 632270 | Fax: 01202 632432

Email: sales@refina.co.uk | Website www.refina.co.uk