

REFINA

POWER TOOLS | EQUIPMENT | HAND TOOLS | TROWELS



July 2019



REFINA Ltd was established in 1985 and is celebrating 34 years of supplying power tools, equipment, hand tools and trowels to the plaster, flooring, concrete, repair and paint trades

PRODUCT RANGE

REFINA supply one of the largest ranges of professional quality, specialist application equipment for mixing, spraying, surface preparation, flooring, diamond drilling and fixing

Power tools are supplied in either 110 or 230 volt for professional and trade use

Hand tools are stocked at depth for the refurbishment, wet and trowel trades as well as flooring trades. We stock one of the largest ranges of paddles, trowels, plastic floats and sponge floats in the UK

We carry large stocks of power tools and accessories in our UK warehouse. Many of those difficult to find tools are available off the shelf. Because of our large stock holding, we aim to despatch most orders within 24 hours of receipt

BRANDS

REFINA market MEGAMIXER, DAINES, ROTAMIXER & RESIMIXER mixing machines & the ROTAPUMP spray pump. REFINA is the sole distributor for EIBENSTOCK in the UK

Trade quality hand tool brands include SUPERFLEX, PLAZIFLEX and FINATEX. Hand tools and trowels are produced in Germany, the UK and Europe and are stocked for their quality and durability and backed by REFINA service and warranty

EIBENSTOCK power tools are made in Germany and are built to an industrial quality and high standard; they are designed for durability and reliability. REFINA stock the range of their equipment in UK. EIBENSTOCK are celebrating their 100 year anniversary in business this year

QUALITY & GUARANTEE

Power tools are all backed with a minimum year's guarantee and full spares service. Hand tools are guaranteed one year for trade use

SERVICE

We supply robust, durable products that withstand trade use day in, day out. For any repairs needed we run a 48 hour collect and repair service

TECHNICAL ADVICE

We have over 34 years' experience in advising specialist applications for mixing, spraying, surface preparation and flooring. Please call our dedicated sales team on 01202 632270 8.30-5.00 Monday - Thursday and 8.30-4.30 on Fridays for product advice. Alternatively email sales@refina.co.uk

PRICES

Prices exclude VAT and carriage

REFINA terms and conditions of sale apply, details can be found on our website

Prices and specification subject to change E&OE



MIXING




SPRAYING




PREP & FLOORING



CUTTING & DRILLING



HAND TOOLS



FLOORING TOOLS

REFINA PLASTER & MORTAR TWO SPEED MEGAMIXER® H HANDLES

MIXING EQUIPMENT



MM22 & MM30 MEGAMIXER® H HANDLES

The plastering and rendering trades' favourite mixer drill, the MM30 MEGAMIXER is a well proven and robust paddle mixer with an 1800w motor that will generate a fast, thorough mix action for consistent results. The H handle gives easy handling and a comfortable work position whilst protecting the power tool motor from damage

With its heavy duty 1800w high torque motor and two speed gearbox, this is the most powerful mixer for contractors requiring constant output

Supplied with an MR3 spiral paddle that is the most efficient for converting power tool torque to an easy and consistent mix action

The two speed MM30 mixer is best for heavy materials and large volume mixes. It will easily handle a four bag mix without struggling and it will do so day in, day out

The two speed MM22 with the slower speed will mix both heavy mortars as well as lightweight powders, plaster, bonding, drylining adhesive and epoxy coatings, liquid and stiff mixes

Features

- H handle provides motor & cable protection
- powerful motor & long life two speed gearbox
- dust cover for switch
- soft start variable speed minimises splashing
- smooth, lump free mixes
- easy & comfortable handling
- high torque, slow speed for powerful mixing
- 2 year guarantee on gearbox & motor
- supplied with MR3 spiral paddle
- large range of interchangeable paddles
- mix quantity 4 bags


Applications

- mix finish & backing plaster
- render & external wall insulation coatings
- mortars & epoxy
- floor screed, latex & coatings
- heavy bodied coatings & paints



Wide range of paddles and quick change adaptors available, see page 8-9 for more information

EIBENSTOCK



MM22 MEGAMIXER
& MR3 140G paddle

MM30 MEGAMIXER
& MR3 160G paddle

MEGAMIXER, with paddle, H handle, two speed, soft start, 110v or 230v

Stock no	Description	Power	Speed	Weight	Paddle	Mix	Output	Vibration	Noise	£ ex VAT
45223140	MM22 two speed mixer drill	1150w	250/450rpm	5.1kg	MR3 140G 5½"	25-75kg	600kg/hr	1.8m/s	76dBA	319.00

MEGAMIXER, with paddle, H handle, two speed, soft start, 110v or 230v

Stock no	Description	Power	Speed	Weight	Paddle	Mix	Output	Vibration	Noise	£ ex VAT
45303160	MM30 two speed mixer drill	1800w	250/580rpm	6.9kg	MR3 160G 6¼"	50-100kg	1200kg/hr	1.7m/s	72dBA	399.00



MM20 & MM21 MEGAMIXER® H HANDLES

The MM20 & MM21 MEGAMIXER are single speed paddle mixers with H handle design. The H handle gives easy handling and a comfortable mix position and helps protect the motor from damage. These paddle mixers are supplied with an MR3 spiral paddle but can also be supplied with a variety of different paddle designs. See page 8-9 for more information on paddles and adaptors.

Features

- H handle provides motor & cable protection
- MM20 single speed for light mixes
- MM21 single speed for powders, plasters & latex
- powerful motor & long life gearbox
- soft start, low splash
- 2 year guarantee on gearbox & motor
- supplied with an MR3 spiral paddle
- large range of interchangeable paddles
- mix quantity 2-3 bags

Applications

- mix finish & backing plaster
- render & external wall insulation
- mortars & epoxy
- floor screed, latex & coatings
- heavy bodied coatings & paints

metal H frame handle with rubber end caps help protect cable & motor from damage



EIBENSTOCK



MEGAMIXER, with paddle, H handle, single speed, soft start, 110v or 230v

Stock no	Description	Power	Speed	Weight	Paddle	Mix	Output	Vibration	Noise	£ ex VAT
451801	MM20 mixer drill	1100w	450rpm	4.1kg	MR3 130G 5"	25-50kg	400kg/hr	1.9m/s	71dBA	249.00

MEGAMIXER, with paddle, H handle, single speed, soft start, 110v or 230v

Stock no	Description	Power	Speed	Weight	Paddle	Mix	Output	Vibration	Noise	£ ex VAT
45213140	MM21 mixer drill	1150w	580rpm	4.9kg	MR3 140G 5½"	25-75kg	600kg/hr	1.6m/s	74dBA	289.00



MM19 & MM29 D HANDLES

The MM19 MEGAMIXER is a D handle power mixer and combines a simple well proven design, reliable gearbox and powerful 1050w motor

The MM19 is our best selling multi purpose mixer for lighter applications

The MM29 is a single speed power mixer with slow speed, high torque gearbox, 1800w motor, soft start variable speed switch and spiral mixer paddle

The D handle gives easy handling and a comfortable mix position

This design has been a particular favourite with the rendering trade for many years

Its simple robust design makes it a powerful and reliable power tool for contractors mixing large volumes of heavy materials

It is supplied with an MR3 160G 6 1/4" paddle and is best for mixing heavy materials including render and monocouche, hardwall and bonding, polymer renders, floor screed, epoxy and repair mortars. See page 8-9 for more information on paddles and adaptors

Features

- solidly made, hard working power tools
- heavy duty motor & long life gearbox
- D back handle, easy handling
- interchangeable side handle, positioned left or right
- 2 year guarantee on gearbox & motor
- large range of paddle sizes & designs
- reliable power tools with fast service backup

Applications

- finish & backing coat plaster
- render & external wall insulation
- mortars & epoxy
- floor screed, latex & coatings
- paints & heavy bodied coatings



MM19 MEGAMIXER
& MR3 130G paddle

MM29 MEGAMIXER
& MR3 160G paddle

MEGAMIXER, with paddle, D back handle, single speed, soft start, 110v or 230v

Stock no	Description	Power	Speed	Weight	Paddle	Mix	Output	Vibration	Noise	£ ex VAT
45193130	MM19 mixer drill	1050w	450rpm	3.1kg	MR3 130G 5"	25-50kg	400kg/hr	1.9m/s	71dBA	219.00

MEGAMIXER, with paddle, D back handle, single speed, soft start, 110v or 230v

Stock no	Description	Power	Speed	Weight	Paddle	Mix	Output	Vibration	Noise	£ ex VAT
45293160	MM29 mixer drill	1800w	400rpm	5.2kg	MR3 160G 6 1/4"	50-100kg	1200kg/hr	1.8m/s	75dBA	369.00



EHR750B PETROL MOTOR MIXER

This handheld petrol powered mixer is recommended for mixing renders, mortars and epoxies. The mixer is ideal for external work involving bridge and road construction, concrete repair and renovation. The EHR750B will mix monocouche and one coat renders (OCR).

Features

- powerful 31cc 4 stroke petrol engine
- supplied with a 140mm spiral paddle
- easy & comfortable handling
- high torque, slow speed for powerful mixing
- mix quantity 2-3 bags

Applications

- external renders
- repair mortars
- adhesives & cements
- external coatings & ocr

EIBENSTOCK



EHR750 MIXER
& 140mm spiral
paddle

PETROL MIXER, with zinc coated spiral paddle, single speed, petrol engine, for renders & mortar mixes										
Stock no	Description	Power	Speed	Weight	Paddle	Mix	Output	Vibration	Noise	£ ex VAT
451700P	EHR750B petrol mixer	1hp	450rpm	8.9kg	140mm zinc spiral	50-100kg	600kg/hr	1.7m/s	72dBA	390.00
SERVICE KIT, with pull cord, air filter & spark plug										
Stock no	Description	£ ex VAT								
4571735K	service kit	19.95								

HANDHELD PNEUMATIC MIXER DRILLS

These air powered mixers have non sparking motors and provide efficient mixing in hazardous areas, working with flammable materials

These industrial mixers are specialist power tools designed for use in factories and industrial applications

The AM28 D handle mixer can be used handheld or mounted in pedestal stands for continuous stirring and agitation

The mixers are recommended for use with a spiral paddle but can also be supplied with a variety of different M14 paddle designs and sizes

Paddles are available for both open and closed topped containers. The paddles will mix and blend coatings, paints, chemicals, and pigments, remix sediments and settled out powders


Air powered mixers must be used with a filtered and lubricated air supply

Features

- heavy duty power mixers
- use handheld or stand mounted
- non sparking motors for hazardous areas
- speed fully adjustable by air regulator

Applications

- powders & cements
- paints & coatings
- resins & epoxy
- adhesives & sealants
- pastes & putties



AIR POWERED INDUSTRIAL PAINT MIXER, handheld for mixing paints, resins & coating materials, stainless steel paddle

Stock no	Description	Power	Speed	Weight	Paddle	Mix	Air consumption	Vibration	Noise	£ ex VAT
720082	AM24 air mixer	400w	50-500rpm	1.9kg	100mm S/S	10-50 ltr	200 ltr/min	1.6m/s	72dBA	199.00
720072	AM28 air mixer	1200w	100-800rpm	2.5kg	140mm S/S	50-200 ltr	310 ltr/min	1.7m/s	72dBA	499.00

SCREW SPIRAL MIXER PADDLES, screw spiral paddles for paints & chemicals, stainless steel

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
041002S	screw paddle 4"	600w	100mm	600mm	10-25 ltr	59.00
041202S	screw paddle 4¾"	650w	120mm	600mm	20-50 ltr	69.00
041402S	screw paddle 5½"	750w	140mm	600mm	25-75 ltr	79.00

SCREW SPIRAL MIXER PADDLES, screw spiral paddles for fluids & pourable coatings, stainless steel

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
450220	spiral paddle 4¾"	650w	120mm	600mm	20-50 ltr	79.00
450240	spiral paddle 5½"	750w	140mm	600mm	25-75 ltr	89.00
450260	spiral paddle 6¾"	850w	160mm	600mm	30-100 ltr	99.00

PROPELLOR TYPE PADDLES, two blade for use with higher speed drills, stainless steel

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
081007S	twin blade propellor paddle 4"	550w	100mm	600mm	10-25 ltr	50.00
081207S	twin blade propellor paddle 4¾"	600w	120mm	600mm	20-50 ltr	69.00
081507S	twin blade propellor paddle 6"	700w	150mm	600mm	30-100 ltr	95.00

HOOP TYPE PADDLES, two blade for use with higher speed drills, stainless steel

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
011002S	basket hoop paddle 4"	500w	100mm	600mm	10-25 ltr	59.00
011502S	basket hoop paddle 6"	750w	150mm	600mm	25-75 ltr	69.00
012002S	basket hoop paddle 8"	1000w	200mm	600mm	40-150 ;tr	79.00

MIXING TUBS

Black mixing tubs are produced in heavy gauge plastic and are tapered for easy stacking

The narrower 32 ltr tub with hoop handle is often used for finish plaster and coatings

White plastic mixing tubs are produced from virgin plastic with a heavy gauge wall thickness and side handles. They are designed for site use, handling and mixing plaster, render, mortar, epoxy and construction materials. Plastic lids are available

The four wheel tub trolley is available for the 75 ltr and 100 ltr white tubs

The folding UK made spot board stands are available in three sizes

Features

- heavy duty plastic tubs
- range of sizes
- shallower shape for heavier mixes
- taller design for plasters & coatings

Applications

- for mixing & gauging
- plaster & cement
- epoxy & mortar



323001
32 ltr mixing tub




326502
65 ltr mixing tub



321010
35 ltr mixing tub

321012
75 ltr mixing tub

321011
50 ltr mixing tub



329934
spot board stand



321030
tub trolley for 75 ltr & 100 ltr tubs

HEAVY DUTY PLASTIC TUB, with metal hoop handle

Stock no	Description	Width Ø	Height	Capacity	£ ex VAT
323001	mixing tub, 8 gallons	32cm	40cm	32 ltr	13.00

HEAVY DUTY MIXING TUBS, black plastic, with side grips

Stock no	Description	Width Ø	Height	Capacity	£ ex VAT
326502	mixing tub, 17 gallons	60cm	33cm	65 ltr	12.00
329002	mixing tub, 23 gallons	68cm	35cm	90 ltr	13.00

HEAVY DUTY MIXING TUBS, white plastic, with side handles

Stock no	Description	Width Ø	Height	Capacity	£ ex VAT
321010	plastic mixing vessel 9 gallons	39cm	41cm	35 ltr	11.00
321011	plastic mixing vessel 13 gallons	45cm	47cm	50 ltr	16.00
321012	plastic mixing vessel 19 gallons	49cm	57cm	75 ltr	21.00
321013	Plastic mixing vessel 26 gallons	52cm	67cm	100 ltr	27.00

HEAVY DUTY TUB TROLLEY, for the 75 ltr & 100 ltr tubs

Stock no	Description	£ ex VAT
321030	mixing tub trolley, 4 wheels	79.00

SPOT BOARD STANDS

Stock no	Description	Height	£ ex VAT
329932	spot board stand 32" high	80cm	29.95
329934	spot board stand 36" high	90cm	29.95
329936	spot board stand 40" high	100cm	29.95

EPI MIXER THREADED PADDLES

EPI paddles are of proven design to give efficient mix action; they are produced to ensure a perfectly balanced shape that eliminates paddle wobble. There is a wide range of different styles and sizes available. For information on mix actions please refer to the paddle chart opposite.

In addition to the orange EPI M14 threaded paddles there is a range of hex shaft paddles available in the same designs.

Stainless steel and zinc plated paddles are also available with hex shaft and threaded connections. For more information and advice please visit our website or call our sales team on 01202 632270.

Features

- trade quality technically designed paddles
- generate a thorough mix action
- threaded shaft to fit directly into mixer drill
- largest range of designs & sizes

Applications

- liquids & powders
- plasters & textures
- cements, renders & lime mortars
- paints & coatings
- resins & epoxies
- latex & screed
- tile cements & adhesives




MR3
spiral paddle
negative mix action
plaster mixes




MR3R
spiral paddle
positive mix action
render mixes



MR4
screw paddle
mortar mixes



MR1
hoop paddle
powder mixes



MR8
impellor paddle
latex mixes



000201G
quick change connector
2 part kit



433101
mixer drill chuck & connector
for hex shaft paddles



000203G
BS connector
M14 to hex shaft

MR1 HOOP PADDLES, basket type for multi-finish plasters, coatings, cement powders & latex

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
011402	MR1 140G 5½" paddle	550w	140mm	600mm	25-75 ltr	18.00
011602	MR1 160G 6¾" paddle	650w	160mm	600mm	30-100 ltr	20.00
011802	MR1 180G 7" paddle	750w	180mm	600mm	40-150 ltr	22.00

MR3 SPIRAL PADDLES, reverse spiral for wet mixes, plasters, coatings and powders

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
031002	MR3 100G 4" paddle	600w	100mm	600mm	10-25 ltr	27.00
031202	MR3 120G 4¾" paddle	650w	120mm	600mm	20-50 ltr	29.00
031302	MR3 130G 5" paddle	700w	130mm	600mm	20-50 ltr	30.00
031402	MR3 140G 5½" paddle	750w	140mm	600mm	25-75 ltr	30.00
031602	MR3 160G 6¾" paddle	850w	160mm	600mm	30-100 ltr	34.00
031802	MR3 180G 7" paddle	950w	180mm	600mm	40-150 ltr	40.00
032002	MR3 200G 8" paddle	1000w	200mm	600mm	50-200 ltr	44.00

MR3R SPIRAL PADDLES, right hand spiral for wet mixes, plasters, coatings and powders

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
031203	MR3R 120G 4¾" paddle	650w	120mm	600mm	20-50 ltr	29.00
031403	MR3R 140G 5½" paddle	750w	140mm	600mm	25-75 ltr	31.00
031603	MR3R 160G 6¾" paddle	850w	160mm	600mm	30-100 ltr	34.00

MR4 SCREW SPIRAL PADDLES, for dry & stiff mixes, mortars, renders & epoxies

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
041002	MR4 100G 4" paddle	600w	100mm	600mm	10-25 ltr	26.00
041202	MR4 120G 4¾" paddle	650w	120mm	600mm	20-50 ltr	28.00
041402	MR4 140G 5½" paddle	750w	140mm	600mm	25-75 ltr	30.00
041602	MR4 160G 6¾" paddle	850w	160mm	600mm	30-100 ltr	34.00

MR8 IMPELLOR PADDLES, use with higher speed drills, for fluid & pourable latex & coatings

Stock no	Description	Drill size	Paddle	Length	Mix	£ ex VAT
081202	MR8 120G 4¾" paddle	600w	120mm	600mm	20-50 ltr	27.00
081502	MR8 150G 6" paddle	700w	150mm	600mm	30-100 ltr	40.00

QUICK CHANGE CONNECTORS & DRILL CHICKS, for use with mixer drills

Stock no	Description	£ ex VAT
000201G	quick change connector, 2 part kit	27.00
433101	mixer drill chuck & M14 connector	25.00
000203GN	BS connector M14 female to hex shaft adapter	11.00

MIXING APPLICATIONS	MR3 Paddle	MR3R Paddle	MR4 Paddle	MR1 Paddle	MR8 Paddle
PLASTERING					
backing & hardwall plasters	●	●	●		
bonding & board adhesive	●	●	●		●
drywall & joint fillers	●	●	●		
lime plasters	●	●	●	●	
multi finish	●	●	●	●	●
one coat plaster	●	●	●		
texture coatings & artex	●	●	●	●	●
thermal & acoustic plaster	●	●	●		
RENDERING					
backing coat render	●	●	●		
lime render	●	●	●		
monocouche, colour through render	●	●	●		
one coat render, ocr	●	●	●		
render, sand & cement	●	●	●		
tanking renders	●	●	●	●	
top coat render	●	●	●	●	●
tyrolean & cement textures	●	●	●		
RENOVATION & REPAIR					
brick & pointing mortar	●	●	●		
concrete repair mortar	●	●	●		
epoxy resin & adhesives	●	●	●		●
fibre filled mortar	●	●	●		
glass reinforced cement	●	●	●		
grouts & pourable mortars	●	●	●	●	●
injection & chemical grouts	●	●	●		●
lime mortars & putties	●	●	●		
refractory cements	●	●	●		
resin anchors & sealants	●	●	●		●
waterproofing coatings	●	●	●	●	●
PAINTING					
bitumastic paints	●	●	●	●	●
cementitious & masonry coatings	●	●	●	●	●
epoxy & two pack coatings	●	●	●	●	●
fireproof & intumescent paints	●	●	●	●	●
pitch epoxy & marine paints	●	●	●	●	●
roof coatings	●	●	●	●	●
FLOORING					
cement powders & latex	●	●	●	●	●
concrete	●	●	●		
epoxy quartz & screed	●	●	●		
floor paints & coatings	●	●	●	●	●
patch repair mortars	●	●	●		
resin bonded aggregates	●	●	●		
sand & cement screed	●	●	●		
self-levellers	●	●	●	●	●
tile adhesives	●	●	●	●	●

● = best application ● = suitable

PADDLE SELECTION

Select the mixer paddle design for its mix action; this generates the material flow and shear

Select the size of the paddle for the litre capacity to be mixed. The paddle diameter should be between a third and a half of the mixing tub or container

Select the mixer drill for its power and speed; this governs the mix output, weight and maximum capacity. The spiral paddles are best for a wide range of plasters, cements and renders

Use a spiral paddle with a top to bottom mix action (MR3 left hand spiral) for materials with fine aggregates

For stiffer material with a coarser aggregate, use a spiral paddle with a bottom to top action (MR3R right hand spiral)



MR3 Spiral Paddles

The best design for most plasters, mortars and coatings; the reverse spiral design converts power tool torque to a thorough mix action; the mix action is top to bottom and the paddle floats in mix

Mixing action: top to bottom



MR3R Spiral Paddles

The MR3R design is the same shape paddle but with a right hand spiral; the mix is pulled from bottom to top

Mixing action: bottom to top



MR4 Screw Spiral Paddles

This screw spiral shape turns and lifts the mix from bottom to top; it is the most effective paddle for heavier mortars, epoxy, render and screed


Mixing action: bottom to top



MR1 Hoop Paddles

MR1 hoop paddles, basket type for multi-finish plasters, coatings, cement powders & latex

Mixing action: whisk



MR8 Impellor Paddles

Impellor paddles will blend and disperse powder materials and paints; the design gives a low splash mix and can be used with faster speed drills

Mixing action: semi dispersion





FLOORMIX MOBILE MIXER

The FloorMix will thoroughly and quickly mix 4 x 20kg bags of liquid cementitious materials

The centre mounted full sweep paddle ensures a thorough mix with no unmixed pockets

Mixing and placing of floor toppings is easy and fast, boosts productivity, lowers labour costs and reduces physical effort

It will mix, transport and pour directly onto the floor

The FloorMix is designed for self levelling floor compounds but will mix a range of pourable floor paints, coatings and grouts

There is a dust extraction port for vacuum connection. The mixer top is partly covered to reduce airborne particles

There is an additional removable cover for dust and splash reduction fully enclosing the mix

The mixer will run off 110v construction site electrics using a 32 amp 5kva transformer or 6kva generator

Recommended speed 130rpm for liquid screed

Features

- heavy duty motor
- two mechanical speeds
- additional electronic speed reductions
- 4 x 20kg capacity for pourable cement floor toppings
- large diameter stirring paddle
- centrally located paddle gives full sweep of material
- paddle mixes right to the tub base & edge
- no unmixed powders at the tub base
- connection for dust extraction
- drive unit & paddle easily removed
- mobile mix & pour station
- economical additional tubs

Applications

- self levelling latex screed
- levelling compounds
- pourable coatings & epoxies
- grouts & adhesives
- liquid floor screeds


EIBENSTOCK



FloorMix 2300
mobile mixer



326110
mixing tub



full sweep mixer paddle
no unmixed pockets in
tub corners

MOBILE MIXER, with spiral paddle & side scrapers, 110 ltr plastic tub, for pourable floor toppings & coatings, 110v or 230v

Stock no	Description	Power	Speed 1	Speed 2	Weight	Size WxLxH	Mix	Noise	£ ex VAT
458280	FloorMix 2300 mobile mixer	2300w	70/130rpm	160/280rpm	48kg	60x73x135cm	100kg	67dBA	1395.00

REPLACEMENT PLASTIC TUB

Stock no	Description	Width Ø	Depth	£ ex VAT
326110	mixing tub, 110 ltr black plastic	52cm	73cm	49.00



side tip trolley

front tip trolley

TWINMIX MOBILE MIXER

The TwinMix is a robust universal high powered motor mobile mixer with mix trolley and 65 ltr tub

The outer paddle turns and folds the mixture into the contra rotating paddle

The contra rotating mixer paddles with scraper, avoids material deposits on the bucket sides rim, while the fast inner paddle ensures thorough mixing

The standard trolley with handles and large wheel is for transporting the mix around site

The tipper trolley uses a simple mechanism to unload the mix


The mixer will run off 110v construction site electrics using a 32 amp 5kva transformer or 6kva generator

Features

- contra rotating paddles
- outer scraper paddle to turn & fold the mix
- faster inner paddle for intensive mixing
- homogeneous & lump free mixing
- mobile for site use
- robust high torque two speed motor
- thermal cut-out & motor overload
- fully enclosed dust cover
- vacuum outlet for dust control

Applications

- self-levelling compounds
- tile adhesives & thin-bed mortars
- epoxies, mortars & pastes
- fibre filled repair mortars
- ceramics, granulates & rubbers
- putties & lime mortars
- fibre filled materials
- specialist paints & coatings



inner paddle

contra rotating centre paddle

outer side paddle



material loading chute

safety start system

dust extraction outlet

fully enclosed dust hood

slow speed outer paddle

faster spiral inner paddle

front tipping trolley

TwinMix 1800
mobile mixer with tub
trolley



4530665
front tipping trolley



4530666
side tipping trolley

MOBILE MIXER STATION, with spiral paddle & side scraper, 65 ltr plastic tub, for pourable floor toppings & coatings, 110v or 230v

Stock no	Description	Power	Speed 1	Speed 2	Weight	Size WxLxH	Mix	Noise	£ ex VAT
453066	TwinMix 1800 mobile mixer	1800w	20/250rpm	36/450rpm	70kg	60x100x112cm	50kg	67dBA	1549.00

REPLACEMENT PLASTIC TUB

Stock no	Description	Width Ø	Depth	£ ex VAT
326500	mixing tub, 65 ltr black plastic	60mm	35mm	19.00

MOBILE TROLLEY, for easy transportation

Stock no	Description	£ ex VAT
4530665	front tipping trolley, 2 wheels	269.00
4530666	side tipping trolley, 4 wheels	499.00



paddle set up

DAINES® MR40 & MR30 MIXERS

The DAINES MIXAL MR40 rotary drum mixer is solidly built with a rigid grp shell, L shape paddle, 32 ltr metal drum and simple basket drive. It is easy to clean and gives an excellent mix

The rotating drum produces a centrifugal action and the paddle mixes from the outside in

The mixer uses a 32 ltr steel drum with pail type handle and is for one bag mixes of mortar and epoxy, floor paints and coatings

The MR30 mixer is built around the same grp shell but includes a tapered stackable 32 ltr plastic tub and tapered drive basket

Features

- compact forced action mixer
- simple L shape paddle for thorough mix action
- lightweight & easy to use
- easy clean & low maintenance
- mix quantity 1 bag

Applications

- cement repair mortars
- epoxy mortars
- latex floor topping
- floor coatings & self levellers
- heavy bodied paints & coatings



DAINES MR40
rotary drum mixer

323203
32 ltr metal drum

323004
32 ltr plastic tub

DAINES MR30
rotary drum mixer

FORCED ACTION ROTARY DRUM MIXER, with L shape paddle, 32 ltr metal drum, for epoxy, latex & cement coatings, 110v or 230v

Stock no	Description	Power	Speed	Weight	Size WxLxH	Paddle	Mix	Output	Noise	£ ex VAT
709001	DAINES MR40 mixer	0.75kw	260rpm	36kg	55x170x87cm	L shape	15-30kg	600kg/hr	65dBA	789.00

REPLACEMENT METAL DRUM, for the MR40, with pail handle

Stock no	Description	Width Ø	Depth	£ ex VAT
323203	mixing drum, 32 ltr	36cm	33cm	20.00

FORCED ACTION ROTARY DRUM MIXER, with L shape paddle, 32 ltr plastic drum, for epoxy, latex & cement coatings, 110v or 230v

Stock no	Description	Power	Speed	Weight	Size WxLxH	Paddle	Mix	Output	Noise	£ ex VAT
709003	DAINES MR30 mixer	0.75kw	260rpm	36kg	55x170x87cm	L shape	15-30kg	600kg/hr	65dBA	769.00

REPLACEMENT PLASTIC DRUM, for the MR30, with pail handle

Stock no	Description	Width Ø	Depth	£ ex VAT
323004	mixing drum, 32 ltr	32cm	40cm	13.00



RM65 & RM90 ROTAMIXER®

ROTAMIXERS are robust forced action mixers designed for those materials that cannot be successfully mixed in a conventional free-fall cement mixer

The rotating drum produces a centrifugal mix and the technically designed paddles generate a radial and axial action

The machines are easy to clean and maintain, and replacement mixing tubs are economically priced

The machine includes a stainless steel L shaped side paddle and a rotary claw paddle which will mix right up to the tub centre, sides and base

The RM65 is a compact forced action mixer for up to two bags of repair or fibre filled mortar, grout, epoxy, screed, flooring latex and coatings, cements, tile adhesives and special plasters. The larger capacity RM90 can mix up to three bags


These mixers are produced with either a 110v or 230v high torque motor and sealed gear box

Features

- robust forced action paddle mixers
- stainless steel adjustable paddles
- twin paddles for thorough mix action
- radial & axial mix, turns & lifts material
- easy clean for epoxies & cements

Applications

- anti skid & highway repair surfaces
- polymer, epoxy & quartz coatings
- resin bound aggregates
- heavy bodied paints & floor coatings
- driveway & decorative resin bonded surfaces
- adhesives & cements
- concrete repair & fibre filled mortars
- lime & heritage mortars
- grouts & pourable cements
- latex & self levellers
- rubber crumb



twin stainless steel paddle set up



706501
lift & tip trolley

ROTAMIXER FORCED ACTION ROTARY MIXER, with L shaped side & rotary paddle, two 65 ltr tubs, for epoxy & cementitious mortars, 110v or 230v

Stock no	Description	Power	Speed	Weight	Size WxLxH	Paddles	Mix	Output	Noise	£ ex VAT
706600	RM65 rotary tub mixer twin paddle	1.1kw	60rpm	67kg	60x130x94cm	L & X shapes	30-60kg	1200 kg/hr	67dBA	1195.00

REPLACEMENT ROTAMIXER PLASTIC TUB

Stock no	Description	Width Ø	Depth	£ ex VAT
326501	mixing tub, 65 ltr black plastic	59cm	33cm	19.00

ROTAMIXER FORCED ACTION ROTARY MIXER, with L shaped side & rotary paddle, two 90 ltr tubs, for epoxy & cementitious mortars, 110v or 230v

Stock no	Description	Power	Speed	Weight	Size WxLxH	Paddles	Mix	Output	Noise	£ ex VAT
709000	RM90 rotary tub mixer twin paddle	1.1kw	50rpm	69kg	60x130x94cm	L & X shapes	30-75kg	1500 kg/hr	67dBA	1395.00

REPLACEMENT ROTAMIXER PLASTIC TUB

Stock no	Description	Width Ø	Depth	£ ex VAT
329003	mixing tub, 90 ltr black plastic	67cm	36cm	20.00

TUB LIFTING TROLLEY

Stock no	Description	£ ex VAT
706501	lift & tip trolley for 65 ltr or 90 ltr tubs	195.00



stainless steel replaceable drum

RMX120 RESIMIXER®

The RMX120 is specifically designed to mix aggregate and resin material used for resin bound surfaces and driveways

The rotary paddle forced action mixer will mix resin bound aggregates, driveway materials, epoxies, rubber crumb and playground surfaces

It has two adjustable paddles and is driven by a powerful electric motor and sealed gearbox

The machine has a removable stainless steel drum and paddles for easy cleaning

The motor and gearbox are mounted on the top of the mixer drum and can be removed for cleaning

The mixer is supplied with a 1.5kw 110v motor.

The 110v mixer should be used with a 32amp 5kva transformer

A 230v motor is available for domestic building work

Features

- heavy duty rotary paddle mixer
- removable 120 ltr stainless steel drum
- 4 x 25kg bags of aggregate mix capacity
- adjustable stainless steel mixer blades
- uniform & consistent mixing
- bottom outlet for discharge into barrow
- easy to clean, no centre mixing shaft

Applications

- resin bound aggregates
- epoxy mortars & coatings
- anti skid road surfaces
- highway repair surfaces
- driveway surfaces
- playground surfaces
- wet pour safety surfaces
- polymer screeds
- rubber crumb toppings
- decorative resin surfaces
- quartz & epoxy screeds
- adhesives & cements
- concrete repair mortars
- lime & heritage mortars
- repair or fibre filled mortar



RMX120
paddle mixer

RESIN MIXER, with rotary paddle, bottom outlet, stainless steel 55cm Ø drum, for resin, aggregate & epoxy screed, 110v or 230v

Stock no	Description	Power	Speed	Weight	Size WxLxH	Paddles	Mix	Output	Noise	£ ex VAT
700150	RMX120 rotary paddle mixer	1.5kw	25rpm	85kg	85x95x120cm	3 blade set up	100kg	600kg/hr	71dBA	2095.00



paddle set up for resin & screed mixes

paddle set up for render & mortar mixes

RMX140 SCREEDMIX

The RMX140 is a rotary paddle forced action pan mixer with large capacity drum

There are two different paddle set ups. The resin and screed model uses a three paddle set up with V shape middle paddles. The render and mortar model uses a rotary paddle set up

They will mix mortars and external colour through renders including monocouche and K-Rend

The RMX140 has three adjustable paddles and is driven by a powerful electric motor and sealed gearbox. This mixer is powerful enough to mix the heaviest render, mortar, screed and resin

It can mix materials with aggregate up to 8mm. The mixer is supplied with a 1.5kw 110v motor; a 230v motor is available for domestic building work

It will mix 5 bags of mortar or a 4 to 1 sand and cement mix

The mixer will run off a good 110v construction site electrical supply using a 32amp 5kva transformer or 6kva generator

Features

- heavy duty rotary paddle mixer
- three adjustable mixer blades
- uniform & consistent mixing
- bottom outlet for discharge into barrow
- for dry & bulk mixes
- six to one screed mixes
- easy to clean, low maintenance

Applications

- monocouche & ocr render
- sand & cement renders
- colour through & polymer renders
- polymer screed & mortars
- repair mortars & cements
- sand & cement screed
- refractory cements



RMX140
paddle mixer

SCREEDMIX MIXER, with V paddle, bottom outlet, 70cm Ø drum, for resins & screeds, 110v or 230v

Stock no	Description	Power	Speed	Weight	Size WxLxH	Paddles	Mix	Output	Noise	£ ex VAT
700130	RMX140V rotary paddle mixer	1.5kw	32rpm	95kg	90x95x110cm	3 blade set up	50-150kg	800kg/hr	71dBA	1895.00

MORTAR MIXER, with rotary paddle, bottom outlet, 70cm Ø drum, for renders & mortars, 110v or 230v

Stock no	Description	Power	Speed	Weight	Size WxLxH	Paddles	Mix	Output	Noise	£ ex VAT
700140	RMX140R rotary paddle mixer	1.5kw	32rpm	95kg	90x95x110cm	2 blade set up	50-150kg	800kg/hr	71dBA	1895.00



RMR230 ROLLER PAN MIXER

This roller pan mixer uses twin 85kg rollers that will turn and mix lime mortars and putties, renders and plaster, crush and rework traditional and reclaimed materials

The mixer is supplied with mesh lid and guard

The 110v model is fitted with a 32amp plug and should run off a 5kva transformer

Features

- mill type roller pan mixer
- heavy twin rollers
- large wheels for site transport

Applications

- for use in historic building refurbishment
- conservation & refurbishment trades
- schools & training institutions
- reworking lime mortars & putties
- sand & cement renders
- polymer screed & mortars
- repair mortars & cements
- refractory cements
- reconstituting heritage mortars



RMR230
roller pan mixer

HEAVY DUTY MIXER, with scraper & two rollers, 120 Ø drum, for mixing lime mortars & plasters, reworking traditional mortars & putties, 110v or 230v										
Stock no	Description	Power	Speed	Weight	Size WxLxH	Paddles	Mix	Output	Noise	£ ex VAT
700120	RMR230 roller pan mixer	1.5kw	30rpm	320kg	120x150x110cm	scraper & 2 rollers	50-100kg	1000kg/hr	71dBA	2895.00

MIXING APPLICATIONS	 FloorMix 2300 Mixer	 TwinMix 1800 Mixer	 MR30 & MR40 Daines Mixers	 RM65 & RM90 Rotamixers	 RMX120 Resimixer	 RMX140 ScreedMix	 RMR230 Roller Pan Mixer
PLASTERING							
backing & hardwall plasters						●	
bonding & board adhesive				●			
drywall & joint fillers							
lime plasters				●		●	●
multi finish							
one coat plaster							
texture coatings & artex							
thermal & acoustic plaster							
RENDERING							
backing coat render				●	●	●	
lime render				●	●	●	●
monocouche, colour through					●	●	
one coat render				●	●	●	
render, sand & cement				●	●	●	●
tanking renders				●	●	●	
tyrolean & cement textures				●		●	
RENOVATION & REPAIR							
brick & pointing mortar				●		●	
concrete repair mortar		●	●	●	●	●	
epoxy resin & adhesives		●	●	●	●	●	
fibre filled mortar		●	●	●	●	●	●
glass reinforced cement		●	●	●	●	●	
grouts & pourable mortars	●	●		●		●	
injection & chemical grouts				●		●	
lime mortars & putties				●		●	●
refractory cements		●				●	
resin anchors & sealants				●	●	●	
waterproofing coatings			●	●		●	
PAINTING							
bitumastic paints				●			
cementitious & masonry coatings				●			
epoxy & two pack coatings		●	●	●	●		
fireproof & intumescent paints				●			
pitch epoxy & marine paints			●	●	●		
roof coatings			●	●			
FLOORING							
cement powders & latex	●	●		●			
concrete, polymer			●	●		●	
epoxy quartz & screed		●	●	●	●	●	
floor paints & coatings	●		●	●			
patch repair mortars		●	●	●		●	
resin bonded aggregates				●	●	●	
sand & cement screed				●		●	
self-levellers & liquid screed	●	●		●			
tile adhesives		●	●	●			

● = best application ● = suitable

RENDER SPRAY GUNS

The render hopper spray gun is simple and effective to use and is one of the few spray guns that will spray apply sand and cement renders

A range of textures and finishes can be achieved; spraying at a lower air pressure (2-3 bar) will give a more textured finish

After application, the render can be ruled flat with an aluminium straight edge and finished with a steel trowel or wooden float

Render can be applied in one or two coats, normally up to 12mm to 15mm

The gun will spray render and dash with an aggregate up to 5mm. The finish can be altered by adjusting the mix or aggregate used

The hopper spray guns will spray renders, waterproofing and tanking render, spritz and bonding mortars, concrete repair and cementitious coatings. The single nozzle spray gun will run off a 15cfm compressor

The four nozzle gun will give the best results using a 30cfm or a one tool site compressor

Features

- high volume, lightweight air powered spray guns
- single nozzle gun for sand & cement render
- four nozzle long arm gun for higher volume applications

Applications

- spraying sand & cement renders & slurries
- cement based repair mortars
- lime mortars & putties
- stucco & plasters
- spritz & bonding mortars
- waterproofing & tanking coatings
- scratch coats & textures
- fine finishes & top coats
- structural waterproof render



30cfm belt drive petrol compressor



air regulator & filter

HOPPER SPRAY GUN, stainless steel hopper, for sand & cement renders & lime mortars

Stock no	Description	Nozzle Ø	Air consumption	Weight	Hopper	£ ex VAT
150660	render spray gun, one nozzle	1 x 20mm	300 ltr/min @ 4 bar	2kg	4 ltr	229.00

HOPPER SPRAY GUN, plastic hopper, for sand & cement renders & lime mortars

Stock no	Description	Nozzle Ø	Air consumption	Weight	Hopper	£ ex VAT
150666	render spray gun, four nozzles	4 x 20mm	750 ltr/min @ 4 bar	1.8kg	6 ltr	229.00

COMPRESSORS, Honda petrol, belt drive, for render spray gun

Stock no	Description	Power	Air output	Weight	Size WxLxH	Max pressure	Air tank	Motor	Noise	£ ex VAT
171515P	AC15P 15cfm compressor	5.5hp	425 ltr/min @ 6 bar	81kg	33x108x90cm	10 bar	50 ltr	GX160	93dBA	999.00
171530P	AC30P 30cfm compressor	11.0hp	840 ltr/min @ 6 bar	128kg	48x132x117cm	10 bar	110 ltr	GX340	96dBA	2199.00

COMPRESSOR FRAMES

Stock no	Description	£ ex VAT
171516	protective frame for AC15 compressor	80.00
171521	protective frame for AC30 compressor	90.00

AIR REGULATOR & FILTER, with carry frame, to control air pressure to hopper spray gun

Stock no	Description	£ ex VAT
150655	air regulator & filter	99.00



silicone thin coat render



tyrolean textured render

TEXASPRAY HOPPER SPRAY GUN

The Texaspray is a hopper spray gun for applying external wall coatings, texture, silicone thin coat render, tyrolean and textured renders and masonry paints. It is simple to use and maintain and is supplied with 4mm, 6mm and 8mm nozzles.

The 4mm nozzle is for masonry and paints. The 6mm nozzle is for silicone and acrylic renders. The 8mm nozzle is for tyrolean and tanking renders. Other sizes are available on request

Coverage is 60m²/hr

Features

- gravity fed spray gun with 5 ltr hopper
- versatile spray gun for heavy bodied paints
- works with 10cfm compressor
- proven design & performance
- easy to use & clean
- airflow mini regulator included

Applications

- high build & cementitious coatings
- thin coat silicone & acrylic renders
- Cullamix tyrolean & textured renders
- Sandtex & masonry paints
- Artex & textured coatings
- Monolastic elastomeric textures
- Vandex tanking & waterproofing coatings



150350

Texaspray hopper spray gun

mini regulator

quick release
air coupling included

4mm,6mm,8mm nozzles



982086

blue braided air
hose kit



AC12

12cfm belt drive compressor

171516
optional protective frame



AC15E

15cfm belt drive compressor

HOPPER SPRAY GUN, with air regulator, for high build, textured, stone, cement & masonry paints

Stock no	Description	Nozzle Ø	Air Consumption	Weight	Hopper	£ ex VAT
150350	Texaspray hopper spray gun	4,6,8mm	150 ltr/min @ 3 bar	0.9kg	5 ltr	129.00

COMPRESSOR, electric belt drive, for site use, 110v or 230v

Stock no	Description	Power	Air output	Weight	Size WxLxH	Max pressure	Air tank	Noise	£ ex VAT
171023	AC12 12cfm compressor	1.5kw	280 ltr/min @ 4 bar	38kg	77x35x69cm	10 bar	24 ltr	73dBA	529.00
171515	AC15E 15cfm compressor	2.2kw	390 ltr/min @ 6 bar	58kg	50x100x86cm	10 bar	60 ltr	89dBA	999.00

COMPRESSOR FRAME

Stock no	Description	£ ex VAT
171516	protective frame for AC15 compressor	80.00

AIR HOSE KITS, blue braided with threaded connectors

Stock no	Description	Length	Air hose Ø	£ ex VAT
982084	air hose kits with 1/4" connectors	5m	10mm	15.00
982085	air hose kits with 1/4" connectors	10m	10mm	20.00
982086	air hose kits with 1/4" connectors	15m	10mm	25.00
982088	air hose kits with 1/4" connectors	25m	10mm	30.00

QUICK RELEASE AIRLINE COUPLING

Stock no	Description	£ ex VAT
990001K	air coupling & adaptor (2 pt)	10.00



STX410 SCREW PUMP

The STX410 is a compact screw pump, spray gun and compressor kit that will spray internal finish coatings and plasters, external wall coatings and silicone thin coat renders, tanking and waterproof renders, cementitious coatings, fireproofing and intumescent paints

When used with lance gun, it will pump grouts and bagged mortars for pointing and joint filling

The 110v pump will work off a standard electric supply 3kva transformer and is ideal for work in new build and domestic building refurbishment

The spray gun is supplied with a 8mm nozzle; other nozzle sizes include 4mm, 6mm & 10mm

The pump, gun and hose are supplied with alloy camlock fittings and 8m of hose

Features

- hopper feed rotor/stator pump
- stainless steel hopper
- easy to use & clean
- 110v available as standard
- quick release rotor & stator assembly

Applications

- spraying & coating
- thin coat silicone & acrylic renders
- fireproofing & intumescent paints
- waterproofing renders & tanking slurries
- textured & high build masonry coatings
- finish plasters & coatings
- pumping & injecting
- grouts & cements
- bagged lime mortar
- floor joint mortars & bedding grouts

portable, compact lightweight design



stainless steel hopper

remote cable operation
easy to use

detectable front auger
for ease of cleaning

single phase motor



STX410
screw pump



141496
lance spray gun



AC12
12cfm compressor

ROTAPUMP COMPACT SCREW PUMP, for finish plasters & acrylic exterior wall coatings, 110v or 230v

Stock no	Description	Power	Hopper tank	Weight	Size WxLxH	Pump output	Hose Ø	Hose length	Noise	£ ex VAT
701022	STX410 screw pump	0.75kw	30 ltr	25kg	50x75x75cm	4 ltr/min	19mm	8m	59dBA	1795.00

SPRAY LANCE, for skim plaster, thin coat render & acrylic wall coatings

Stock no	Description	Nozzle Ø	Air consumption	Air cap	£ ex VAT
141496	lance spray gun	8.5mm	280 ltr/min @ 4 bar	round pattern	99.00

COMPRESSOR, electric belt drive, for site use, 110 or 230v

Stock no	Description	Power	Air output	Weight	Size WxLxH	Max pressure	Air tank	Noise	£ ex VAT
171023	AC12 12cfm compressor	1.5kw	280 ltr/min @ 4 bar	38kg	77x35x69cm	10 bar	24 ltr	73dBA	529.00

MORTAR HOSE, black braided with claw couplings

Stock no	Description	Length	Material hose Ø	£ ex VAT
981404	mortar hose	5m	25mm	49.00
981405	mortar hose	8m	25mm	69.00



pointing gun & control valve



ACF405 PERISTALTIC PUMP

The ACF405 electric peristaltic pump with stainless steel hopper and variable speed output can pump up to 5 ltr/min

Pointing machines work best pumping pre-bagged mortars and grouts that have been produced for mechanical application

Mortars mixed on site using sharp builders sand are not suitable for pump application

The peristaltic pump is a positive displacement pump and used for pumping a variety of flowable mortars and grouts. The material is drawn down from the hopper into a roller and tube mechanism. This compresses the flexible tube, forcing the material out towards the gun

The 110v peristaltic pump will run off a 13amp supply and 3kva transformer

Features

- hopper feed roller & tube pump
- variable speed output
- stainless steel 25 ltr hopper

Applications

- for refurbishment & repair trades
- heritage & conservation
- bridge & stone reinstatements
- waterproofing & brick pointing
- for pumping, pointing & injecting
- pre-bagged mortars & pointing materials
- grouts & fillers
- pre-bagged lime mortars

hose storage frame



784000
ACF grout pump



plastic nozzles

13mm nozzle



141493
lance grout gun



982224
5m braided hose

PERISTALTIC PUMP, variable speed output, for mortar & grouts, 110v or 230v

Stock no	Description	Power	Hopper tank	Weight	Size WxLxH	Pump output	Hose Ø	Hose length	Noise	£ ex VAT
784000	ACF405 grout pump	0.5kw	25 ltr	42kg	45x50x55cm	2-5 ltr/min	19mm	5m	59dBA	3695.00

POINTING LANCE

Stock no	Description	Nozzles Ø	£ ex VAT
141493	lance grout gun	uncut cone, 13mm	29.00
150641	pointing gun & button valve	uncut cone, 13mm	189.00

PLASTIC NOZZLES, threaded

Stock no	Description	Nozzle Ø	£ ex VAT
1640077	grey nozzle	uncut cone	0.50
1640081	red nozzle	13mm	0.50

MORTAR HOSE, clear braided, for mortars & cements

Stock no	Description	Length	Material hose Ø	£ ex VAT
982224	mortar hose, clear braided	5m	19mm	50.00



EPO180H-SRX SURFACE SCABBLER

The EPO180H with scabbler head will clean, key and prepare interior and exterior wall and floor surfaces. The scabbler is excellent for stripping exterior facades and interiors before refurbishment or replastering, keying cellar walls for tanking.

The scabbler uses freely rotating cutters to key and peen the surface. The replaceable cutters are:

C2 steel star cutters are for cleaning off paint and rust; the C2's are the only cutters that can be for use on steel.

C4 solid tungsten carbide claw cutters are for shaving off coatings; leaves a peened finish.

C5 solid tungsten star cutters are for keying hard coatings; leaves a keyed surface.

C6 tungsten carbide tipped scabbling cutters, for render and plaster; leaves a rough finish.

Features

- rotary surface scabbler
- replaceable cutters
- solid tungsten cutters or tet cutters
- for paint, render & refurbishment trades
- dust free with vac

Applications

- scabbling concrete & render
- taking off masonry paints & tyroleane
- leaves peened or roughened surface
- stripping internal paints & exterior coatings
- cleaning masonry & brick
- keying back internal walls & plaster
- taking off floor paints & coatings
- cleaning rust & steel



MULTI-SURFACE SCABLERS, variable speed, H handle, for keying & cleaning concrete, render & masonry, 110v or 230v

Stock no	Description	Power	Speed	Weight	Cutters	Prep head	Prep rate	Vibration	Noise	£ ex VAT
4811872	EPO180H-SRX6-C2	1500w	1300-4000rpm	5.9kg	C2 x49	150mm	up to 30m/hr	7.9m/s	79dBA	499.00
4811874	EPO180H-SRX6-C4	1500w	1300-4000rpm	5.9kg	C4 x28	150mm	up to 30m/hr	7.9m/s	79dBA	589.00
4811875	EPO180H-SRX6-C5	1500w	1300-4000rpm	5.9kg	C5 x21	150mm	up to 30m/hr	7.9m/s	79dBA	569.00
4811876	EPO180H-SRX6-C6	1500w	1300-4000rpm	5.9kg	C6 x14	150mm	up to 30m/hr	7.9m/s	79dBA	549.00

DUSTEX HOOD, for dust free use with vac

Stock no	Description	£ ex VAT
356560F	dust hood for 6" scabbler head	49.00

SCABBLER HEADS, complete with cutters & spacers

Stock no	Description	Cutters	Rec speed	£ ex VAT
346382	SRX6-C2 6" scabbler	C2 hardened steel	3000rpm	179.00
346384	SRX6-C4 6" scabbler	C4 solid tungsten	3000rpm	259.00
346385	SRX6-C5 6" scabbler	C5 solid tungsten	3000rpm	239.00
346386	SRX6-C6 6" scabbler	C6 tungsten tip	3000rpm	219.00

REPLACEMENT CUTTERS, with spacers

Stock no	Description	Cutter set	£ ex VAT
348492	C2 hard steel 2.5mm star cutters	49	49.00
348284	C4 solid tungsten 3.5mm claw cutters	28	109.00
348505	C5 solid tungsten 4.0mm star cutters	21	89.00
348146	C6 tungsten tipped 6.0mm cutters	14	69.00

EPO180H 7" MULTI-SURFACER & STRIPPER

The EPO180H with ATX disc will strip water-based paints, textures and graffiti from plasterboard, ceilings, trowelled concrete, smooth brickwork, masonry and stone

The EPO180H is a slow speed sander-grinder and will take a wide range of discs and abrasives

The ATX discs are hard backed silicone carbide abrasives for paint removal

The hard backed ZEC coarse discs are for coating removal including epoxies

No backing pad is required with the ATX and ZEC hard backed discs

The semi-flexible fibre backed silicone carbide discs will prep and grind concrete surfaces, stone, brick and masonry as well as removing surface coatings and contaminants

Features

- powerful multi-surfacer
- paint & coating stripper
- dust free with dustex hood & vac
- reduced vibration H handle

Applications

- stripping paint & coatings
- cleaning flat brick, stone & concrete
- smoothing & refurbishing stone
- sanding & finishing concrete
- prepping walls, floors & ceilings
- epoxy paints
- latex screed
- terrazzo tiles



EPO180H-ATX
multi-surfacer



365570F
dustex hood



300180
ATX stripper hard backed disc



305180
ZEC hard backed disc



300607
semi-flexible disc

MULTI-SURFACER & PAINT STRIPPER, variable speed, H handle, for removing paints & coatings, 110v or 230v

Stock no	Description	Power	Speed	Weight	Disc Ø	Prep rate	Vibration	Noise	£ ex VAT
481209	EPO180H 7" paint stripper	1500w	1300-4000rpm	3.8kg	180mm	up to 30m/hr	2.5m/s	79dBA	339.00

DUSTEX HOOD, for dust free use with vac

Stock no	Description	£ ex VAT
365570F	dust hood for 6" scabber head	49.00

PAINT STRIPPING DISCS, hard backed, web silicone carbide, for water based paint removal, no backing pad required

Stock no	Description	Disc Ø	Rec speed	Grit	£ ex VAT
300180	ATX 7" stripper & cleaning disc	180mm	3000rpm	60	9.95

RIBBED DISCS, hard backed, silicone carbide, for coating removal, no backing pad required

Stock no	Description	Disc Ø	Rec speed	Grits	£ ex VAT
305180	ZEC 7" hard backed coarse disc	180mm	3000rpm	10,16,24,36	6.95

RIBBED DISCS, semi-flexible, silicone carbide fibre backed, for finishing concrete & render

Stock no	Description	Disc Ø	Rec speed	Grits	£ ex VAT
300607	7" semi-flexible disc	180mm	4000rpm	16,24,36,60	2.75

BACKING PAD, for use with semi-flexible discs

Stock no	Description	Disc Ø	£ ex VAT
300247	7" backing pad	180mm	8.00



EBS1802H 5" DIAMOND GRINDER

The EBS1802H is a powerful 1650w 5" diamond grinder, supplied with a segmented diamond disc. The diamond discs are excellent for prepping a wide range of difficult to remove materials including thick and elastomeric coatings, cement adhesive, bitumens and hardened epoxies

It is produced with a reduced vibration H-handle for easy and smooth working on hard floors. The diamond grinder has a dustex guard and the front is removable. The grinder-planer will level floors, slabs and walls, stone, curbs, stairs and pillars; face off shuttered concrete lines and pour spills; remove hardened epoxies and stone paints; smooth out trowel marks from screed and latex; cut back carpet adhesive and tile cement residues; skim off traffic markings and thermoplastics

DX5-G15 disc for concrete and coatings

DX5-H5 disc for hard epoxies

DX5-MC disc for smoothing stone and concrete

DX5-K6 disc for bitumastic coatings and thick adhesives

DX5-DS disc for reducing latex and liquid screeds

Features

- powerful hand-held grinder
- fitted with low vibration handle
- removable front guard for edging
- dust free with dustex vac

Applications

- grinding & levelling concrete, screed & stone
- remove hard epoxy & cement coatings
- cut through floor adhesives
- removing tile cements
- finish shuttered concrete

powerful in-line motor



EBS1802H
diamond grinder

EIBENSTOCK



H handle with vibration dampener plate

dust hood with
flip up front edge



315126
DX5-DS disc




315125
DX5-G15 disc



315200
DX5-H5 disc



315194
DX5-MC disc



315170
DX5-K6 disc

DIAMOND GRINDER-PLANER, with twin row diamond disc, for planing & reducing concrete & screed, 110v or 230v

Stock no	Description	Power	Speed	Weight	Disc Ø	Prep rate	Vibration	Noise	£ ex VAT
483180	EBS1802 5" diamond grinder	1650w	10000rpm	5.9kg	125mm	up to 30m/hr	4.4m/s	78dBA	559.00

DIAMOND DISC, twin row for grinding concrete, hard coatings & surface removal

Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VAT
315125	DX5-G15 5" twin open row cup disc	125mm	10000rpm	15	40	89.00

DIAMOND DISC, curved segments, for aggressive grinding of coatings

Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VAT
315200	DX5-H5 5" diamond cup disc	125mm	10000rpm	6	30	85.00

DIAMOND DISCS, continuous ring, for smoothing concrete, terrazzo & stone

Stock no	Description	Disc Ø	Rec speed	Segment	Grits	£ ex VAT
315194	DX5-MC 5" solid ring diamond cup disc	125mm	10000rpm	continuous	40,80,120	99.00

DIAMOND DISC, PCD polycrystalline solid segments, for removing thick coatings, bitumastic & adhesives, latex & epoxies

Stock no	Description	Disc Ø	Rec speed	Segment	£ ex VAT
315170	DX5-K6 5" pcd diamond cup disc	125mm	10000rpm	6	95.00

DIAMOND DISC, dot segments, for latex removal

Stock no	Description	Disc Ø	Rec speed	Grit	£ ex VAT
315126	DX5-DS 5" diamond disc	125mm	10000rpm	coarse	48.00



EPN1800 DIAMOND WET POLISHER

The EPN1800 wet polisher with water feed is for smoothing, polishing and finishing concrete, natural stone, granite and terrazzo

The motor is protected from water ingress

The system uses wet and dry polishing discs from medium to extra fine grit

It is recommended that advice is taken before working on granite, marble or natural stone, composite or quartz surfaces


Features

- powerful concrete & stone polisher
- metal bond discs for hard grinding
- resin bond discs for smoothing & polishing
- wet finishing for finer surfaces
- water feed suppresses harmful dust

Applications

- natural stone & granite
- marble & terrazzo
- concrete & floors
- worktops & synthetic surfaces

EIBENSTOCK



315113
metal dot pad



315134
resin bond pad

DIAMOND WET POLISHER WATER FEED, with velcro backing pad for diamond polishing pads, 110v only

Stock no	Description	Power	Speed	Weight	Disc Ø	Prep rate	Vibration	Noise	£ ex VAT
481380	EPN1800 diamond polisher	1800w	2000rpm	4.6kg	100mm	up to 10m/hr	2.4m/s	72dBA	389.00

DIAMOND WET DISCS, metal bond, use wet or dry, velcro backed, for first stage grinding concrete & terrazzo

Stock no	Description	Disc Ø	Rec speed	Grits	£ ex VAT
315113	4" metal dot pad	100mm	2000rpm	30,60,150,300	39.00

DIAMOND DISCS, use wet or dry, velcro backed, for polishing concrete & terrazzo

Stock no	Description	Disc Ø	Rec speed	Grits	£ ex VAT
315134	4" pad	100mm	2000rpm	medium, fine, extra fine	19.00
315134K	4" pad, set of 3	100mm	2000rpm	medium, fine, extra fine	57.00

VELCRO BACKING PADS, for use with stone finishing diamonds & abrasives discs

Stock no	Description	Disc Ø	£ ex VAT
300214	4" velcro backing pad	100mm	16.00



484203 dust hood with brush rim



EPG400 POWER FLOAT & SPONGE

The EPG400 is a handheld rotary power float and sponge for finishing external renders and monocouche. A float disc and medium sponge are included with the machine.

The power sponge uses a slow speed motor to sponge or float finish large areas of spray or trowel applied backing coat plaster or one coat render.

The toothed scraper disc is for scraping back monocouche render, leaving an exposed aggregate finish.

The sanding and tungsten discs are for use on insulation board.

Features

- slow speed finishing
- float up to 60 sq metres per hour
- for finishing large areas
- range of discs & floats available

Applications

- floating & sponging up
- monocouche & colour through render
- finishing backing coat & hardwall plaster
- trowelling up one coat render
- scraping back render




slow speed motor & gearbox

soft grip side handle



EPG400
power sponge & float



550418
trowel disc




550417
float disc



550419
toothed scraper disc



300737
sanding disc



300747
tungsten disc

POWER SPONGE & FLOAT, for backing coat plasters & one coat renders, 110v or 230v

Stock no	Description	Power	Speed	Weight	Disc Ø	Finish rate	Vibration	Noise	£ ex VAT
484400	EPG400 16" power float	500w	60rpm	3.5kg	400mm	60m/hr	1.9m/s	76dBA	399.00

PLASTIC FLOAT, velcro backed, for floating backing coat plaster & render

Stock no	Description	Disc Ø	£ ex VAT
550417	16" float disc, diamond faced	400mm	15.00

PLASTIC TROWEL DISC, for trowelling up plaster & render

Stock no	Description	Disc Ø	£ ex VAT
550418	16" trowel disc, 8 plastic blades	400mm	59.00

SCRAPER DISCS, for scraping back monocouche render

Stock no	Description	Disc Ø	£ ex VAT
550419	16" toothed scraper disc, four plates	400mm	45.00
550420	replacement scraper plates (set 4)		20.00
550422K	replacement scraper plates (set 5)		25.00

SANDING DISCS, velcro backed, for sanding polystyrene insulation boards

Stock no	Description	Disc Ø	Grit	£ ex VAT
300737	15" sanding disc	375mm	24	19.00
300747	15" coarse tungsten disc	375mm	24	49.00

DUST HOOD, for dust free use with vac

Stock no	Description	Disc Ø	£ ex VAT
484203	dust hood with brush rim	400mm	49.00



EPG400A POWER FLOAT & SPONGE

The EPG400A is a cordless rotary power float and sponge for finishing external renders and monocouche. The power float is supplied with two CAS compatible 5.2 Ah batteries, charger and plastic storage case. The power sponge uses a slow speed motor to sponge or float finish large areas of spray or trowel applied backing coat plaster or one coat render.

Features

- slow speed finishing
- freedom of movement
- float up to 65 sq metres per hour
- 30 minutes approx. with one battery charge
- for finishing large areas
- range of discs & floats available

Applications

- floating & sponging up
- monocouche & colour through render
- finishing backing coat & hardwall plaster
- trowelling up one coat render
- scraping back render

two CAS compatible 18v batteries included



EPG400A
power sponge



550405
fine sponge
for render & plaster



550406
medium sponge
for render & plaster



550407
hard sponge
for render & plaster



550410
fine sponge
hardwall & spray plaster



550408
medium
for one coat render

CORDLESS POWER SPONGE & FLOAT, including 2x 18v batteries, for backing coat plasters & one coat renders

Stock no	Description	Power	Speed	Weight	Disc Ø	Finish rate	Vibration	Noise	£ ex VAT
484410	EPG400A 16" cordless power float	18v	80rpm	4.5kg	400mm	65m/hr	2.5m/s	74dBA	889.00

SPONGES, velcro backed, use wet or dry

Stock no	Description	Disc Ø	Colour	Texture	Thickness	£ ex VAT
550405	16" sponge	400mm	white	soft	50mm	10.00
550406	16" sponge	400mm	yellow	medium	50mm	10.00
550407	16" sponge	400mm	tan	hard	50mm	10.00
550410	16" sponge	400mm	orange	fine	15mm	20.00
550411	16" sponge	400mm	orange	medium	15mm	20.00
550408	16" sponge	400mm	blue	dense	15mm	24.00



EOF100 SURFACE SHAVER

The EOF100 has a powerful single speed 1400w motor with soft start. It's soft bow handle allows for less vibration and non slip handling

The EOF100 has a micro depth control hood for shaving off surface coatings. The shaving depth can be adjusted from 0.1mm - 1.0mm in 0.1mm increments

It is supplied with a tungsten carbide shaver disc for removing both hard and soft coatings and surfaces from wood, grp and plastic, floor coverings and toppings

The diamond PCD disc will remove coatings from concrete and hard floors

Features

- rotary surface stripper
- adjustable depth from 0.1mm to 1.0mm
- faster coating removal compared to sanding
- swivel dust guard for edging
- solid tungsten disc or diamond disc
- dust free with vac

Applications

- stripping off paints & surfaces
- varnish & resins
- adhesives & residues
- use on wooden boards & decking
- marine coatings & finishes
- plastics & laminates
- gelcoat & grp

EIBENSTOCK


315178
tungsten carbide disc



315176
PCD diamond disc

SURFACE SHAVER, for fine stripping of paint, varnish & resins, 110v or 230v

Stock no	Description	Power	Speed	Weight	Milling depth	Disc Ø	Vibration	Noise	£ ex VAT
483022	EOF100-TC shaver with tungsten disc	1400w	10000rpm	3.1kg	0.1mm-1.0mm	100mm	2.5m/s	79dBA	410.00

TUNGSTEN CARBIDE DISC, for shaving off varnish & paint from grp, wooden surfaces & decking

Stock no	Description	Disc Ø	Rec speed	£ ex VAT
315178	TC tungsten carbide disc	100mm	10000rpm	89.00

PCD DIAMOND DISC, for shaving off coatings & epoxies

stock no	Description	Disc Ø	Rec speed	£ ex VAT
315176	DX4-K6 PCD diamond disc	100mm	10000rpm	99.00



ELS225 9" WALL & FLOOR SANDER

The ELS225 is a long reach sander with a simple and light handle extension. The sander head has a flexi joint that can be simply replaced without tools

The sander is used for sanding back and smoothing drywall joints; prepping and sanding walls, ceilings and floors prior to painting and decorating. It is lightweight and comes complete with dust guard allowing dust free operation when coupled with a suitable vac

Due to the suction force of the VacuGlide system it allows the long reach sander to hold on to the wall or ceiling and can be guided easily. This allows less strain on the user with only 1.5kg of perceived weight when in operation

The edge of the dust guard is cut away allowing sanding right to the edge

The range of discs are velcro backed and suitable for prepping walls, ceilings and floors

Features

- quick change flexi joint, no tools needed
- powerful large area sander
- VacuGlide suction for ceiling work
- cushioned velcro backing pad
- large holes for effective dust control
- easy handling for wall work
- removable guard side for edging
- supplied in a heavy duty carry case

Applications

- sanding & smoothing walls & ceilings
- rubbing down drywall & tapered joints
- prepping back wall paints & emulsions
- sanding wooden floors & boards
- polishing floor tiles & stone



EIBENSTOCK



ELS225
long arm sander



300711
multi-hole sanding disc



300719
silicone sanding disc



243471
tungsten carbide disc



341085
diamond button disc

LONG REACH SANDER, for plaster, drywall joints, paints & wooden floors, 110v or 230v

Stock no	Description	Power	Speed	Weight	Disc Ø	Prep rate	Vibration	Noise	£ ex VAT
481700	ELS225 long reach 9" sander	750w	1050-1600rpm	4.9kg	225mm	up to 50m/hr	2.4m/s	78dBA	649.00

MULTI-HOLE YELLOW SANDING DISCS, velcro backed, for use with drywall sander, sanding drywall joints and plaster

Stock no	Description	Disc Ø	Grits	£ ex VAT
300711	9" yellow sanding disc	225mm	40,60,80,100,120,150,180,220	2.95

SILICONE SANDING DISCS, velcro backed, for use with external insulation boards

Stock no	Description	Disc Ø	Grits	£ ex VAT
300719	9" coarse sanding disc	225mm	24,60,80	2.95

TUNGSTEN DISCS, velcro backed for abrading painted surfaces & surface scouring

Stock no	Description	Disc Ø	Grits	£ ex VAT
243471	9" tungsten disc	225mm	60,80	31.00

DIAMOND BUTTON DISCS, velcro backed for polishing floors, hard concrete, terrazzo & stone

Stock no	Description	Disc Ø	Grits	£ ex VAT
341085	9" diamond button disc	225mm	30,50,60,100,120,220,400,800,1500,2000,3000	59.00



EPO1310 SURFACE BLASTER

The surface blaster discs have rubber mounted tungsten points for fast cleaning of coatings and rust from steel and marine surfaces, pipes and weld joints. The surface blaster discs will cut through and remove sticky residues including chewing gum, bitumens, sealants, adhesives, elastomeric and rubberised paints. The power tool will prep structural steel and tanks, keying the surface for anti-corrosion coatings. Individual discs are mounted on a hex shaft.

Features

- powerful rotary surface prep machine
- rubber mounted tungsten points
- dust free with dustex vac

Applications

- blast off paint & rust
- cleaning inside tanks & bunds
- steel plate & hulls
- prep before recoating
- clean large pipe joints
- for use by marine repair trades
- pipework contractors
- painting & anti-corrosion coating application
- tank & bund renovation work

EIBENSTOCK



SURFACE BLASTER, with six tungsten tipped rubber disc drum, for prepping floors & walls, 110v or 230v

Stock no	Description	Power	Speed	Weight	Disc Ø	Prep rate	Vibration	Noise	£ ex VAT
840006	EPO1310 surface blaster with hood	1300w	1300-3050rpm	4.5kg	125mm	up to 15m/hr	2.9m/s	72dBA	559.00

SURFACE BLASTER STAR WHEELS, rubber mounted tungsten spikes with M14 spindle

Stock no	Description	Rec speed	£ ex VAT
347504	wheel drum disc set (4)	3000rpm	89.00
347506	wheel drum disc set (6)	3000rpm	119.00



CORDLESS SURFACE BLASTER

This surface blaster is supplied with three rubber mounted tungsten tipped discs for fast cleaning of coatings and rust from steel and marine surfaces, pipes and weld joints

It comes complete with two lithium-ion 3.0 Ah batteries, charger and plastic carry case

The surface blaster discs are individually mounted on a hex shaft. They will cut through and remove sticky residues including chewing gum, bitumens, sealants, adhesives, elastomeric and rubberised paints

They will prep structural steel and tanks, keying the surface for anti-corrosion coatings

Features

- rotary surface prep machine
- powerful brushless motor
- lightweight & robust
- batteries with power charge indicator lights
- smart charger
- supplied with two 18v Li-ion batteries
- rubber mounted tungsten points

Applications

- blast off paint & rust
- clean inside tanks & bunds
- remove rust from checker plate
- prep before recoating
- clean large pipe joints
- finish approximates shotblasting
- leaves profiled finish on steel
- for use by marine repair trades
- pipework contractors
- painting & anti-corrosion coating application
- tank & bund renovation work



510105
cordless surface blaster



347503
3 disc drum

CORDLESS SURFACE BLASTER, with three tungsten tipped rubber disc drum, including 2x 18v batteries, for prepping floors & walls									
stock no	Description	Power	Speed	Weight	Disc Ø	Prep rate	Vibration	Noise	£ ex VAT
510115	cordless surface blaster	1300w	3700rpm	2.4kg	125mm	up to 10m/hr	2.9m/s	72dBA	429.00
SURFACE BLASTER STAR WHEELS, rubber mounted tungsten spikes with M14 spindle									
Stock no	Description	Rec speed		£ ex VAT					
347503	wheel drum disc set (3)	3000rpm		69.00					



FLOOR STRIPPER

The RFX210 is a compact floor carpet stripper for lifting floor coverings, carpet tiles and foam backed carpet, lino, rubber floor coverings and vinyls
 The floor stripper works on screed, latex, concrete or wood surfaces and will lift floor coverings leaving a minimum of residue and backing
 The floor stripper is built around a power tool driven oscillating stripper head; it has a solid motor cover and rubber mounted handle

Features

- sturdy machine construction
- large solid wheels

Applications

- strip floor coverings
- lift carpet tiles & foam backed carpets
- remove felt, underlay
- lino & vinyls
- cork tiles & matting
- remove thick adhesive



FLOOR & CARPET STRIPPER, for removing stuck down floor coverings, 110v or 230v									
Stock no	Description	Power	Speed	Weight	Blade	Prep rate	Vibration	Noise	£ ex VAT
512000	8" floor stripper	2000w	6600rpm	11.5kg	210mm	up to 60m/hr	11.5m/s	79dBA	699.00
REPLACEMENT BLADE, universal hardened steel blade									
Stock no	Description	Width							
510210	8" blade	210mm							£ ex VAT 9.00



EBS180F CONCRETE GRINDER

The EBS180F floor grinder is supplied with a 180mm diamond disc and foldable front dust guard for up to the edge grinding

Tilt adjustable floor guiding device and optimal handle adjustment provides comfort and ease of use

The diamond EBS180F grinder is ideal for surface preparation prior to the application of epoxy coatings and floor paints. It will effectively remove rubber deposits, adhesives, bituminous coatings and impacted dirt from factory floors

A profiled surface is left that provides a suitable key for resurfacing if used with coarse grit diamonds

The 230v machine is suitable for domestic refurbishment and work in commercial and retail premises as it will run off a standard 13amp supply.

The 110v machine is for site use and will run off a 5kva transformer

Features

- powerful motor
- compact & easy to use machine
- foldable front dust guard for edging
- adjustable handle
- leaves smooth & level finish
- brush rim with outlet to connect to industrial vac

Applications

- for use by industrial flooring contractors
- factory maintenance & refurbishment
- commercial & carpet floor trades
- removing tile adhesive
- grinding off concrete & laitance
- prepping epoxy & polyurethane floors
- smoothing out trowel marks
- resurfacing old concrete & slabs
- stripping floor coatings & paints
- removing membranes & hardeners
- renovating & maintaining factory floors
- taking off adhesives & sealers
- levelling & smoothing latex



EIBENSTOCK



315129
DX5-G15 disc



315169
DX7-K9 PCD disc

FLOOR GRINDER, with adjustable handle and folding dust guard for edging work, 110v or 230v

Stock no	Description	Power	Speed	Weight	Disc Ø	Prep rate	Vibration	Noise	£ ex VAT
483173	EBS180F 7" diamond grinder	2500w	8500rpm	10.5kg	180mm	up to 40m/hr	6.5m/s	79dBA	839.00

DIAMOND DISC, twin row for grinding concrete, hard coatings & surface removal

Stock no	Description	Disc Ø	Rec speed	Segment	Grit	£ ex VAT
315129	DX7-G21 7" twin open row cup disc	180mm	10000rpm	15	40	129.00

DIAMOND PCD DISC, for removing floor coatings & bitumen toppings

Stock no	Description	Disc Ø	£ ex VAT
315169	DX7-K9 7" PCD cup disc	180mm	179.00



PD23 FLOOR GRINDER

The PD23 is a 9" floor grinder with 230mm diamond plates and flexible drive coupling. The design is simple and the machine is easy to set up, use and maintain. The concrete and surface grinder is available with a range of grinding plates, segments and abrasives for levelling and prepping floor surfaces and coatings, grinding hard floors including concrete, epoxy and terrazzo.

It is ideal for surface preparation prior to the application of epoxy coatings and floor paints. It will effectively remove rubber deposits, adhesives, bituminous coatings and impacted dirt from factory floors. A profiled surface is left that provides a suitable key for resurfacing if used with coarse grit diamonds. The 230v machine is suitable for domestic refurbishment and work in commercial and retail premises as it will run off a standard 13amp supply. The 110v machine is for site use and will run off a 5kva transformer.

Features

- compact & easy to use machine
- adjustable handle
- leaves smooth & level finish
- range of diamond segments & grits

Applications

- for use by industrial & epoxy floor contractors
- factory maintenance & refurbishment
- commercial & carpet floor trades
- grinding off concrete & laitance
- prepping epoxy & polyurethane floors
- smoothing out trowel marks
- resurfacing old concrete & slabs
- stripping floor coatings & paints
- removing membranes & hardeners
- renovating & maintaining factory floors
- finishing & levelling terrazzo
- taking off adhesives & sealers
- levelling & removing latex



PD23
diamond grinder



340032
9" diamond bonded disc

DIAMOND FLOOR GRINDER, with 9" diamond disc, for grinding & prepping floor surfaces & coatings, 110v or 230v										
Stock no	Description	Power	Speed	Weight	Size WxLxH	Disc Ø	Prep rate	Vibration	Noise	£ ex VAT
340015	PD23 9" diamond grinder	1.5kw	1400rpm	42kg	42x84x105cm	230mm	up to 40m/hr	6.5m/s	79dBA	1095.00
DIAMOND GRINDING PLATE, blue, general purpose, for grinding & finishing concrete										
Stock no	Description	Use	Disc Ø	Grit	Bond	£ ex VAT				
340032	9" bonded disc	general purpose	230mm	40	H7	199.00				

DIAMOND PREP SEGMENTS

The diamond mini plates are available with a range of segment types, bonds and grits, to work on a variety of floor surfaces and coatings that the PD23 can successfully grind, level, prep, finish and polish

The silver PCD mini plates are for removing surface coatings and hard epoxy floor paints, liquid screed and cement based toppings, difficult to remove adhesives, black jack and bitumens

The grey mini plates are for smoothing and finishing terrazzo and concrete and are available in abrasive grits down to 250 grit

The round puck discs are for smoothing, finishing and polishing concrete and terrazzo tiles

These mini plates can either be bolted on to the backing discs or attached magnetically with the quick change backing disc

Features

- diamond abrasive mini plates
- range of segments & grits
- premium quality diamond abrasives

Applications

- grinding & levelling & polishing
- grinding & smoothing concrete surfaces & coatings
- reducing latex & liquid screeds
- removing tile adhesive & residues
- prepping & removing membranes & hardeners
- epoxy paints & finishes
- adhesive residues & black jack
- bitumens & waterproofers
- polishing concrete & terrazzo
- blue segments for concrete & terrazzo
- silver segments for coating removal



340081
DG-H5 mini plate
coarse segments




340084
DG-TX mini plate
PCD chip segments



340083
DG-TZ mini plate
PCD scraper segments




340080
DGP-H6 mini plate
coarse grit segments



340072
DGS-R6 mini plate
puck disc



341061
9" bolt on backing disc
(plates sold separately)



341062
9" quick change magnetic backing disc
(plates sold separately)

DIAMOND GRINDING PLATES, bolt on mini plates & diamond segments, coarse grit, for removing hard concrete, floor coatings & latex

Stock no	Description	Use	Grits	Bond	£ ex VAT
340081	DG-H5 mini plate (1)	epoxy paints	16,25,30	H5	22.00

CHIP PCD DIAMOND GRINDING PLATES, bolt on mini plates & diamond segments, for removing adhesives, latex, hard & soft coating

Stock no	Description	Use	Grits	£ ex VAT
340084	DG-TX mini plate (1)	latex, epoxy & adhesives	PCD	41.00

SOLID PCD DIAMOND GRINDING PLATES, bolt on mini plates & diamond segments, for removing adhesives, latex, hard & soft coating

Stock no	Description	Use	Grits	£ ex VAT
340083	DG-TZ mini plate (1)	adhesives & bitumens	PCD	49.00

DIAMOND SMOOTHING & POLISHING PLATES, bolt on mini plates & segments, metal bond, use wet or dry, for finishing terrazzo & concrete

Stock no	Description	Use	Grits	Bond	£ ex VAT
340080	DGP-H6 mini plate (1)	smoothing terrazzo & concrete	25,30,60,120,250	H6	21.00

DIAMOND POLISHING PLATES, mini plates & diamond puck disc, resin bond, use wet or dry, for polishing terrazzo & concrete

Stock no	Description	Use	Grits	£ ex VAT
340072	DGS-R6 mini plate (1)	polishing terrazzo & concrete	50,100,200,400,800,1500,3000	17.00

BACKING DISCS, for bolt on mini plates

Stock no	Description	Disc Ø	£ ex VAT
341061	9" backing disc for three mini plates	230mm	29.00
341062	9" magnetic disc for three mini plates	230mm	79.00



ELECTRIC GROUT POWER SPONGE CLEANER

The machines use a continuous sponge band that is fed through a water bucket and rollers; the excess sludge and water is squeezed out leaving the sponge clean to repeat the cycle

The Schwammfix machines are for cleaning cements and grouts from quarry tiles, external pavers, natural stone and granite setts

The grout is pumped or poured into the joint; the Schwammfix machine is used to pass over the newly grouted area and to sponge off the residue leaving a clean surface and compact joint

The system improves the joint quality, avoiding washing away the cement in the joint

The machines will mechanically do the time consuming "hands and knees" job of removing cementitious and epoxy grout

Supplied with bottle of anti-foaming agent

The EPG400 is a slow speed handheld rotary power float and sponge for finishing tiles and stone

Features

- continuous band sponging machine
- quickly cleans off grout
- leaves uniform & strong joint
- saves up to 70% of grouting time & labour

Applications

- for external pavements & pedestrian areas
- cleaning tiles of cement residues
- sponging off grouts
- quarry tiles & pool surrounds
- finishing granite setts hard landscaping
- block paving
- tiling & stone flooring
- streetscape & public works



SWM200E
sponge cleaner



EPG400
power sponge
see page 25 for more details

TILE GROUT & FLOOR POWER CLEANER, electric motor, 110v or 230v

Stock no	Description	Power	Weight	Size WxLxH	Sponge width	Prep rate	Vibration	Noise	£ ex VAT
540200	SWM200E 8" power sponge	700w	25kg	50x65x80cm	20cm	up to 100m/hr	2.5m/s	76dBA	1895.00

SPONGES, continuous band for cleaning off tiles & pavers

Stock no	Description	Sponge width	£ ex VAT
540201	8" grout sponge	20cm	88.00

TILE POWER SPONGE, for sponging off tile cement & grouts

Stock no	Description	Power	Weight	Speed	Disc Ø	£ ex VAT
484400	EPG400 16" power float	500w	3.5kg	60rpm	400mm	399.00

SPONGE, velcro backed, use wet or dry

Stock no	Description	Disc Ø	Colour	Texture	Thickness	£ ex VAT
550407	16" sponge	400mm	tan	hard	50mm	10.00



PETROL GROUT POWER SPONGE CLEANER

The Schwammfix 680P is a heavy duty petrol power sponge for cleaning cements and grouts from quarry tiles, external pavers, natural stone and granite setts

The sponge cleaning method avoids washing away the cement content in the joint and leaves a uniform, compact joint

Finishing rates up to 200m²/hr

110v unit available on request

Supplied with bottle of anti-foaming agent

Features

- quickly cleans grout from quarry tiles
- leaves uniform & strong joints
- 10 times quicker than by hand

Applications

- for external pavements & pedestrian areas
- cleaning tiles of cement residues
- sponging off grouts
- finishing granite setts hard landscaping
- block paving
- tiling & stone flooring
- streetscape & public works



SWM680
power sponge

PAVIOUR GROUT & FLOOR POWER CLEANER, petrol motor									
Stock no	Description	Power	Weight	Size WxLxH	Sponge width	Prep rate	Vibration	Noise	£ ex VAT
540680P	SWM680P 14" power sponge	4hp	80kg	60x110x96cm	36cm	up to 200m/hr	2.5m/s	76dBA	2995.00
REPLACEMENT SPONGES, continuous band for cleaning off tiles, setts & pavers									
Stock no	Description	Sponge width							£ ex VAT
540361	14" cement sponge	36cm							89.00
540375	14" plastic backed cement sponge	36cm							185.00

SURFACE PREPARATION APPLICATIONS	       							
	EP0180 Scabbler	EP0180 Multi-Surfacers	EBS1802 Concrete Grinder	EPN1800 Wet Polisher	EPG400/A Power Float	E0F100 Shaver	ELS225 Long Reach Sander	EP01310 Surface Blaster
paint	C6  C5 	ATX  ZEC 	DX5-G15  DX5-K6 	diamond dot 	tungsten 	TC  DX4-K6 	yellow multi-hole 	drum 
plaster	C6  C4 	ATX  ZEC 	DX5-G15 	diamond dot 	tungsten 	DX4-K6 	yellow multi-hole 	
masonry coatings	C6  C4 	ZEC 	DX5-G15  DX5-K6 	diamond dot 		DX4-K6 		
render	C6  C4 	ZEC 	DX5-G15 		tungsten 	DX4-K6 		
concrete	C6  C5 	ZEC 	DX5-G15 	diamond dot  resin bond 		DX4-K6 	diamond button 	
screed, latex	C6  C5 	ZEC 	DX5-G15  DX5-K6 		tungsten 	TC  DX4-K6 	diamond button 	drum 
floor coatings	C6  C5 	ATX  ZEC 	DX5-G15  DX5-K6 	diamond dot 		TC  DX4-K6 	tungsten 	
tile adhesive	C6  C4 	ZEC 	DX5-G15 			DX4-K6 	tungsten 	
bitumen adhesive	C6  C4 	ZEC 	DX5-G15  DX5-K6 			DX4-K6 		
carpet adhesive	C6  C4 	ZEC 	DX5-G15  DX5-K6 			DX4-K6 	tungsten 	drum 
natural stone	C5 	ZEC 	DX5-MC 	diamond dot  resin bond 			diamond button 	drum 
wood						TC 	yellow multi-hole 	
steel	C2 							drum 

● = best application ● = suitable

FLOORING APPLICATIONS	 EP0180 Scabblers	 EP0180 Multi-Surfacers	 EBS1802 Diamond Grinders	 ELS225 Long Reach Sanders	 EBS180F Floor Grinders	 PD23 Floor Grinders	 RFX210 Floor Strippers
adhesive, black jack	●		●		●	●	●
adhesives, carpet & vinyl	●	●	●		●	●	
adhesives, tile, cementitious	●		●		●	●	
anti skid coatings	●		●		●	●	
bitumens	●		●		●	●	
carpets & carpet tiles							●
coatings, elastomeric, rubbery	●		●			●	
concrete, surface laitance	●	●	●	●	●	●	
concrete, tamped, floated	●	●	●			●	
damp proof membrane	●		●		●	●	
epoxy coatings	●		●		●	●	
epoxy screed	●		●		●	●	
epoxy terrazzo		●	●	●		●	
floor paints	●		●	●	●	●	
gelcoat & thick residues	●	●	●	●	●	●	
laminated tiles & linoleum	●						●
latex, cement self-levellers	●	●	●	●	●	●	
painted lines, traffic markings			●		●	●	
polyurethane coating	●		●		●	●	
rubber crumb sports surfaces							●
rubber residues & tyre marks			●		●	●	●
screed, polymer	●	●	●		●	●	
screed, sand & cement	●	●	●		●	●	
screed, seamless resin	●	●	●	●	●	●	
sealers & paints		●	●	●	●	●	
thermo plastic coatings			●	●		●	
tiles, ceramic, terracotta		●		●	●	●	
tiles, cork, carpet							●
tiles, marble	●		●	●		●	
tiles, pvc, linoleum	●			●			●
tiles, terrazzo, limestone	●		●	●		●	
tiles, yorkstone, natural, riven		●		●			
underlayment, rubber, foam, fibre			●			●	●
vinyl sheet & tiles	●			●			●
waterproof membranes	●		●		●	●	●
wood, blocks, parquet		●		●			

● = best application ● = suitable



DIAMOND WET & DRY COMBI CUTTER

This is a heavy duty versatile diamond cutter for both wet and dry cutting

Use dry for dust free cutting concrete slabs, tiles and blocks

There is a connection with a quick coupling connector for water feed

Use water feed input for wet cutting hard concrete, stone and tiles

Guide rail available for long accurate cuts

Roller guided plate enables smooth guiding whilst protecting the surface

For 110v a 32amp, 5kva transformer is required


Features

- water connection for wet cutting
- vac outlet for dust free cutting with vac
- mitre adjustments without the need for tools
- continuous cutting depth adjustment
- easily adjust depth without the need for tools
- precise cutting
- supplied in metal case

Applications

- large format tiles
- for fast, clean cutting
- dry cut for concrete slabs
- masonry, brick & blockwork
- wet cut for reinforced concrete
- stone & hard tiles

EIBENSTOCK



EDS181

8" diamond cutter



4581821
guide rail

DIAMOND CUTTER, use wet or dry, with single disc, for cutting concrete, tiles & stone, 110v or 230v

Stock no	Description	Power	Speed	Weight	Disc Ø	Cut depth	Vibration	Noise	£ ex VAT
458181	EDS181 8" single blade cutter	2300w	4300rpm	7.7kg	200mm	68mm	2.9m/s	78dBA	689.00

CUTTER GUIDE RAIL, for straight cuts of large tiles & stone

Stock no	Description	Size	£ ex VAT
4581820	cutter rail	750mm	59.00
4581821	cutter rail	1500mm	79.00
4581822	suction holders for guide rail set 2		97.00
4581824	assembly bar		25.00



twin cut



triple cut



EMF180/1 DIAMOND CUTTER

This diamond wall chaser and channel slot cutter is supplied with twin diamond cutting discs
The diamond cutter is set up for wall chasing where the direction of the blade helps the power tool work in a downwards direction
A triple blade set up is available for fast and easier breaking out of wide channels
With dust extraction there is a clear view of the work
For 110v a 32amp, 5kva transformer is required

Features

- diamond chaser for channel cutting
- dust free if used with a vac
- supplied in metal case

Applications

- fast, clean channel & slot cutting
- for concrete & masonry, brick & blockwork
- crack chasing for concrete repairs
- slot cutting in floors & walls
- plaster & internal block walls
- concrete & masonry
- brick & blockwork
- walls & floors





EMF180/1
twin blade chaser

twin blade set up



triple blade set up



318107
7" turbo cut disc



458186
spacer kit for triple blade cutting

DIAMOND CHANNEL CUTTER 7", with twin diamond discs, for chasing internal walls, bricks & blockwork, 110v or 230v

Stock no	Description	Power	Speed	Weight	Disc Ø	Cut depth	Cut width	Vibration	Noise	£ ex VAT
458180	EMF180/1 7" twin blade cutter	2300w	3100rpm	7.5kg	180mm	60mm	60mm	2.9m/s	78dBA	749.00

DIAMOND CUTTING DISCS, for concrete slabs, bricks & blockwork

Stock no	Description	Disc Ø	Rec speed	Use	£ ex VAT
318107	7" turbo cut disc	180mm	7500rpm	general	69.00

SPACERS, use with 3 blades for easy breaking centre slot

Stock no	Description	£ ex VAT
458186	three blade spacer kit	15.00

**EHD2000 DRY DIAMOND CORE DRILL**

EIBENSTOCK dry diamond core drills are for drilling clean holes through internal and external walls. The EHD2000 is a two speed drill and is used by plumbers, gas fitters, electricians, heating and ventilating engineers, builders, drilling and fixing contractors. Drills are supplied with a dry core connector. Order diamond cores separately. Max handheld drilling in brick and block 162mm.

Features

- handheld dry core drill for trade use
- powerful motor & heavy duty gearbox
- drills have mechanical clutch
- fast, clean core drilling holes up to 6"
- dust free if used with dustex swivel & vac
- can be used with Mobi-Rig EBW2300
- supplied in a metal case

Applications

- drilling in brick, blockwork & masonry
- plumbing & heating trades
- heating & ventilation trades
- electrical & telecoms trades

**EIBENSTOCK**

475305
dust swivel connector

EHD2000/2
diamond drill



475105A
1/2" BSP core connector



475116A
core extension

ROTARY 6" DIAMOND DRILL, two speed, handheld, with clutch, complete with core connector, for drilling through brick & blockwork, 110v & 230v

Stock no	Description	Power	Speed	Weight	Collar	Max core Ø	Connector	Vibration	Noise	£ ex VAT
470205	EHD2000/2 diamond drill	1700w	1000/2000rpm	5.5kg	53mm	162mm	1/2" BSP male	3.6m/s	78dBA	469.00

DRILL CHUCK, 16mm capacity

Stock no	Description	Thread	£ ex VAT
432004	drill chuck 16mm	M18	35.00

BACK END SWIVEL CONNECTORS

Stock no	Description	£ ex VAT
475301	M18-1/2" BSP dust swivel connector	99.00
475305	M18-1 1/4" BSP dust swivel connector	99.00

CORE CONNECTOR & EXTENSION

Stock no	Description	Thread	£ ex VAT
475105A	2" core connector	M18 female - 1/2" BSP male	12.00
475116A	6" core extension	M18 female - 1/2" BSP male	19.00

MOBI-RIG DIAMOND DRILL RIG, with hydraulic adjustable height

Stock no	Description	Collar	Base size	Weight	Working height	Column height	£ ex VAT
473230	EBW2300 drill rig	60mm	240x170mm	40kg	1460-2300mm	1460-2300mm	1229.00



END1550P WET DIAMOND CORE DRILL

The END1550P is a high speed diamond drill for use with small diameter core bits

It will drill accurate holes in reinforced stone, tiles, concrete and masonry for resin anchors, chemical fixings and rawl bolts

Using diamond core bits, the power tool will quickly drill granite and limestone, hard tiles and porcelain. Quick release connector is supplied as standard.

The END1550P can be used with vacuum based drill rigs.

Max drilling capacity in concrete 52mm

Features

- high speed small diameter diamond drill
- water feed for drilling into reinforced concrete
- clean, accurate holes in tiles & stone
- fast small hole drilling
- ideal for multiple fixings & anchor holes
- supplied in metal case

Applications

- drilling reinforced concrete
- expanding bolts & chemical fixings
- masonry & stone trades
- tilers & bathroom fitters
- hard tiles & stone

EIBENSTOCK



END1550P
diamond drill



BST50V
drill rig
vacuum base

ROTARY WET DIAMOND DRILL, high speed, handheld, with clutch, for accurate fixing holes in concrete, stone & tiles, 110v or 230v

Stock no	Description	Power	Speed	Weight	Collar	Max core Ø	Connector	Vibration	Noise	£ ex VAT
471152	END1550P diamond drill	1500w	1800-4400rpm	3.6kg	53mm	68mm	1/2" BSP female	2.9m/s	78dBA	409.00

DIAMOND DRILL UNIT, for drilling holes in concrete, floors & walls

Stock no	Description	Power	Speed	Weight	Rig	Max core Ø	£ ex VAT
472354	drill & vac pad rig	1500w	1800-4400rpm	10.6kg	BST50	68mm	878.00



ETN162/3 WET & DRY DRILL

The ETN162/3 has a heavy duty three speed gearbox and powerful motor with dual thread 1 1/4" and 1/2" spindle and is designed for drilling through hard concrete, masonry and brick

It is produced with a mechanical safety clutch, electronic soft start, temperature control with over current cut-off, overload indication and constant speed

Combination spindle allows connection between 1/2" BSP and 1 1/4" BSP wet core bits

The ETN162/3 drill and the BST182 rig have a quick mount system which allows the drill to easily and securely slot in to place

The drill can be used handheld or with a drill rig

Speed 1 recommended for use with drill rig only, max drilling in concrete 162mm / brickwork 202mm

Speed 2 handheld max drilling in brick and block 122mm

Speed 3 handheld max drilling in brick, concrete and block 62mm

32amp power supply required for 110v model

For vacuum base drilling, seal kit and diaphragm vacuum pump required


Features

- heavy duty all metal motor body & gearbox
- dual thread for 1/2" & 1 1/4" cores
- water feed for drilling hard materials
- large bore outlet for dust extraction
- dust free diamond drilling with vac
- supplied in plastic carry case

Applications

- wet drilling in reinforced concrete
- wet drilling in stone & tiles
- dry drilling in hard brick
- for plumbing & heating holes
- electrical & telecoms holes
- ventilation & conditioning

quick mount system on the ETN162 drill & BST182 rig



EIBENSTOCK



ROTARY WET DIAMOND DRILL, heavy duty metal body, with mechanical safety clutch, for drilling concrete, 110v or 230v

Stock no	Description	Power	Speed	Weight	Collar	Max core Ø	Thread	Vibration	Noise	£ ex VAT
471162	ETN162/3 diamond drill	2200w	510/1150/2500rpm	6.7kg	60mm	162mm	1/2" & 1 1/4" BSP	3.4m/s	78dBA	889.00

DIAMOND DRILL & RIG, for drilling large diameter holes in concrete, floors & walls

Stock no	Description	Power	Speed	Weight	Rig	Max core Ø	£ ex VAT
472163	DBE162 drill & rig	2200w	510/1150/2500rpm	20.7kg	BST182	202mm	1548.00

VACUUM SEAL KIT, for BST182 drill rig

Stock no	Description	£ ex VAT
4771882	vac seal kit	103.00

MOBI-RIG DIAMOND DRILL RIG, with hydraulic adjustable height

Stock no	Description	Collar	Base size	Weight	Working height	Column height	£ ex VAT
473230	EBW2300 drill rig	60mm	240x170mm	40kg	1460-2300mm	1460-2300mm	1229.00



DIAMOND DRILL RIG

The DB200 is a compact single speed drilling unit used for drilling 3" to 8" holes through reinforced concrete slabs for pipes and conduit

The drill is used with water feed for wet drilling into reinforced concrete

Max drilling with rig in concrete 200mm

32amp power supply required for the 110v model

16amp power supply required for the 230v model

Features

- powerful motor & single speed gearbox
- water feed for drilling reinforced concrete
- quick release drill clamp

Applications

- wet drilling into reinforced concrete
- for plumbing & heating trades
- electrical & telecoms installation
- heating, ventilation & air conditioning
- drilling large diameter holes for pipework

EIBENSTOCK



DIAMOND DRILL UNIT, for drilling large diameter holes in concrete, floors & walls, 110v or 230v										
Stock no	Description	Power	Speed	Weight	Rig	Max core Ø	Rig height	Vibration	Noise	£ ex VAT
472165	DB200 drill & rig	2500w	675rpm	15.5kg	BST90	200mm	790mm	3.8m/s	78dBA	989.00
RIG VACUUM BASE										
Stock no	Description	£ ex VAT								
473701	vac base	119.00								



WET DIAMOND DRILL

EBM352/3 is a powerful diamond drill with a heavy duty three speed gearbox

The large drive spindle is produced with dual 1/2" female and 1 1/4" male threaded spindle

The drill is used with water feed for wet drilling in reinforced concrete and floor slabs

The BST352 drill rig can be used as a vacuum base when fitted with the vac seal kit

The EBM352/3 drill and the BST352 rig have a quick mount system which allows the drill to securely slot into place

Max drilling with rig in concrete 352mm

32amp power supply required for 110v model

16amp power supply required for 230v model

Features

- heavy duty three speed diamond drill
- powerful motor & mechanical gearbox
- water feed for drilling reinforced concrete
- quick release clamp for use with drill rig

Applications

- wet drilling into reinforced concrete
- for plumbing & heating trades
- electrical & telecoms installation
- heating, ventilation & air conditioning
- drilling large diameter holes for pipework

EIBENSTOCK



ROTARY WET DIAMOND DRILL MOTOR, three speed, oil bath gearbox, 110v or 230v

Stock no	Description	Power	Speed	Weight	Max core Ø	Thread	Vibration	Noise	£ ex VAT
472352	EBM352/3 diamond drill	3000w	230/500/1030rpm	12.5kg	352mm	1 1/4" UNC	3.8m/s	78dBA	1299.00

DIAMOND DRILL & RIG, for drilling large diameter holes in concrete, floors & walls, 110v or 230v

Stock no	Description	Power	Speed	Weight	Rig	Max core Ø	Rig height	Vibration	Noise	£ ex VAT
472353	DBE352 drill & rig	3000w	230/500/1030rpm	35kg	BST352	352mm	995mm	3.8m/s	78dBA	2195.00

VACUUM SEAL KIT, for BST352 drill rig

Stock no	Description	£ ex VAT
4773582	vac seal kit	108.00



BST DRILL RIGS

The EIBENSTOCK produced BST range of diamond drill rigs combine quality engineered components with a modern and durable design

Most rigs can be used with either centre bolt down fixings or with vacuum plate

Different collar sizes are available to enable fitting of various drill models

Features

- fully machined aluminium columns
- compact or combi vac base
- range of clamps & collar sizes

EIBENSTOCK



BST50V
drill rig, suction pad



BST90
drill rig, bolt down



BST182V
drill rig, bolt down



BST352V
drill rig, bolt down



474000
vacuum pump
& frame



473702
vacuum base

vacuum base available for BST90
vacuum base kits for BST182 & BST352

DIAMOND DRILL RIGS, with suction pads

Stock no	Description	Max core	Base size	Column	Weight	£ ex VAT
473050	BST50V drill rig	68mm	240x170mm	290mm	6.8kg	529.00

DIAMOND DRILL RIGS, with bolt down base

Stock no	Description	Max core	Base size	Column	Weight	£ ex VAT
473091	BST90 drill rig	102mm	240x170mm	680mm	7kg	449.00

DIAMOND DRILL RIG, for drilling large diameter holes in concrete

Stock no	Description	Max core	Base size	Column	Weight	£ ex VAT
473182	BST182V drill rig	202mm	320x250mm	995mm	14kg	799.00

DIAMOND DRILL RIG, for drilling large diameter holes in concrete

Stock no	Description	Max core	Base size	Column	Weight	£ ex VAT
473335	BST352V drill rig	352mm	400x310mm	995mm	22.5kg	999.00

RIG VACUUM BASE

Stock no	Description	£ ex VAT
473701	vac base for BST90 & BST182	119.00
473702	vac base for BST352	369.00

VACUUM PUMP, for vacuum based drill rigs, with 3m hose

Stock no	Description	£ ex VAT
474000	diaphragm vacuum single pump	449.00
474005	diaphragm vacuum twin pump	789.00

WATER PUMP CANISTER, with 2.5m hose

Stock no	Description	Capacity	£ ex VAT
471845	water tank	5 ltr	45.00



MOBI-RIG MOBILE DRILL RIG

This mobile drill rig is suitable for the ETN & EHD range of hand held diamond drills
The drill rig is easy to transport and components can be put together without using tools
Foot operated hydraulic pump for adjustable height and safe lowering of machines

Features

- safe portable drill rig
- for use with large cores up to 200mm
- drill safely at head height
- fatigue free & safe drilling
- hydraulic height adjustment
- working height up to 2.3m without scaffolding
- easily dismantled for transportation
- efficient series drilling at same height
- accessory arm for drilling low 550mm-1460mm

EIBENSTOCK


MOBI-RIG DIAMOND DRILL RIG, with hydraulic adjustable height

Stock no	Description	Collar	Base size	Weight	Working height	Column height	£ ex VAT
473230	EBW2300 drill rig	60mm	240x170mm	40kg	1460-2300mm	1460-2300mm	1229.00

RIG ACCESSORY, for drilling at lower height

Stock no	Description	Weight	Working height	£ ex VAT
473751	drop arm for drill rig	2kg	550-1460mm	109.00



MAGNABOR REVERSIBLE DRILLS

The EHB16/1.4 S R/L and EHB16/2.4 S R/L heavy duty slow speed reversible power drills are used by the wood, steel and marine trades

They are designed for handheld use, with a magnetic drill stand or bench drill stand

The drills can also be used with auger and flat wood bits for drilling into hard woods and oak; after drilling the drill can be reversed to remove the drill bit and clear swarf

Features

- slow speed, high torque drills
- powerful motor & robust gearbox
- for use with steel drill bit
- hole saws & cutters for steel & plastic
- large diameter wood drills & augers

Applications

- drill steel & aluminium
- wood & oak
- plastic & grp
- railway sleepers
- marine timber & hardwoods

EIBENSTOCK


EHB16/1.4 S R/L
reversible drill



EHB16/2.4 S R/L
reversible drill

MAGNABOR ROTARY MORSE TAPER SLOW SPEED DRILL, single speed, reversible, with chuck, 230v only

Stock no	Description	Power	Speed	Weight	Wood/alu/steel	Collar	Chuck Vibration	Noise	£ ex VAT
461604	EHB16/1.4 S R/L drill	1100w	450rpm	3.2kg	65mm/28mm/20mm	43mm	16mm 1.9m/s	72dBA	219.00

MAGNABOR ROTARY MORSE TAPER SLOW SPEED DRILL, variable speed, reversible, with chuck, 110v or 230v

Stock no	Description	Power	Speed	Weight	Wood/alu/steel	Collar	Chuck Vibration	Noise	£ ex VAT
461614	EHB16/2.4 S R/L drill	1100w	430/760rpm	3.2kg	75mm/38mm/30mm	43mm	16mm 1.9m/s	72dBA	319.00



MAGNABOR GUTBUSTER DRILLS


MAGNABOR drills are heavy duty, slow speed power drills that are designed for handheld use, with a magnetic drill stand or bench drill stand. These drills are produced with a mechanical clutch. The power tools are traditional engineers drills for use in the steel and marine trades. Used with hole saws, large diameter holes can be made up to 150mm in sheet materials and grp. Non reversible drills can be used with threaded chucks. Chuck and morse taper arbors sold separately.

Features

- slow speed high torque morse taper drills
- powerful motors & robust gearboxes
- gutbuster engineers design
- for use with morse taper steel drills
- hole saws & cutters for steel & plastic
- large diameter wood drills & augers

Applications

- drilling large diameter holes
- steel & aluminium
- wood & oak
- plastic & grp

EIBENSTOCK


MAGNABOR ROTARY MORSE TAPER SLOW SPEED GUTBUSTER DRILL, two speed, 110v or 230v

Stock no	Description	Power	Speed	Weight	Wood/alu/steel	Collar	Bore	Vibration	Noise	£ ex VAT
462000	EHB20/2.4 drill	1150w	250/450rpm	4.2kg	70mm/40mm/20mm	46mm	MT2	1.6m/s	72dBA	319.00

MAGNABOR ROTARY MORSE TAPER SLOW SPEED GUTBUSTER DRILL, four speed, 110v or 230v

Stock no	Description	Power	Speed	Weight	Wood/alu/steel	Collar	Bore	Vibration	Noise	£ ex VAT
463200	EHB32/4.2 drill	1700w	110/175/245/385rpm	6.9kg	100mm/60mm/32mm	65mm	MT3	1.9m/s	72dBA	399.00

DRILL CHUCKS, heavy duty keyed chucks, threaded

Stock no	Description	Capacity	Internal thread	£ ex VAT
432009	16mm drill chuck	16mm	5/8"	29.00

KEYLESS DRILL CHUCKS, heavy duty, threaded

Stock no	Description	Capacity	Internal thread	£ ex VAT
432020	16mm keyless chuck	16mm	5/8"	49.00

MORSE TAPERS THREADED, heavy duty taper arbors

Stock no	Description	Male thread	£ ex VAT
432115	MT2 morse taper to threaded arbor	5/8"	9.00
432116	MT3 morse taper to threaded arbor	5/8"	10.00



MAGNABOR GUTBUSTER REVERSIBLE DRILLS

These heavy duty, slow speed reversible power drills are designed for handheld use, with a magnetic drill stand or bench drill stand

These drills are produced with a mechanical clutch and are traditional engineers drills for drilling large holes in steel beams or plate

The EHB20/2.4 R/L boasts similar features to the EHB32/2.2 R/L and ETE32/2.3 R/L but has a smaller motor and housing

The ETE32/2.3 R/L has a slower speed gearbox with increased torque output compared to the EHB32

The drills can also be used with auger and flat wood bits for drilling into hard woods and oak; after drilling the drill can be reversed to remove the drill bit

Reversible drills should be used with taper chucks as they can be used in left and right direction

Chuck and morse taper arbors sold separately

Features

- slow speed high torque drill
- powerful motor & robust gearbox
- for use with steel drill bits
- hole saws & cutters for steel & plastic
- large diameter wood drills & augers

Applications

- drilling large diameter holes
- steel & aluminium
- wood & oak
- plastic & grp



MAGNABOR ROTARY MORSE TAPER SLOW SPEED GUTBUSTER DRILL, variable speed, reversible, 110v only

Stock no	Description	Power	Speed	Weight	Wood/alu/steel	Collar	Bore	Vibration	Noise	£ ex VAT
462004	EHB20/2.4 R/L drill	1150w	250/450rpm	4.2kg	70mm/40mm/20mm	46mm	MT2	1.6m/s	72dBA	379.00

MAGNABOR ROTARY MORSE TAPER EXTRA SLOW SPEED GUTBUSTER DRILL, variable speed, reversible, 110v or 230v

Stock no	Description	Power	Speed	Weight	Wood/alu/steel	Collar	Bore	Vibration	Noise	£ ex VAT
464320	EHB32/2.2 R/L drill	1800w	60-140/200-470rpm	6.4kg	100mm/60mm/32mm	65mm	MT3	1.9m/s	72dBA	499.00

MAGNABOR ROTARY MORSE TAPER SLOW SPEED GUTBUSTER DRILL, variable speed, reversible, 110v or 230v

Stock no	Description	Power	Speed	Weight	Wood/alu/steel	Collar	Bore	Vibration	Noise	£ ex VAT
465320	ETE32/2.3 R/L drill	1800w	30-75/90-230rpm	6.4kg	100mm/60mm/32mm	65mm	MT3	1.9m/s	72dBA	549.00

DRILL CHUCKS, heavy duty chucks & internal taper

Stock no	Description	Capacity	Internal taper	£ ex VAT
432021	16mm drill chuck	16mm	J3	39.00
432005	20mm drill chuck	20mm	J3	49.00

MORSE TAPER ARBORS, heavy duty taper arbors

Stock no	Description	Male taper	£ ex VAT
432111	MT2 morse taper to J3 taper	J3	9.00
432110	MT3 morse taper to J3 taper	J3	10.00



SUPERFLEX® SKIMMING TROWELS

SUPERFLEX trowels are produced with a stainless steel blade, alloy bracket and moulded soft grip handle. These trowels are lightweight and easy to use on multi-finish, skimming and board finish plasters.

The SUPERFLEX 1 & 2 are both produced with a semi-flexible 0.4mm blade. Thinner steel trowels compared to traditional finishing trowels reduce stress on the wrist, elbow and shoulders as less pressure is required. These are the most durable flexible plastering trowel available.


The SUPERFLEX 2 has a narrower blade making the trowel slightly stiffer.

The SUPERFLEX 3 is produced with a 0.5mm blade giving more rigidity along the blade.


SUPERFLEX is a registered brand of REFINA Ltd.

Additional replaceable handles include leather, cork and wood available at £6.00 each.


cork, leather & wooden handles available



- SUPERFLEX 1**
- 0.4mm blade
 - 125mm wide
 - standard bracket



- SUPERFLEX 2**
- 0.4mm blade
 - 120mm wide
 - longer bracket



- SUPERFLEX 3**
- 0.5mm blade
 - 125mm wide
 - standard bracket



Features

- flexible chrome stainless steel
- most durable flex trowel on the market
- range of sizes, blade widths & stainless gauges
- rounded corners & finished blade edges
- produced with soft composite blue rubber handle
- original flex trowel in the UK
- first introduced in 2008
- wood, composite leather & cork handles available



Applications

- for finishing & smoothing
- skimming plasters & internal wall finishes
- special finishes for walls & ceilings



SUPERFLEX 1 trowel
14" trowel with 630014 leather holder



SUPERFLEX 2
16" trowel with 630026 canvas holder

SUPERFLEX 1 FINISHING TROWELS, 5" wide, stainless steel blade - rust free

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228193	SUPERFLEX 1 finishing trowel 12"	300x125mm	0.4mm	0.43kg	42.00
228194	SUPERFLEX 1 finishing trowel 14"	360x125mm	0.4mm	0.50kg	44.00
228196	SUPERFLEX 1 finishing trowel 16"	405x125mm	0.4mm	0.56kg	46.00
228198	SUPERFLEX 1 finishing trowel 18"	450x125mm	0.4mm	0.60kg	48.00

SUPERFLEX 2 FINISHING TROWELS, 4¾" wide, stainless steel blade, longer bracket - rust free

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228224	SUPERFLEX 2 finishing trowel 14"	360x120mm	0.4mm	0.52kg	44.00
228226	SUPERFLEX 2 finishing trowel 16"	405x120mm	0.4mm	0.56kg	46.00
228228	SUPERFLEX 2 finishing trowel 18"	450x120mm	0.4mm	0.59kg	48.00

SUPERFLEX 3 FINISHING TROWEL, 5" wide, stainless steel blade - rust free

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228274	SUPERFLEX 3 finishing trowel 14"	360x125mm	0.5mm	0.58kg	42.00
228277	SUPERFLEX 3 finishing trowel 16"	405x125mm	0.5mm	0.62kg	48.00
228278	SUPERFLEX 3 finishing trowel 18"	450x125mm	0.5mm	0.65kg	50.00

LEATHER TROWEL HOLDERS, premium leather holders to hold & protect the trowel

Stock no	Description	Size	£ ex VAT
630012	leather holder 12"	325x165mm	10.00
630014	leather holder 14"	380x165mm	10.00
630016	leather holder 16"	425x165mm	10.00
630018	leather holder 18"	470x165mm	10.00

CANVAS TROWEL HOLDERS, strong holders to hold & protect the trowel

Stock no	Description	Size	£ ex VAT
630024	canvas holder 14"	380x165mm	8.00
630026	canvas holder 16"	425x165mm	8.00
630028	canvas holder 18"	470x165mm	8.00

TROWEL HANDLES, replacement handles

Stock no	Description	£ ex VAT
229982	cork handle	6.00
229994	leather handle	6.00
229990	wood handle	6.00

FINATEX® TROWELS

These trowels are premium quality trowels for plaster, rendering and cement trades

They are made from the finest and flattest chrome stainless steel for rust free use, manufactured using the most modern production techniques and hand finished to ensure the finest trade quality trowel

The trowels are mechanically broken in. The soft blue composite handle is comfortable on the hand, easy to grip and reduces muscle and joint strain

The FINATEX 2 is produced with a golden stainless steel blade which is slightly thinner gauge blade giving more flexibility

The WRAP 'N' ROLL canvas multi-trowel holder can fit up to three trowels. It has strong buckle fasteners and carry handles and can be folded to go in to a bucket or can be hung up from the two corner eyelets


Features

- hand finished premium trowel blade
- super flat plastering trowels
- the straightest finishing edge
- slightly radiused corners
- machine chamfered side edges
- chrome stainless steel, rust free
- wood, composite leather & cork handles available

Applications

- for laying on plaster
- render & cement

cork, leather & wooden handles available



FINATEX 1
12" trowel



FINATEX 2
14" trowel



630036
WRAP 'N' ROLL multi-trowel holder, open



630036
WRAP 'N' ROLL multi-trowel holder, closed

PREMIUM LAYING ON TROWELS, 4¾" wide, super flat edges, pre-worn in edges, chrome stainless steel - rust free

Stock no	Description	Size	Thickness	Weight	£ ex VAT
221911	FINATEX 1 trowel 11"	280x120mm	0.6mm	0.44kg	34.00
221912	FINATEX 1 trowel 12"	305x120mm	0.6mm	0.45kg	35.00
221913	FINATEX 1 trowel 13"	330x120mm	0.6mm	0.47kg	36.00
221914	FINATEX 1 trowel 14"	355x120mm	0.6mm	0.50kg	37.00
221916	FINATEX 1 trowel 16"	405x120mm	0.6mm	0.54kg	43.00

PREMIUM LAYING ON TROWEL, 5" wide, super flat edges, pre-worn in edges, golden stainless steel - rust free

Stock no	Description	Size	Thickness	Weight	£ ex VAT
221934	FINATEX 2 trowel 14"	355x125mm	0.5mm	0.43kg	38.00

LEATHER TROWEL HOLDERS, premium leather holders to hold & protect the trowel

Stock no	Description	Size	£ ex VAT
630012	leather holder 12"	325x165mm	10.00
630014	leather holder 14"	380x165mm	10.00
630016	leather holder 16"	425x165mm	10.00

CANVAS MULTI-TROWEL HOLDERS, strong holders to protect the blade, fits 3 trowels with blades up to 140mm wide

Stock no	Description	Size	£ ex VAT
630036	WRAP 'N' ROLL multi-trowel holder 16"	790x440mm	29.00
630038	WRAP 'N' ROLL multi-trowel holder 18"	790x490mm	29.00

TROWEL HANDLES, replacement handles

Stock no	Description	£ ex VAT
229982	cork handle	6.00
229994	leather handle	6.00
229990	wood handle	6.00

CEMENT, RENDER, POOL & FLOOR TROWELS

These are a range of premium quality trowels produced for trade use on render and cement. The trowels are narrower and more rigid than the plastering trowels. They are made from the finest chrome stainless steel for rust free use. The trowels are produced with a blue composite rubber soft handle. The soft handle is comfortable and easy to grip. The soft handles are not resistant to solvents. Pool trowels are supplied with either long shank for stiffness or short shank for a more flexible finishing trowel. They are rounded at both ends and used on specialist floor & wall finishes. The pointed end floor trowels have a long shank for stiffness. Our range of additional handles include wood, leather and cork that can be easily changed. These cement and render trowels are produced with a 0.6mm blade. As a general guide the narrower the blade, the stiffer the trowel.

Features

- chrome stainless steel trowels, rust free
- cement trowels have narrower stiffer blades
- range of sizes & designs
- cork, leather & wooden handles available

Applications

- for cement & render
- screed & epoxy



221614
14" cement & render trowel



221414
14" narrow cement trowel



221214
14" trowel rounded corners



222214
14" pool trowel



222416
16" pool trowel with wooden handle



222416
16" pool trowel



222618
18" floor trowel

PREMIUM CEMENT TROWELS, 4" wide, with stiffer blade for cement & render, chrome stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
221612	RC12 trowel 12"	300x100mm	0.6mm	35.00
221614	RC14 trowel 14"	355x100mm	0.6mm	37.00
221616	RC16 trowel 16"	405x100mm	0.6mm	43.00

PREMIUM NARROW CEMENT TROWELS, 3" wide, with narrow stiff blade, chrome stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
221412	RC12N trowel 12"	305x80mm	0.6mm	34.00
221414	RC14N trowel 14"	350x80mm	0.6mm	37.00

PREMIUM CEMENT TROWEL, 4" wide rounded corners, chrome stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
221214	PCS14R trowel 14"	350x100mm	0.6mm	37.00

PREMIUM POOL TROWEL, 4" wide, rounded ends, flexible toe & heel, chrome stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
222214	trowel 14", short shank	350x100mm	0.6mm	37.00

PREMIUM POOL TROWELS, 4" rounded ends, chrome stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
222416	trowel 16", long shank	405x100mm	0.6mm	45.00
222418	trowel 18", long shank	460x100mm	0.6mm	47.00
222420	trowel 20", long shank	510x100mm	0.6mm	49.00

PREMIUM FLOOR TROWEL, 4" wide, pointed, chrome stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
222618	trowel 18", pointed end	460x110mm	0.6mm	43.00

PLAZIFLEX® FLEXIBACK® TROWELS

REFINA first introduced plastic skimming trowels to the plastering trade in 2009 and are still producing the original 70mm wide trowel design

PLAZIFLEX skimming trowels are for finishing and trowelling up topcoat plasters and finishes

They are lightweight and easy to use with less strain on the arm, the plastic blade glides over the surface easily, leaving an excellent finish on the final skim coat

The trowels have a flexiback design that gives flexibility across the blade width but rigidity along the length

The trowel handle has a stainless steel blade with alloy shank and soft handle; it slots into the plastic blade holder bracket on the flexible plastic blade

The plastic blades allow easier and faster closing in and flattening of the final finish coat. There is less need to wait for plaster to pick up, and can be used effectively when plaster is still wet

Features

- replaceable blades & range of sizes
- excellent finish & lightweight to use
- no need for splashing water on final coat
- cover large areas with less trowel pressure
- easier on the arm & joints
- flexible blade suitable for curved surfaces
- stainless steel mini trowels made in Germany

Applications

- for final trowelling
- multi finish & skimming



221022
premium mini trowel
blue composite handle



221023
premium mini trowel
cork handle



221031
lightweight mini trowel



228175
14" PLAZIFLEX blade



228180
20" PLAZIFLEX trowel



foam backed



flexiback profile



630024
canvas trowel holder

PLAZIFLEX & PREMIUM TROWEL, flexiback blade, for finishing skim plasters

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228172	PLAZIFLEX trowel & blade 12"	300x140mm	1.0mm	0.45kg	33.00
228174	PLAZIFLEX trowel & blade 14"	350x140mm	1.0mm	0.48kg	34.00
228176	PLAZIFLEX trowel & blade 16"	400x140mm	1.0mm	0.49kg	35.00
228178	PLAZIFLEX trowel & blade 18"	450x140mm	1.0mm	0.51kg	37.00
228180	PLAZIFLEX trowel & blade 20"	500x140mm	1.0mm	0.53kg	39.00
228184	PLAZIFLEX trowel & blade 24"	600x140mm	1.5mm	0.61kg	42.00

PLAZIFLEX PLASTIC BLADES, flexiback blade, for finishing skim plasters

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228173	PLAZIFLEX blade 12"	300x140mm	1.0mm	0.16kg	16.00
228175	PLAZIFLEX blade 14"	350x140mm	1.0mm	0.19kg	17.00
228177	PLAZIFLEX blade 16"	400x140mm	1.0mm	0.20kg	18.00
228179	PLAZIFLEX blade 18"	450x140mm	1.0mm	0.22kg	20.00
228181	PLAZIFLEX blade 20"	500x140mm	1.0mm	0.24kg	22.00
228185	PLAZIFLEX blade 24"	600x140mm	1.5mm	0.34kg	25.00

CANVAS TROWEL HOLDERS, strong holders to hold & protect the trowel

Stock no	Description	Size	£ ex VAT
630024	canvas holder 14"	380x165mm	8.00
630026	canvas holder 16"	425x165mm	8.00
630028	canvas holder 18"	470x165mm	8.00

CANVAS MULTI-TROWEL HOLDERS, strong holders to hold & protect three trowels with blades up to 140mm wide

Stock no	Description	Size	£ ex VAT
630036	WRAP 'N' ROLL multi-trowel holder 16"	790x440mm	29.00
630038	WRAP 'N' ROLL multi-trowel holder 18"	790x490mm	29.00

MINI TROWEL, short shank, stainless steel - rust free

Stock no	Description	£ ex VAT
221022	premium mini trowel with blue handle	18.00
221023	premium mini trowel with cork handle	18.00
221031	lightweight mini trowel with plastic shaft	11.00

PLAZIFLEX® SKIMMING TROWELS

PLAZIFLEX trowel blades are slightly stiffer than the flexiback trowel blades and are for finishing and trowelling up finish plasters and coatings

They can also be used to achieve special finishes with external renders. The trowel can be used on decorative wall and floor finishes and epoxy quartz

The plastic blades allow easier and faster closing in and polishing. There is less need to wait for plaster to pick up, and can be used effectively when plaster is still wet

These lightweight trowels are a lot easier going on the arm and the plastic glides over the surface

The PLAZIFLEX mini trowel has a push stainless steel finger trowel and flexiback replaceable blade for use like a pipe trowel

The PLAZIFLEX mini spatula is used for flattening small areas

The PLAZIFLEX darby-spatulas can be used one or two handed for flattening

Features

- plastic faced trowel blades
- semi flexible trowel blades
- replaceable blades & range of sizes
- excellent finish & lightweight to use
- cover large areas with less trowel pressure
- easier & faster closing in and flattening
- stainless steel mini trowels made in Germany

Applications

- for multi finish & skimming
- white cements & renders



221022
premium mini trowel
blue composite handle



228147
16" PLAZIFLEX blade



220710
finger trowel

228055
12" PLAZIFLEX mini trowel



228052
PLAZIFLEX mini spatula



227912
12" PLAZIFLEX darby-spatula

PLAZIFLEX PLASTIC BLADES, plastic blade, for finishing plasters & renders

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228151	PLAZIFLEX blade 10"	250x140mm	1.5mm	0.13kg	13.00
228153	PLAZIFLEX blade 12"	300x140mm	1.5mm	0.14kg	16.00
228155	PLAZIFLEX blade 14"	350x140mm	1.5mm	0.16kg	17.00
228157	PLAZIFLEX blade 16"	400x140mm	1.5mm	0.17kg	18.00
228143	PLAZIFLEX blade 12"	300x140mm	2.0mm	0.17kg	16.00
228145	PLAZIFLEX blade 14"	350x140mm	2.0mm	0.19kg	17.00
228147	PLAZIFLEX blade 16"	400x140mm	2.0mm	0.21kg	18.00

PREMIUM MINI TROWEL BLADE HOLDERS, short shank, stainless steel - rust free

Stock no	Description	Weight	£ ex VAT
221022	premium mini trowel with blue handle	0.31kg	18.00
221023	premium mini trowel with cork handle	0.31kg	18.00
221031	lightweight mini trowel with plastic shaft	0.22kg	11.00

PLAZIFLEX MINI TROWEL, with finger trowel & flexiback blade

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228055	PLAZIFLEX mini trowel 12"	300x110mm	1.0mm	0.19kg	24.00
228056	PLAZIFLEX pad with slot, 12"	300x110mm	1.0mm	0.25kg	16.00

PLAZIFLEX MINI SPATULA, for finishing skim plasters

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228052	PLAZIFLEX mini spatula 10"	250x110mm	1.5mm	0.17kg	9.00

PLAZIFLEX DARBY-SPATULA, with lightweight plastic rigid roll grip frame & flexiback blade

Stock no	Description	Size	Thickness	Weight	£ ex VAT
227912	PLAZIFLEX darby-spatula 12"	300x120mm	1.0mm	0.31kg	28.00
227914	PLAZIFLEX darby-spatula 14"	350x120mm	1.0mm	0.36kg	29.00
227920	PLAZIFLEX darby-spatula 20"	500x120mm	1.0mm	0.44kg	34.00

PLAZI® SKIMMING SPATULA-RULES

The PLAZI spatula-rule has a roll grip frame which is both rigid and lightweight compared to metal frame rules

A clip on adjustable angle handle and extension pole are available for ceiling work

The PLAZI spatula-rules are used for flattening and levelling

Plastic blades create less drag on wet plaster and render than steel

Features

- plastic faced blades
- rigid lightweight profile
- roll grip handle
- clip on angle handle & extension pole available

Applications

- for flattening & closing in
- plasters & finish
- renders & exterior coatings



608432
clip on handle
sold separately



228066
12" PLAZI spatula-rule with roll grip



228070
24" PLAZI spatula-rule with roll grip



228076
40" PLAZI spatula-rule with roll grip



roll grip profile



608433
1.00m pole



608434
1.00-2.00m extension pole

PLAZI SPATULA-RULE, lightweight plastic rigid roll grip frame, grey plastic blade, for finishing plasters & renders

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228066	PLAZI spatula-rule 12"	300x100mm	1.5mm	0.31kg	16.00
228068	PLAZI spatula-rule 20"	500x100mm	1.5mm	0.51kg	24.00
228070	PLAZI spatula-rule 24"	600x100mm	1.5mm	0.61kg	26.00
228072	PLAZI spatula-rule 28"	700x100mm	1.5mm	0.70kg	28.00
228074	PLAZI spatula-rule 32"	800x100mm	1.5mm	0.81kg	31.00
228076	PLAZI spatula-rule 40"	1000x100mm	1.5mm	1.01kg	35.00
228078	PLAZI spatula-rule 48"	1200x100mm	1.5mm	1.29kg	39.00
228080	PLAZI spatula-rule 60"	1500x100mm	1.5mm	1.58kg	49.00

HANDLES, clip on adjustable angle handle for roll grip

Stock no	Description	Size	Weight	£ ex VAT
608432	clip on handle		0.15kg	12.00
608433	aluminium pole	1.00m	0.30kg	16.00
608434	aluminium extension pole	1.00-2.00m	0.55kg	22.00



ROLL GRIP SKIMMING SPATULA-RULES

The spatula-rules are produced with a flexible stainless steel blade and lightweight rigid roll grip handles. The smaller mini-spatulas are for fine detailing, smoothing and micro-cement work. The larger skimming spatula-rules are for finishing large areas and ceilings. The rigid plastic roll grip frames are one of the lightest designs on the market.

Features

- flexible stainless steel blades
- lighter weight than aluminium rules
- lightweight rigid profile
- rounded edges & tapered blade
- roll grip frame

Applications

- for finishing & smoothing
- walls & ceilings
- plasters & special finishes



228092

7" mini spatula with roll grip frame



608432

clip on handle
sold separately



228098

16" spatula-rule with roll grip frame



roll grip profile



228102

26" spatula-rule with roll grip frame



608433

1.00m pole



608434

1.00-2.00m extension pole

MINI SPATULAS, lightweight plastic rigid roll grip frame with flexible stainless steel blade for skimming - rust free

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228090	mini spatula, roll grip 5½"	140x100mm	0.4mm	0.14kg	14.00
228092	mini spatula, roll grip 7"	180x100mm	0.4mm	0.20kg	16.00
228094	mini spatula, roll grip 9½"	240x100mm	0.4mm	0.25kg	18.00

SPATULA-RULES, lightweight plastic rigid roll grip frame with semi-flexible stainless steel blade for skimming - rust free

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228096	spatula-rule, roll grip 12"	300x100mm	0.4mm	0.29kg	22.00
228098	spatula-rule, roll grip 16"	400x100mm	0.4mm	0.38kg	26.00
228100	spatula-rule, roll grip 20"	500x100mm	0.4mm	0.48kg	30.00
228102	spatula-rule, roll grip 26"	650x100mm	0.4mm	0.62kg	38.00
228088	spatula-rule, roll grip 36"	900x100mm	0.4mm	0.87kg	46.00

HANDLES, clip on adjustable angle handle for roll grip

Stock no	Description	Size	Weight	£ ex VAT
608432	clip on handle		0.15kg	12.00
608433	aluminium pole	1.00m	0.30kg	16.00
608434	aluminium extension pole	1.00-2.00m	0.55kg	22.00



ERGO GRIP STAINLESS STEEL SPATULA-RULES

The skimming spatula-rules are produced with a flexible stainless steel blade and ergo grip lightweight rigid handle. The smaller mini-spatulas are for fine detailing, smoothing and micro-cement work.

The larger skimming spatula-rules are for finishing larger areas and ceilings.

Patented fixed blade design to ensure consistent feel and better finish.


The rigid plastic ergo grip frames are one of the lightest designs on the market.

Features

- flexible stainless steel blades
- rigid plastic profile patented design
- lighter weight than aluminium rules
- rounded edges & tapered blade
- ergo grip h frame


Applications

- for finishing & smoothing
- walls & ceilings
- plasters & special finishes



228037

6" mini spatula with ergo grip frame



228107

24" spatula-rule with ergo grip frame




ergo grip profile



228109

40" spatula-rule with ergo grip frame



608439

1.00m pole



608437

1.00-2.00m extension pole

MINI SPATULAS, lightweight rigid ergo grip plastic frame with flexible stainless steel blade for skimming - rust free

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228035	mini spatula, ergo grip 4"	100x100mm	0.3mm	0.15kg	14.00
228037	mini spatula, ergo grip 6"	150x100mm	0.3mm	0.18kg	16.00
228038	mini spatula, ergo grip 10"	250x100mm	0.3mm	0.22kg	20.00

SPATULA-RULES, lightweight rigid ergo grip plastic frame with flexible stainless steel blade for skimming - rust free

Stock no	Description	Size	Thickness	Weight	£ ex VAT
228106	spatula-rule, ergo grip 18"	450x100mm	0.3mm	0.46kg	39.00
228107	spatula-rule, ergo grip 24"	600x100mm	0.3mm	0.54kg	49.00
228108	spatula-rule, ergo grip 32"	800x100mm	0.3mm	0.73kg	61.00
228109	spatula-rule, ergo grip 40"	1000x100cm	0.3mm	1.10kg	79.00
228110	spatula-rule, ergo grip 48"	1200x100cm	0.3mm	1.13kg	84.00

ALLOY HANDLE, quick clip attachment for spatula- rule

Stock no	Description	Length	Weight	£ ex VAT
608439	aluminium pole	1.00m	0.48kg	41.00
608437	aluminium extension pole	1.00-2.00m	0.74kg	49.00



SKIMMING SPATULAS & KNIVES

The skimming spatulas are produced with a rigid aluminium bracket and stainless steel blades for flattening and smoothing plasters

The 24" flexible skimming spatula has a blade thickness of 0.3mm

The standard flex spatulas with a 0.5mm blade are for closing in and levelling

The offset spatulas have a 45 degree angled handle


The spatula knives have the same 0.5mm thickness but are more flexible with a longer blade

Features

- stainless steel ultra flat finishing blades
- radius corners on blades
- lightweight aluminium frames

Applications

- for smoothing & flattening
- wall & ceiling coatings
- plasters & spray finishes
- multi finish & board finish



SKIMMING SPATULA, alloy frame, flexible stainless steel blade - rust free

Stock no	Description	Size	Thickness	£ ex VAT
227994	skimming spatula 24"	600mm	0.3mm	15.00

SKIMMING SPATULAS, alloy frame, stainless steel blade - rust free

Stock no	Description	Size	Thickness	£ ex VAT
228040	skimming spatula 12"	300mm	0.5mm	10.00
228042	skimming spatula 16"	400mm	0.5mm	11.00
228044	skimming spatula 20"	500mm	0.5mm	13.00
228046	skimming spatula 24"	600mm	0.5mm	15.00

SKIMMING SPATULAS, alloy frame with angled offset handle, stainless steel blade - rust free

Stock no	Description	Size	Thickness	£ ex VAT
228011	skimming spatula 12"	300mm	0.5mm	14.00
228015	skimming spatula 16"	400mm	0.5mm	15.00

SPATULA KNIVES, stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
765040	spatula knife 6"	150mm	0.5mm	10.00
765042	spatula knife 10"	250mm	0.5mm	12.00
765044	spatula knife 14"	350mm	0.5mm	14.00

BUCKET TROWELS

The bucket trowels have long straight sides to help load the mix onto the trowel and clean the bucket of residue


The bucket trowels are produced from heavy gauge stainless steel and are fully welded and ground finished like a brick trowel for rigidity and durability. The Mack bucket scoop is designed so that one scoop is approximately one hawk load. Curved scoop minimises wastage at the bottom of the tub. Long handle allow easy reach to bucket corners and reduces back strain

Features

- square & round end bucket trowels
- medium & heavy duty
- range of sizes & shapes

Applications

- for scooping up material
- getting the mix from the bucket
- applying & dabbing on walls
- soft composite rubber handle



BUCKET TROWELS, square end, tapered shape, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
225117	trowel 6", square end	160x85/110mm	10.00
225118	trowel 7", square end	180x90/120mm	12.00
225119	trowel 8", square end	200x110/130mm	13.00

BUCKET TROWELS, heavy duty, square end, tapered shape, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
225122	trowel 8", square end	200x80/110mm	19.00
225126	trowel 10", square end	240x95/130mm	22.00

BUCKET TROWELS, heavy duty, square end, tapered shape, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
225132	trowel 8", square end, rounded edges	200x80/110mm	20.00
225136	trowel 10", square end, rounded edges	240x90/120mm	22.00

BUCKET SCOOP, long handle, aluminium

Stock no	Description	Handle	£ ex VAT
607120	Mack aluminium bucket scoop	600mm	29.00

SMALL TROWELS & TOOLS

These applicator trowels are stainless steel for rust free use

There is a wide range of shapes and sizes for most finishing and detail work

Features

- stainless steel, rust free
- soft composite rubber handle
- range of shapes & sizes

Applications

- for finishing tight areas
- detail & cornice work



225304
1 1/2" spatula trowel



225308
3 1/2" spatula trowel



225112
4 3/4" square end trowel



225503
1 1/8" margin trowel



225505
2" margin trowel



226316
6 1/4" pointing trowel



226716
6 1/4" gauging trowel



220710
3/8" finger trowel

SQUARE END TROWELS, tapered shape, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
225112	square end trowel 4 3/4" long	120x75/85mm	9.95

SPATULA TROWELS, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
225304	spatula trowel 1 1/2" wide	100x40mm	9.95
225306	spatula trowel 2 1/2" wide	100x60mm	9.95
225308	spatula trowel 3" wide	100x80mm	9.95
225310	spatula trowel 4" wide	100x100mm	9.95

MARGIN TROWELS, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
225503	margin trowel 1 1/8" wide	180x30mm	9.95
225504	margin trowel 1 1/2" wide	180x40mm	9.95
225505	margin trowel 2" wide	180x50mm	9.95
225506	margin trowel 2 1/2" wide	180x60mm	9.95

POINTING & GAUGING TROWELS, tapered shape, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
226316	round end pointing trowel 6 1/4" long	160x60mm	9.95
226716	gauging trowel 6 1/4" long	160x110mm	9.95

FINGER TROWELS, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
220708	finger & pointing tool 1/4" wide	180x8mm	9.95
220710	finger & pointing tool 3/8" wide	180x10mm	9.95

SMALL CORNER & ANGLE TROWELS

The adjustable angle trowel is for matching and finishing splayed angles

The square and angle tool is produced from stainless steel and is for setting accurate corners around windows, frames and reveals

These small corner trowels are produced from stainless steel with a 90° angle

The trowels are semi-stiff not flexible

Features


- light gauge stainless steel, rust free
- internal & external angle trowels
- range of sizes
- soft composite rubber handle
- adjustable trowel for splayed internal angles
- square & angle tool for reveals

Applications

- for finishing angles in plaster & render



640010
4¾" adjustable corner trowel



227109
3½" corner trowel




227308
3" internal corner trowel



227508
3" external corner trowel



220800
10" cove trowel



640006
9" squangle



ADJUSTABLE ANGLE TROWEL, for internal splayed angles, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
640010	adjustable corner trowel 4¾"	120x100mm	36.00

INTERNAL CORNER TROWELS, for internal angles, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
227306	corner trowel internal 2"	60x40mm	10.00
227308	corner trowel internal 3"	80x60mm	10.00
227311	corner trowel internal 4"	100x75mm	10.00

EXTERNAL CORNER TROWEL, for external angles, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
227508	corner trowel external 3"	80x60mm	10.00

CORNER TROWEL, three sided, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
227109	corner trowel three sided 3½"	90x80mm	10.00

CEILING COVE TROWEL, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
220800	cove trowel 10"	60mm	21.00

ADJUSTABLE SQUARE & ANGLE, for reveals & window frames, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
640006	squangle 9"	230x160mm	19.95



MIDGET PLASTERING TROWELS

These are a range of small sized plastering trowels. The trowels have composite soft moulded handles and are produced in stainless steel for rust free use. They are used for finishing small areas or tight, narrow strips around doors, frames or switches. These midget trowels are a useful addition to any plasterer's tool kit. These midget trowels are produced from 0.8mm stainless steel with short tangs and narrow blades giving them a stiff blade.

Features

- stainless steel, rust free
- range of narrow & small finishing trowels
- soft composite rubber handle

Applications

- for plaster & cement finishes
- working round pipes & reveals



221020
8" midget trowel



221024
8" rounded midget trowel



221026
8" midget trowel



221030
10" pipe trowel



221028
8" midget trowel

MIDGET TROWEL, 3" wide, short alloy shank, stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
221020	midget trowel 8"	200x80mm	0.8mm	12.00

MIDGET TROWEL, 3" wide, rounded corners, short alloy shank, stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
221024	midget trowel 8", round corners	200x80mm	0.8mm	12.00

MIDGET TROWELS, 3" wide, pointed end, short alloy shank, stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
221026	midget trowel 8", pointed front end	200x80mm	0.8mm	12.00
221028	midget trowel 8", pointed both ends	200x80mm	0.8mm	12.00

PIPE TROWEL, 3" wide, short alloy shank, stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
221030	pipe trowel 10"	270x80mm	0.8mm	12.00

POLISHING TROWELS & TAPING KNIVES

The polishing trowels are produced with mirror finish 0.6mm semi-flexible stainless steel blades with rounded corners and bevelled edges

They are used for burnishing and trowelling up and for the application of marble grain polished plasters. Trowels for Italian type plasters tend to be smaller than standard plastering trowels for the final application, polishing and burnishing of polished plasters, lime based and stucco plasters

The joint & taping knives are high grade putty knives available with both flexible (0.3mm) and semi-flexible (0.6mm) blades and are ideal for applying Venetian plaster and special finishes. The stiffer knives have milled edges and a mirror finish polished blades

There are a wide variety of Italian style Venetian plasters, from very fine, to marbled and more textured Marmorino and internal stucco finishes

Micro cements are hard wearing decorative finishes available in various colours and can be finished with a polished, matte or lightly textured finish

Features

- highly polished trowel blades
- mirror finish stainless steel finishing blades
- polished tang & bracket

Applications

- for smoothing & flattening
- burnishing & finishing
- Venetian & fine plasters
- Marmorino & medium texture finishes
- lime based & stucco plasters
- veneer plasters & decorative finishes
- marble based coatings
- micro cements
- jointing compounds, fillers & putties

bright finish brackets

radiused corners

soft grip handle

smooth edges



269559
9 1/2" polishing trowel



269572
9 1/2" tapered polishing trowel



269565
9 1/2" trapezoid polishing trowel



269634
9 1/2" mini pool trowel



765004
4" joint & taping knife



765010
10" joint & taping knife

POLISHING TROWELS, polished stainless steel, rounded corners, for Venetian plaster & micro cement - rust free

Stock no	Description	Size	Thickness	Edge	£ ex VAT
269557	polishing trowel 8"	200x80mm	0.6mm	bevelled	25.00
269559	polishing trowel 9 1/2"	240x100mm	0.6mm	bevelled	26.00

POLISHING TROWELS, polished stainless steel, rounded corners, tapered, for Venetian plaster & micro cement - rust free

Stock no	Description	Size	Thickness	Edge	£ ex VAT
269570	polishing trowel 8"	200x65x75mm	0.6mm	bevelled	25.00
269572	polishing trowel 9 1/2"	240x80x95mm	0.6mm	bevelled	26.00

POLISHING TROWELS, polished stainless steel, rounded corners, trapezoid, for Venetian plaster & micro cement - rust free

Stock no	Description	Size	Thickness	Edge	£ ex VAT
269565	polishing trowel 9 1/2"	240x130x100mm	0.6mm	bevelled	39.00
269567	polishing trowel 11"	280x140x120mm	0.6mm	bevelled	41.00

MINI POOL TROWELS, short shank, rounded ends, semi-flexible, polished stainless steel - rust free

Stock no	Description	Size	Thickness	£ ex VAT
269632	mini pool trowel 8"	200x80mm	0.5mm	18.00
269634	mini pool trowel 9 1/2"	240x100mm	0.5mm	20.00

JOINT & TAPING KNIVES, flexible polished stainless steel blade, with steel end cap - rust free

Stock no	Description	Size	Thickness	£ ex VAT
765015	joint & taping knife 1 1/2"	40mm	0.3mm	11.00
765016	joint & taping knife 3"	80mm	0.3mm	12.00
765017	joint & taping knife 4 3/4"	120mm	0.3mm	15.00
765018	joint & taping knife 6"	150mm	0.3mm	16.00

JOINT & TAPING KNIVES, polished stainless steel blade, with steel end cap - rust free

Stock no	Description	Size	Thickness	Edge	£ ex VAT
765001	joint & taping knife 1 1/2"	40mm	0.6mm	bevelled	12.00
765003	joint & taping knife 3"	80mm	0.6mm	bevelled	13.00
765004	joint & taping knife 4"	100mm	0.6mm	bevelled	14.00
765005	joint & taping knife 4 3/4"	120mm	0.6mm	bevelled	16.00
765006	joint & taping knife 6"	150mm	0.6mm	bevelled	16.00
765010	joint & taping knife 10"	250mm	0.6mm	bevelled	19.00

PLASTIC PVC TROWELS

The new PVC trowels are for finishing thin coat, silicone and acrylic topcoat renders

The trowels with orange plastic handles have a stiffer PVC blade that is solvent resistant and can be used on decorative finishes and epoxy quartz

The trowels can also be used on decorative wall finishes, micro cement and coatings

Features

- plastic faced trowels
- white PVC
- non marking
- range of different sizes

Applications

- for white cements & renders
- acrylic & silicone thin coats
- non marking on epoxies
- special finishes on render
- Venetian & fine plasters
- Marmorino & medium texture finishes
- lime based & stucco plasters
- veneer plasters & decorative finishes
- marble based coatings
- micro cements
- fillers & putties



PLASTIC TROWELS, flexible blade, white PVC blade, solvent resistant, for use on silicone & acrylic thin coat renders, white cements & resins

Stock no	Description	Size	Thickness	£ ex VAT
269499	plastic trowel 9½"	240x100mm	1mm	17.00
269500	plastic trowel 11"	280x120mm	1mm	18.00

PLASTIC TROWELS, stiff blade, white PVC blade, solvent resistant, for use on silicone & acrylic thin coat renders, white cements & resins

Stock no	Description	Size	Thickness	£ ex VAT
269504	plastic trowel 9½"	240x100mm	2mm	17.00
269502	plastic trowel 11"	280x130mm	2mm	18.00
269507	plastic trowel 14"	350x150mm	2mm	19.00

PLASTIC TROWELS, white PVC blade, solvent resistant, for use on decorative finishes & epoxy quartz

Stock no	Description	Size	Thickness	£ ex VAT
269513	plastic trowel 11"	280x140mm	2mm	8.00
269511	plastic trowel 11"	280x140mm	3mm	8.00

CLIKCLAK & FIXED PLASTIC ABS TROWELS

These trowels are used to trowel up and finish external top coat finishes, silicone, acrylic and bucket coat renders

The CLIKCLAK three trowel kit includes blades for 1, 2 and 3mm grain silicone finishes

The blades are replaceable and the trowel handle is "clicked" into the blade

The CLIKCLAK kit is an economical system for testing the finish achieved with the different blade hardnesses

The trowel with flexible clear plexiglass blade is for white cements and acrylic renders

The grey bladed trowel is for OCR render

The range of trowels with black soft handles are for external render finishes and interior decorative coatings


Plastic trowels are used mainly to avoid surface discolouration and blade transference from steel trowels

Features

- plastic faced trowels
- range of different plastic trowel blades

Applications

- for white cements & renders
- acrylic & silicone topcoat renders
- special finishes on render



231820

11" CLIKCLAK plastic trowel



231812

11" plastic trowel



231816

11" plastic trowel




231802

11" plastic trowel



231817

11" plastic trowel



231814

11" plastic trowel

CLIKCLAK ABS PLASTIC TROWELS, with three interchangeable blades, for finishing silicone thin coat renders

Stock no	Description	Size	Thickness	Grain size	£ ex VAT
231820	plastic trowel 11" , 3 blade kit	280x140mm	3mm	1-2m, 2-3mm, 3-4mm	12.00
231821	replacement plastic blade	280x140mm	3mm	1-2m	4.00
231822	replacement plastic blade	280x140mm	3mm	2-3mm	4.00
231823	replacement plastic blade	280x140mm	3mm	3-4mm	4.00

PLASTIC TROWEL, ABS plastic blade, for finishing silicone thin coat renders

Stock no	Description	Size	Thickness	Grain size	£ ex VAT
231816	off white plastic trowel 11"	280x140mm	3mm	1-2m	8.00

PLASTIC TROWEL, ABS plastic blade, for finishing silicone thin coat renders

Stock no	Description	Size	Thickness	Grain size	£ ex VAT
231812	cream plastic trowel 11"	280x140mm	3mm	2-3mm	8.00

PLASTIC TROWEL, ABS plastic blade, for finishing silicone thin coat renders

Stock no	Description	Size	Thickness	Grain size	£ ex VAT
231802	white plastic trowel 11"	280x140mm	3mm	3-4mm	8.00

PLASTIC TROWEL, hard clear plexiglass blade, for finishing acrylic finishes & special renders

Stock no	Description	Size	Thickness	£ ex VAT
231817	clear plastic trowel 11"	280x140mm	3mm	9.00

PLASTIC TROWEL, plastic blade, for finishing OCR cement renders

Stock no	Description	Size	Thickness	£ ex VAT
231814	dark grey plastic trowel 11"	280x140mm	3mm	8.00

PU PLASTIC FLOATS

The PU cross grain face floats are the traditional floats for sand and cement, setting, render and screed

Features

- large range of shapes and sizes
- PU plastic floats & darbies
- cross grain face
- lightweight floats
- traditional English shapes
- wider German styles

Applications

- wide shape for render
- darby shape for large areas



671013
13" standard float



231913
13" wide shape float



231916
16" wide shape float




231919
19" wide shape float



231910
24" darby float



231912
40" darby float



671313
13" hawk

FLOATS, PU plastic, traditional English style float

Stock no	Description	Size	Face	£ ex VAT
671011	float 11", standard shape	280x110mm	cross grain	5.00
671013	float 13", standard shape	350x150mm	cross grain	6.00

FLOATS, PU plastic, German style wide float


Stock no	Description	Size	Face	£ ex VAT
231915	float 11", wide shape	280x140mm	cross grain	5.00
231913	float 13", wide shape	320x180mm	cross grain	5.00
231914	float 14", wide shape	360x200mm	cross grain	6.00
231916	float 16", wide shape	420x220mm	cross grain	7.00
231919	float 19", wide shape	480x240mm	cross grain	9.00
231920	float 20", wide shape	500x280mm	cross grain	10.00

DARBY FLOATS, PU plastic, for float finishing large areas

Stock no	Description	Size	Face	£ ex VAT
231910	darby float 24"	600x120mm	cross grain	9.00
231911	darby float 31"	800x120mm	cross grain	12.00
231912	darby float 40"	1000x120mm	cross grain	15.00

PLASTIC HAWK, one piece polyurethane plastic hand board

Stock no	Description	Size	Face	£ ex VAT
671313	hawk 13"	330x330mm	smooth	12.00



DIAMOND FACED ABS PLASTIC FLOATS

The diamond faced floats are produced from a hard ABS plastic
 The diamond indents retain some moisture and material in use giving a smooth floating action
 They are excellent for floating up backing coat plasters and OCR renders

Features

- diamond face indented float
- hard wearing ABS plastic

Applications

- for external OCR renders
- internal backing coat plasters



662210
 11" diamond face float

diamond faced design



662216
 wide 16" diamond face float



662217
 17" diamond face float

FLOATS, ABS plastic, diamond face, for hardwall & backing plasters				
Stock no	Description	Size	Face	£ ex VAT
662210	float 11", standard shape	270x180mm	diamond	6.00
662216	float 16", wide shape	420x260mm	diamond	6.00
662217	float 17", long shape	440x140mm	diamond	6.00

RENDER & CEMENT SPONGE FLOATS

The CLIKCLAK sponge floats have a quick change plate with sponge attached that allows easy changing between sponge densities for a range of different finishes

The CLIKCLAK kit is an economical system for achieving a variety of finishes with the different sponge densities

The dense sponge floats are used more often on render and cement surfaces

The standard blue sponge floats have a medium hard sponge with fine 14mm thick sponge face

The grey sponge floats have a denser quality than the blue sponge floats

Features

- range of sponge types & sizes
- fine, medium or coarse rubber sponges

Applications

- for smoothing plaster & cement surfaces
- opens up the surface before final finishing
- helps remove trowel marks
- sponges out pockets from sprayed & one coat plaster



261148

11" CLIKCLAK sponge float



261400

10 " sponge float



261408

8" sponge float



261402

16" sponge float

SPONGE FLOAT, CLIKCLAK quick change sponge float kit, for render & cement surfaces

Stock no	Description	Size	Depth	Rubber sponge	Colour	s£ ex VAT
261148	render sponge float 11", 2 sponge kit	280x140mm	14mm,16mm	dense, hard	blue, grey	22.00
261155B	replacement sponge 11"	280x140mm	14mm	dense	blue	9.00
261155G	replacement sponge 11"	280x140mm	16mm	hard	grey	9.00

SPONGE FLOATS, with fine, medium hard blue sponge faces, for cement finishes

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
261403	sponge float 8"	210x150mm	14mm	dense, med fine	blue	10.00
261400	sponge float 10"	240x100mm	14mm	dense, med fine	blue	10.00
261402	sponge float 16"	400x100mm	14mm	dense, med fine	blue	10.00

SPONGE FLOATS, with fine, hard grey sponge faces, for cement finishes

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
261408	sponge float 8"	210x150mm	16mm	dense, fine	grey	10.00
261405	sponge float 9½"	240x100mm	16mm	dense, fine	grey	10.00
261407	sponge float 16"	400x100mm	16mm	dense, fine	grey	10.00

PLASTER & RENDER SPONGE FLOATS

The orange CLIKCLAK sponge floats with the quick change plate are produced with fine, medium and coarse 15mm thick sponge faces

The standard orange sponge floats are produced with 18mm thick sponge faces

They are the trade standard for sponging up plaster surfaces before final trowelling

Sponge floats are often used in conjunction with a water brush to dampen the surface, or a large stainless steel spatula to smooth and level the surface

The smaller floats with denser sponge faces are for use on wetter plaster or cement surfaces

Features

- range of sponge types & sizes
- fine, medium or coarse orange sponge rubber

Applications

- for smoothing plaster & cement surfaces
- opens up the surface before final finishing
- helps remove trowel marks
- takes out air pockets from sprayed plaster



261150
11" CLIKCLAK sponge float



261210
12" sponge float



261130
11" sponge float



261110
18" sponge float

SPONGE FLOAT, CLIKCLAK quick change sponge float kit, for plaster surfaces

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
261150	plaster sponge float 11", 3 sponge kit	280x140mm	15mm	fine, medium, coarse	orange	28.00
261155F	replacement sponge 11"	280x140mm	15mm	fine	orange	9.00
261155M	replacement sponge 11"	280x140mm	15mm	medium	orange	9.00
261155C	replacement sponge 11"	280x140mm	15mm	coarse	orange	9.00

SPONGE FLOATS, standard shapes, with durable sponges


Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
261210	sponge float 12"	300x120mm	18mm	med coarse	orange	10.00

SPONGE FLOATS, standard shapes, with durable sponges

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
261130	sponge float 11"	280x140mm	18mm	fine	orange	9.00
261310	small sponge float 8"	210x135mm	18mm	medium	orange	8.00
261314	narrow sponge float 9½"	240x100mm	18mm	medium	orange	8.00
261126	sponge float 11"	280x140mm	18mm	medium	orange	9.00
261312	long narrow sponge float 16"	400x100mm	18mm	medium	orange	10.00
261120	sponge float 11"	280x140mm	18mm	coarse	orange	9.00

LARGE SPONGE FLOATS, with durable sponges

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
261112	wide sponge float 17"	420x260mm	18mm	medium	orange	23.00
261110	long sponge float 18"	455x160mm	18mm	medium	orange	16.00



fine sponge

medium sponge

coarse sponge

PLASTER & RENDER SPONGE FLOATS


The orange sponge float is produced in medium and fine rubber qualities
Replacement rubber sponges are available with a peel off adhesive back
The narrow sponge float has a CLIKCLAK push in trowel handle
Also in the range is a mini corner sponge for internal corners

Features

- range of fine & medium orange rubber sponges

Applications

- for sponging plaster & render surfaces
- peel off adhesive backed replacement sponges
- opens up the surface before final finishing
- helps remove trowel & water marks
- takes out air pockets from sprayed plaster
- leaves a more uniform finish



228830
11" sponge float



228831
11" sponge float



257003
11" CLIKCLAK
narrow sponge



257009
11" CLIKCLAK
corner sponge



257009
11" CLIKCLAK
corner profile

SPONGE FLOATS, soft grip handle floats with easy peel replacement sponges, for plaster & render

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
228830	sponge float 11"	280x140mm	20mm	medium	orange	8.00
228831	sponge float 11"	280x140mm	20mm	fine	orange	8.00

CLIKCLAK NARROW SPONGE FLOAT, with durable sponges, for plaster & render

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
257003	CLIKCLAK 11" narrow sponge float	280x70mm	20mm	medium	orange	14.00
257033	sponge pad with slot, 11"	280x70mm	20mm	medium	orange	6.00

CLIKCLAK CORNER SPONGE FLOAT, with durable sponges, for plaster & render

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
257009	CLIKCLAK 11" mini corner sponge float	280x70mm	35mm	fine	orange	17.00
257067	corner pad with slot, 11"	280x70mm	35mm	fine	orange	9.00

PLASTER & RENDER FOAM SPONGE FLOATS

The fine white foam sponges are suggested for finish plasters

The medium white foam sponge floats are excellent for cements and renders

The sponge floats have replacement sponges with a peel off adhesive back

The narrow sponge float has a CLIKCLAK push in stainless steel blade and blue composite handle

The round white sponge float is normally used as a jointing sponge

Features

- super white sponge foam
- adhesive backed replacement sponges
- range of sponge sizes

Applications

- for sponging plaster & render surfaces
- opens up the surface before final finishing
- helps remove trowel & water marks
- leaves a more uniform finish
- sponges out air pockets from sprayed plaster
- the fine white sponge is for plaster finishes



228812
11" sponge float



228890
11" sponge float



257001
11" CLIKCLAK
narrow sponge



671010
7½" round sponge float

SPONGE FLOATS, soft grip handle floats with easy peel replacement sponges, universal, for plaster & render

Stock no	Description	Size	Depth	Foam sponge	Colour	£ ex VAT
228812	sponge float 11"	280x140mm	20mm	fine	white	8.00
228890	sponge float 11"	280x140mm	40mm	medium	white	8.00

CLIKCLAK NARROW SPONGE FLOATS, with durable sponges, for plaster & render

Stock no	Description	Size	Depth	Foam sponge	Colour	£ ex VAT
257001	CLIKCLAK 11" narrow sponge float	280x70mm	20mm	fine	white	14.00
257022	sponge pad with slot, 11"	280x70mm	20mm	fine	white	6.00

SPONGE FLOAT, rounded jointing sponge for drywall work

Stock no	Description	Size	Depth	Foam sponge	Colour	£ ex VAT
671010	round sponge float 7½"	190x190mm	25mm	fine	white	10.00

TILING SPONGE FLOATS

The CLIKCLAK sponge kit with quick change plate comes complete with an open sponge and a square cut face sponge

The soft grip sponge floats are available with yellow sponges and black rubber sponges for sponging grout surfaces

The wash bucket has twin rollers for washing and rolling out grout residues

The narrow CLIKCLAK sponge float has a push in trowel handle. A range of interchangeable sponge pads are available

Features

- open & square cut sponges
- black rubber sponges
- adhesive backed replacement sponges

Applications

- for sponging tile grouts & cements
- opens up the surface before final finishing
- helps remove trowel marks



261154
11" CLIKCLAK sponge float



228850
11" sponge float
square cut



228860
11" sponge float



257005
11" CLIKCLAK
narrow hydro sponge



257007
11" CLIKCLAK
narrow sponge



328504
wash bucket

SPONGE FLOAT, CLIKCLAK quick change sponge float kit, for tiling

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
261154	tiling sponge float 11", 2 sponge kit	280x140mm	30mm	open, square cut face	yellow	20.00
261154T	replacement sponge 11"	280x140mm	30mm	open	yellow	8.00
261154S	replacement sponge 11"	280x140mm	30mm	square cut face	yellow	8.00

SPONGE FLOATS, soft grip handle floats with easy peel replacement sponges, for tiling

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
228840	hydro sponge float 11"	280x140mm	30mm	open	yellow	8.00
228850	hydro sponge float 11"	280x140mm	30mm	open, square cut	yellow	8.00
228860	sponge float 11"	280x140mm	10mm	dense rubber	black	8.00

CLIKCLAK NARROW SPONGE FLOATS, with durable sponges, for tiling

Stock no	Description	Size	Depth	Rubber sponge	Colour	£ ex VAT
257005	CLIKCLAK 11" narrow hydro sponge float	280x70mm	30mm	open, square cut	yellow	14.00
257055	hydro sponge pad with slot, 11"	280x70mm	30mm	open, square cut	yellow	6.00
257007	CLIKCLAK 11" narrow sponge float	280x70mm	10mm	dense rubber	black	14.00
257066	sponge pad with slot, 11"	280x70mm	10mm	dense rubber	black	6.00

TILERS WASH BUCKET, with wheels & twin rollers for cleaning off grout

Stock no	Description	Size	£ ex VAT
328504	wash bucket, twin plastic rollers	16 ltr	24.00



RENDER SCRAPING TOOLS


The scrapers are for giving monocouche renders a scraped finish and are used before the final set. The surface laitance is scraped back exposing some of the aggregate and leaving a decorative finish. The sharp tooth scraper tends to be less aggressive. The twist tooth scrapers are harder wearing. The longer sharp scraper is more aggressive and used when the monocouche is nearer the final set. The comb type scarifier has steel prongs that will score undercoat and backing plasters. The angle plane is for reducing high spots and plaster wall surfaces, cleaning angles, beads and reveals.

Features


- range of tooth shapes & lengths

Applications

- for scraping monocouche renders
- gives scraped finish for colour through renders
- removes surface laitance



281310
10" 8mm tooth spike scraper



281314
10" 8mm twist spike scraper



281300
10" 8mm twist spike scraper



281340
10" 15mm tooth spike scraper



228232
12" scarifier



201110
18" angle plane



243428
18" serrated block rasp

RENDER SCRAPERS, blue handle, for scraping the surface off new render

Stock no	Description	Size	Spikes	£ ex VAT
281310	scraper float 10" sharp tooth	249x145mm	8mm	9.00
281314	scraper float 10" twist tooth	249x145mm	8mm	9.00

RENDER SCRAPERS, blue handle, for scraping the surface off new render

Stock no	Description	Size	Spikes	£ ex VAT
281300	scraper float 10" twist tooth	251x145mm	8mm	11.00
281340	scraper float 10" sharp tooth	237x142mm	15mm	12.00

SCARIFIER, for keying backing & float coats, stainless steel - rust free

Stock no	Description	Size	Prongs	£ ex VAT
228232	scarifier 12"	300mm	90mm	17.00

ANGLE PLANE, for cleaning corners & reducing high spots

Stock no	Description	Size	£ ex VAT
201110	angle plane 18"	455x90mm	19.00

TOOTHED PLANE, serrated steel blades, for cutting back high spots on lightweight blocks

Stock no	Description	Size	£ ex VAT
243428	block rasp 18"	460x85mm	22.00

BOARD RASPS & RENDERING TOOLS

The metal and plastic rasps can be brushed clean and are durable in use

The ashlar cutters are used to create recessed joints and profiles in external render to replicate the appearance of traditional ashlar masonry and ground floor elevations

Square and V shaped blades available

The stainless steel harling trowels are for throwing spar dash and pebble dash onto newly applied sand and cement renders


The serrated spatula is produced with a stainless steel blade and is for levelling monocouche renders

Features

- large size hand rasps
- stainless steel serrated spatulas

Applications

- for keying back aircrete blocks
- used on external insulation & finishing systems (EIFS)
- aluminium tools for use on render
- serrated spatula for flattening render



540417
15" plastic rasp

243444
16" metal rasp



205147
ashlar tool

2051471
V cut blade

2051472
square end blade



232510
10" harling trowel



228000
18" serrated spatula



228050
24" serrated spatula-rule
with roll grip

RASPS, with cheese grater face, for sanding insulation boards

Stock no	Description	Size	£ ex VAT
540417	plastic rasp 15"	370x165mm	9.00
243444	coarse metal float 16"	400x180mm	10.00

ASHLAR CUTTER TOOL, for cutting recessed features in external render

Stock no	Description	Blade	£ ex VAT
205147	ashlar tool	25mm	49.00
2051471	ashlar blade 25mm V cut standard	25mm	13.00
2051472	ashlar blade 25mm squared end	25mm	13.00

HARLING TROWELS, for applying roughcast & pebble dash, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
232506	harling trowel 6"	150x120mm	24.00
232510	harling trowel 10"	250x120mm	25.00

SERRATED SPATULA, lightweight alloy frame, stainless steel blade - rust free

Stock no	Description	Size	£ ex VAT
228000	spatula serrated 18"	465mm	16.00

SERRATED SPATULA-RULE, lightweight plastic rigid roll grip frame with stainless steel blade - rust free

Stock no	Description	Size	£ ex VAT
228050	spatula-rule serrated 24"	600mm	43.00



ALUMINIUM RENDERING EDGES

The serrated feather edge when used on newly applied render will level the surface, remove air pockets, identifying hollows and low spots without bringing cement rich laitance to the surface. The h profile feather edge is often used with projection plasters. The I profile aluminium straight edge is used for scraping back polymer and colour through renders, improving the flatness and uniformity of the scraped finish.

Features

- lightweight aluminium
- range of lengths & profiles

Applications

- h section feather edges for spray render
- Serrated feather edge for monocouche render
- I beam rule for scraping monocouche



253541
serrated h section feather edge



253520
h section feather edge



256014
scraper I profile

SERRATED FEATHER EDGES, lightweight aluminium h section, serrated edge, for dragging surface of topcoat render

Stock no	Description	Length	Profile	£ ex VAT
253541	serrated feather edge 4'0"	1.20m	115x25mm	24.00
253542	serrated feather edge 5'0"	1.50m	115x25mm	27.00

FEATHER EDGES, aluminium h section shape, with bevelled lip

Stock no	Description	Length	Profile	£ ex VAT
253515	feather edge 5'0"	1.50m	115x25mm	26.00
253518	feather edge 6'0"	1.80m	115x25mm	30.00
253520	feather edge 6'8"	2.00m	115x25mm	34.00
253525	feather edge 8'2"	2.50m	115x25mm	42.00

ALUMINIUM SCRAPER, I profile

Stock no	Description	Length	Profile	£ ex VAT
256014	scraper I profile 4'0"	1.20m	75x30mm	14.00



STRAIGHT EDGES & LEVELS

The trapezium profile feather edges and box section rules are produced from precision aluminium extrusions and have plastic end caps

They are for finishing and levelling plaster and render, wall and floor surfaces. They help to identify hollows and high spots before sponging and trowelling up

Features

- lightweight aluminium
- full range of shapes & sizes

Applications

- for levelling & ruling off
- plaster & render
- floors & walls



253720
trapezium feather edge



252520
heavy duty board & floor rule



252315
level

FEATHER EDGES, aluminium trapezium shape, tapered profile, mid weight

Stock no	Description	Length	Profile	£ ex VAT
253710	feather edge 3'4"	1.00m	100x18mm	16.00
253715	feather edge 5'0"	1.50m	100x18mm	22.00
253718	feather edge 6'0"	1.80m	100x18mm	26.00
253720	feather edge 6'8"	2.00m	100x18mm	28.00
253725	feather edge 8'2"	2.50m	100x18mm	36.00

STRAIGHT EDGES & SCREED RULES, aluminium box section, heavy duty

Stock no	Description	Length	Profile	£ ex VAT
252510	board & floor rule 3'4"	1.00m	80x40mm	20.00
252520	board & floor rule 6'8"	2.00m	80x40mm	36.00
252525	board & floor rule 8'2"	2.50m	80x40mm	42.00
252530	board & floor rule 10'0"	3.00m	80x40mm	50.00

LEVELS, heavy duty aluminium reinforced box section with handle grips, horizontal & vertical vials

Stock no	Description	Length	Profile	£ ex VAT
252315	level 5'0", 2 vials & handles	1.50m	115x20mm	38.00
252318	level 6'0", 2 vials & handles	1.80m	115x20mm	41.00
252320	level 6'8", 2 vials & handles	2.00m	115x20mm	43.00

SPIKED ROLLERS

The smaller spiked rollers are available with individual discs that freely rotate on the centre bar or fixed discs. They are produced with spike lengths of 17mm with an overall diameter of 75mm.

The longer spike rollers are available with fixed discs with 40mm long spikes and with an overall diameter of 125mm.

Order rollers and frames separately.

Features

- sizes from 7" to 30"
- produced with individual spike discs
- or fixed discs interlocked together on centre tube
- highest quality virgin plastic

Applications

- for rolling out air bubbles
- levelling & moving
- epoxy coatings & self-levellers



608312
roller frame

590112
12" spiked roller
individual discs



608309
roller frame

590209
9" long spiked roller
fixed discs



595000
spiked overshoes
pointed studs



595001
spiked overshoes
flat studs

SPIKED ROLLERS, individually rotating discs, 17mm spike, for epoxy and cementitious floor coatings

Stock no	Description	Size	Roller Ø	£ ex VAT
590106	spike roller 6"	150mm	75mm	6.95
590109	spike roller 9"	230mm	75mm	8.95
590112	spike roller 12"	305mm	75mm	11.95
590115	spike roller 15"	380mm	75mm	14.95
590118	spike roller 18"	460mm	75mm	17.95
590124	spike roller 24"	600mm	75mm	23.95
590130	spike roller 30"	760mm	75mm	29.95

SPIKED ROLLERS, fixed discs 17mm spike, for epoxy and cementitious floor coatings

Stock no	Description	Size	Roller Ø	£ ex VAT
590136	fixed spike roller 6"	150mm	79mm	7.95
590139	fixed spike roller 9"	230mm	79mm	10.95
590142	fixed spike roller 12"	305mm	79mm	13.95
590145	fixed spike roller 15"	380mm	79mm	17.95
590148	fixed spike roller 18"	460mm	79mm	20.95
590152	fixed spike roller 24"	600mm	79mm	27.95
590153	fixed spike roller 30"	760mm	79mm	34.95

SPIKED ROLLERS, fixed discs 40mm spike, for pumped floor coatings

Stock no	Description	Size	Roller Ø	£ ex VAT
590209	fixed spike roller 9"	230mm	125mm	11.95
590212	fixed spike roller 12"	305mm	125mm	15.95
590215	fixed spike roller 15"	380mm	125mm	19.95
590218	fixed spike roller 18"	460mm	125mm	23.95
590224	fixed spike roller 24"	600mm	125mm	31.95
590230	fixed spike roller 30"	760mm	125mm	38.95

SPIKED OVERSHOES, for walking on floor paints & toppings

Stock no	Description	Studs	£ ex VAT
595000	spiked shoes, 25mm spikes	pointed	20.00
595001	spiked shoes, 25mm spikes	flat	20.00

ROLLER FRAMES

The double arm frames are made from heavy duty bar with an easy change end clip

The centre bar is zinc coated to prevent rust

The blue single arm roller frames are for use with tapered wooden handles

The single arm roller frames for the spike rollers are hand held only

Features

- heavy duty double arm roller frames
- sizes 7" to 30"
- 28mm Ø handle tube
- for use with heavy duty wooden handles

Applications

- use with spike rollers for floor coatings & finishes
- use with nylon rollers for paint coatings

**608110**

10" roller frame
for nylon rollers

**608312**

12" roller frame

**608324**

30" roller frame

ROLLER FRAME, single arm, adjustable width, threaded end cap, for spike rollers

Stock no	Description	Size	Handle Ø	£ ex VAT
608307	single arm roller frame 7"	180mm	28mm	5.00
608111	single arm roller frame 10"	255mm	28mm	6.00

ROLLER FRAMES, single arm, 8mm bar Ø, for coatings rollers

Stock no	Description	Size	Handle Ø	£ ex VAT
608110	single arm roller frame 10"	255mm	26mm taper end	3.00

ROLLER FRAMES, double arm, heavy duty, with quick release clip

Stock no	Description	Size	Handle Ø	£ ex VAT
608309	roller frame 9"	230mm	28mm	12.00
608310	roller frame 10"	250mm	28mm	13.00
608312	roller frame 12"	315mm	28mm	14.00
608315	roller frame 15"	395mm	28mm	15.00
608318	roller frame 18"	460mm	28mm	16.00
608324	roller frame 24"	610mm	28mm	20.00
608330	roller frame 30"	770mm	28mm	24.00

WOODEN HANDLES, heavy duty

Stock no	Description	Length	Handle Ø	£ ex VAT
608705	handle 5'0" wooden	1.50m	28mm for double arm frame	4.00
608701	handle 5'0" wooden	1.50m	28mm tapered end for single arm frame	4.00



WALL & FLOORING ROLLERS

The black loop rollers are for applying synthetic plasters, jointing compound, external coatings and textures

The mid pile rollers are produced from fully bonded nylon nap to minimise any fluff loss when applying coatings. Heavy duty double arm roller frames are available for most sizes

The 10" rollers are for use with single arm push-in roller frames which are made with a heavy duty, zinc coated bar to prevent rust

Order rollers and frames separately

Features

- lo-fluff rollers made from fully bonded nylon
- minimal fluff use on epoxy top coats
- sizes 9" to 18"
- 28mm Ø handle tube
- heavy duty double arm metal roller frame
- for use with heavy duty wooden handles

Applications

- for wall & floor coatings & finishes



LOOP ROLLER, plastic, for synthetic plasters, jointing compounds & external coatings

Stock no	Description	Size	£ ex VAT
607134	roller 9" black plastic loop	230mm	8.00

LO-FLUFF TRADE ROLLERS, fully nylon mid pile, for top coats, sealers & finishes

Stock no	Description	Size	£ ex VAT
601109	roller 9" mid pile nylon	230mm	6.25
601112	roller 12" mid pile nylon	305mm	6.95
601115	roller 15" mid pile nylon	380mm	8.50
601118	roller 18" mid pile nylon	460mm	10.25

TRADE ROLLERS, synthetic, for top coats, sealers & finishes

Stock no	Description	Size	£ ex VAT
601310	roller 10" synthetic	250mm	2.95

STIPPLE & TEXTURE ROLLERS, synthetic foam, for textured coatings

Stock no	Description	Size	£ ex VAT
601610	push on burnhole roller 10"	250mm	7.95
601710	yellow foam roller 10" black end cap	250mm	6.95

ROLLER FRAMES, single arm, 8mm bar Ø, for 9" & 10" nylon rollers

Stock no	Description	Size	Handle Ø	£ ex VAT
608110	single arm roller frame	255mm	26mm taper end	3.00

NOTCHED TROWELS & SPREADERS

The 11" stainless steel trowel is produced with a slotted edge to take the range of serrated steel blades. Notched trowels are specifically designed for scooping, spreading and levelling finishing adhesives and mortars during floor, wall or ceiling installations. Square notch 3.0mm, 4.0mm, 6.0mm, 8.0mm, 10.0mm.

Lightweight roll grip spreaders with replaceable stainless steel blades. Square notch and triangular notch blades available.

A clip on adjustable angle handle and extension pole are available for ceiling work.

Features

- stainless steel slotted trowels & spreaders
- various notches & shapes
- replaceable notched & serrated blades
- rigid roll grip frame spatula
- roll grip clip on handle available for upright work

Applications

- for scooping, spreading & levelling
- adhesives & mortars
- floor, wall & ceiling installations



201906R
11" notched slotted trowel



201736C
square notched blade



608432
clip on handle



201740C
replaceable blades

228284
12" serrated spreader
with roll grip, triangle serrations



228286
26" serrated spreader
with roll grip, square serrations

SLOTTED TROWEL, with hole for notched blade insert, stainless steel - rust free

Stock no	Description	Size	£ ex VAT
201906R	slotted trowel 11" for notch blade	280x110mm	15.00

NOTCHED BLADES, square serrations

Stock no	Description	Notched depths	£ ex VAT
201736C	blades 11", square notch	3.0mm, 4.0mm, 6.0mm, 8.0mm, 10.0mm	1.45

NOTCHED ADHESIVE SPREADER, lightweight plastic rigid roll grip frame with replaceable stainless steel notched blade - rust free

Stock no	Description	Size	Notched depth	£ ex VAT
228282	notched adhesive spreader 12", square	300mm	8.00mm	14.00
228284	notched adhesive spreader 12", triangle	300mm	1.50mm	14.00
228286	notched adhesive spreader 26", square	650mm	8.00mm	20.00
228288	notched adhesive spreader 26", triangle	650mm	1.50mm	20.00

REPLACEMENT BLADES, stainless steel notched blades for adhesive spreader - rust free

Stock no	Description	Size	Notched depths	£ ex VAT
201740C4	replacement blades 12", square notch	300mm	8.00mm	4.00
201740S3	replacement blades 12", triangle notch	300mm	1.50mm	4.00
201765C4	replacement blades 26", square notch	650mm	8.00mm	7.00
201765S3	replacement blades 26", triangle notch	650mm	1.50mm	7.00

HANDLES, clip on adjustable angle handle for roll grip

Stock no	Description	Size	£ ex VAT
608432	clip on handle		12.00
608433	aluminium pole	1.00m	16.00
608434	aluminium extension pole	1.00-2.00m	22.00

PIN & NOTCHED LEVELLERS

The pin leveller uses a set of hardened pins with an adjustable stainless steel plate to gauge and level floor toppings and coatings. The pins will wear down with regular use and the pin bar is easily replaceable. The depth is adjustable from 1mm to 20mm

The skid leveller has the same adjustable stainless steel blade but also two end anchor type skids. It is more suitable for working on rough and uneven floors. The depth is fully adjustable from 10mm to 30mm

The hook leveller uses rounded loop shaped pins to run over the floor surface

The notched levellers are used for pulling out floor surfaces to a precise depth and for putting down scratch coats

A range of notched blades can be fitted to the notched leveller

Square notch 3.0mm, 4.0mm, 6.0mm, 8.0mm, 10.0mm

Round notch 10.0mm, 12.0mm, 15.0mm, 20.0mm

Features

- adjustable height coating & topping gaugers
- used for setting various material depths
- aluminium frame & slotted stainless steel blades
- with stainless steel hardened pins
- adjustable end skids

Applications

- for epoxies & self levellers
- pumped liquid screeds
- latex & pourable coatings



647024
24" pin leveller




647324
24" skid leveller



647025
24" hook leveller



swivel bracket



647122
22" notched leveller

PIN LEVELLERS, with replaceable pin bars, adjustable stainless steel blade, rust free

Stock no	Description	Size	Handle Ø	£ ex VAT
647024	pin leveller 24"	600mm	28mm	49.95
647022	swivel bracket pin leveller 24"	600mm	28mm	69.95

SKID LEVELLERS, with replaceable skids, adjustable stainless steel blade, rust free

Stock no	Description	Size	Handle Ø	£ ex VAT
647324	skid leveller 24"	600mm	28mm	59.95
647322	swivel bracket skid leveller 24"	600mm	28mm	79.95

HOOK LEVELLERS, with 6 hooks, adjustable stainless steel blade, rust free

Stock no	Description	Size	Handle Ø	£ ex VAT
647025	hook leveller 24"	600mm	28mm	49.95
647026	swivel bracket hook leveller 24"	600mm	28mm	69.95

NOTCHED LEVELLERS, with replaceable notched blades

Stock no	Description	Size	Handle Ø	£ ex VAT
647122	notched leveller 22"	560mm	28mm	39.95
647124	swivel bracket notched leveller 22"	560mm	28mm	59.95

SQUEEGEES & COMB RAKE

The squeegees are produced with a heavy gauge steel frame and replaceable rubbers

The comb rake has a heavy gauge steel frame with a replaceable stainless steel 18mm toothed blade

Features

- specialist application squeegees
- heavy gauge steel frame & replaceable blades
- black rubber blades that are economical to replace
- soft neoprene sponge rubber (normally used in pairs)
- hard wearing & solvent resistant polyurethane blades
- v notch serrated blades
- all blades are replaceable & interchangeable
- they can be reversed to use on both sides

Applications

- for epoxies & self levellers
- pumped liquid screeds
- latex & pourable coatings



647223
24" squeegee



647246
24" rubber blade



647144
24" notched blade



647224
24" comb rake

SQUEEGEE, with replaceable black rubber blades

Stock no	Description	Size	Handle Ø	£ ex VAT
647223	squeegee 24"	600mm	28mm	23.00

REPLACEMENT SQUEEGEE BLADE, polyurethane, solvent resistant, non marking

Stock no	Description	Size	Hardness	£ ex VAT
647242	polyurethane blade 24"	600x50mm	medium	11.00

REPLACEMENT SQUEEGEE BLADE, black rubber

Stock no	Description	Size	Hardness	£ ex VAT
647246	rubber blade 24"	600x50mm	medium	3.00

REPLACEMENT SQUEEGEE BLADE, neoprene sponge

Stock no	Description	Size	Hardness	£ ex VAT
647248	neoprene rubber blade 24"	600x50mm	soft	3.00

REPLACEMENT NOTCHED RUBBER BLADES, triangular serrations, polyurethane, solvent resistant, non marking

Stock no	Description	Size	Hardness	Notch depth	£ ex VAT
647144	polyurethane blade 24"	600x50mm	medium	3mm	11.00
647146	polyurethane blade 24"	600x50mm	medium	4mm	11.00
647148	polyurethane blade 24"	600x50mm	medium	6mm	11.00

METAL TOOTH COMB RAKE, stainless steel toothed bar

Stock no	Description	Size	Tooth depth	Handle Ø	£ ex VAT
647224	comb rake 24"	600mm	18mm	28mm	39.00

REFINA ALUMINIUM EPOXY & SCREED PLACERS, LEVELLERS & RAKES



EPOXY & SCREED PLACERS & RAKES


The aluminium placing and levelling tools are robust yet lightweight
The blades are produced from aluminium, the brackets are produced in steel
Wooden handle sold separately

Features

- aluminium levelling tools
- sturdy & lightweight

Applications

- for placing & levelling
- resin bound aggregate
- epoxy driveway materials
- concrete & cementitious floor toppings



EPOXY & SCREED FLOAT, aluminium straight edge, flexible joint bracket

Stock no	Description	Length	Handle Ø	£ ex VAT
256071	smoothing float 40"	1.0m	31mm	58.00

EPOXY & SCREED PLACERS, aluminium straight edge, steel handle bracket

Stock no	Description	Length	Handle Ø	£ ex VAT
256081	placer & leveller 24"	600mm	31mm	29.00
256082	placer & leveller 32"	800mm	31mm	33.00

EPOXY & SCREED SERRATED PLACERS & RAKES, aluminium serrated edge, steel handle bracket

Stock no	Description	Length	Handle Ø	£ ex VAT
256085	serrated placer & rake 24"	600mm	31mm	32.00
256086	serrated placer & rake 32"	800mm	31mm	36.00

WOODEN HANDLE, heavy duty

Stock no	Description	Length	Handle Ø	£ ex VAT
608707	handle 6'0" wooden	1.80m	31mm	9.00

CEMENT & LATEX SMOOTHING TOOLS

The fresno trowel is produced from rust free stainless steel and is used to give a trowelled and smooth finish
The stainless screed dapple bar is used to level and place pourable screeds
Wooden handle sold separately



Features

- stainless steel fresno trowel
- stainless steel roll bar

Applications

- for placing & smoothing wet cement finishes
- smoothing pumped self levellers



744213
fresno trowel



647234
liquid screed bar



647237
liquid screed bar
swivel bracket

FRESNO TROWEL, with adjustable bracket & stainless steel trowel

Stock no	Description	Length	Handle Ø	£ ex VAT
744213	fresno trowel 3'0"	900mm	28mm	89.00

SCREED DAPPLE BARS, stainless steel

Stock no	Description	Length	Handle Ø	£ ex VAT
647234	liquid screed round bar 24"	600mm	28mm	55.00
647235	swivel bracket liquid screed round bar 24"	600mm	28mm	75.00
647236	liquid screed round bar 32"	800mm	28mm	59.00
647237	swivel bracket liquid screed round bar 32"	800mm	28mm	79.00

WOODEN HANDLE, heavy duty

Stock no	Description	Length	Handle Ø	£ ex VAT
608706	handle 6'0" wooden	1.80m	28mm	7.00



FLOOR EDGING & COVE TROWELS

The corner, cove and edging trowels are all produced in stainless steel and have traditional wooden handles. The cove trowels are for producing smooth corners particularly in hygienic environments; the mitred corner cove trowels are for making consistent corner coves.

Features


- produced from stainless steel
- traditional wooden handles
- cove trowels produce smooth corners

Applications

- used particularly in hygienic environments



646020
2" floor coving trowel



646220
2" mitred coving trowel



646420
2" gutter & cove trowel

FLOOR COVE TROWELS, stainless steel - rust free

Stock no	Description	Size	Height	Radius	£ ex VAT
646010	coving trowel 6" 1" radius	150x140mm	130mm	25mm	24.00
646015	coving trowel 6" 1½" radius	150x140mm	130mm	40mm	24.00
646020	coving trowel 6" 2" radius	150x140mm	130mm	50mm	24.00

CORNER COVE TROWELS, stainless steel - rust free

Stock no	Description	Size	Height	Radius	£ ex VAT
646210	mitred coving trowel pair, 1" radius	150x140mm	130mm	25mm	59.00
646215	mitred coving trowel pair, 1½" radius	150x140mm	130mm	40mm	59.00
646220	mitred coving trowel pair, 2" radius	150x140mm	130mm	50mm	59.00

GUTTER & COVE TROWEL, stainless steel - rust free

Stock no	Description	Size	Height	Radius	£ ex VAT
646420	gutter & cove trowel, 2" radius	150x100mm	50mm	50mm	24.00

A	
ABS PLASTIC FLOATS	69
ADHESIVE TROWELS & SPREADERS	82
AIR POWERED MIXERS	5
ALUMINIUM PLACERS, LEVELLERS & RAKES	85
ALUMINIUM RENDERING STRAIGHT EDGES	77
ALUMINIUM STRAIGHT EDGES, RULES & LEVELS	78
ASHLAR TOOL	76
B	
BOARD RASPS	76
BOX SECTIONS	78
BUCKET & DABBING TROWELS	61
BUCKETS	6
C	
CARPET STRIPPER	31
CEMENT & LATEX SMOOTHING TOOLS	86
CEMENT, RENDER, POOL & FLOOR TROWELS	54
CHASER	40
COMPRESSORS	17-19
CONCRETE DRILLS & RIGS	44-45
CONCRETE GRINDER	23
CONCRETE PLACERS & LEVELLERS	85
CONCRETE POLISHER	24
CORDLESS RENDER POWER FLOAT & SPONGE	26
CORDLESS SURFACE BLASTER	30
CORNER & ANGLE TROWELS	63
COVE TROWELS	87
CROSS GRAIN FLOATS	68
D	
DAINES® MIXAL EPOXY & MORTAR MIXERS	11
DIAMOND COMBI DRILL & MOBI-RIG	43
DIAMOND CONCRETE DRILLS & RIGS	44-45
DIAMOND CONCRETE GRINDER	23
DIAMOND DISCS	23,32-34
DIAMOND DRILLS	41-47
DIAMOND FACED FLOATS	69
DIAMOND FLOOR CONCRETE GRINDER	32-33
DIAMOND SEGMENTS	34
DRILL RIGS	46-47
DRY DIAMOND CORE DRILL	41
DRYWALL SANDER	28
E	
EDGING TROWELS	87
ENGINEERS' DRILLS	48-50
EPI MIXER PADDLES	7
EPOXY & MORTAR MIXERS	11-12
ERGO GRIP SKIMMING SPATULA-RULES	59
F	
FEATHER EDGES	77-78
FINATEX® LAYING ON TROWELS	53
FINGER TROWELS	62
FINISHING TROWELS	51-56
FLOOR & CARPET STRIPPER	31
FLOOR COATING ROLLERS	81
FLOOR EDGING & COVE TROWELS	87
FLOOR STRIPPER	31
FLOORING PREP CHART	38
FLOORMIX LIQUID SCREED & LATEX MIXER	9
FORCED ACTION MIXERS	11-15
FRESNO TROWELS	86
G	
GAUGING TROWELS	62
GROUT POWER SPONGE CLEANERS	35-36
GROUT PUMPS	19-20
GUTBUSTER SLOW SPEED DRILLS	49-50

H	
H SECTION FEATHER EDGES	77
HARLING TROWELS	76
HOOK LEVELLERS	83
HOPPER GUNS	17-18
I	
I BEAMS	77
L	
LARGE AREA WALL & FLOOR SANDER	28
LEVELLERS	83,85
LEVELS	77-78
LIME PUTTY & MORTAR ROLLER PAN MIXER	15
LIQUID SCREED & LATEX MIXER	9
M	
MACK BUCKET SCOOP	61
MAGNABOR DRILLS	48-50
MARINE & PIPE SURFACE BLASTERS	29-30
MEGAMIXER® D HANDLE MIXER DRILLS	3
MEGAMIXER® H HANDLE MIXER DRILLS	1-2
MIDGET TROWELS	64
MIXER DRILLS	1-5
MIXER PADDLES	7
MIXING TUBS & SPOT BOARD STANDS	6
MOBI-RIG® MOBILE DIAMOND DRILL RIG	47
MULTI-SURFACER & PAINT STRIPPER	22
N	
NOTCHED LEVELLERS	83
NOTCHED TROWELS & BLADES	82
NYLON ROLLERS	81
P	
PADDLE CHART	8
PADDLE MIXERS	1-5
PAINT STRIPPER	22
PERISTALTIC POINTING & MORTAR PUMP	20
PETROL MOTOR MIXER	4
PIN & NOTCHED LEVELLERS	83
PLACERS (SCREED)	85
PLASTER & MORTAR MEGAMIXER® DRILLS	1-3
PLASTIC FINISHING TROWELS	55-56
PLASTIC FLOATS	68-69
PLASTIC SPATULAS	56-57
PLASTIC TUBS	6
PLAZI® ROLL GRIP PLASTIC SPATULA-RULES	57
PLAZIFLEX® FLEXIBACK SKIMMING TROWELS	55
PLAZIFLEX® SKIMMING TROWELS & TOOLS	56
POINTING & MORTAR PUMP	20
POINTING TROWELS	62
POLES & HANDLES	57-59,85-86
POLISHER	24
POLISHING PADS	24
POLISHING TROWELS & TAPING KNIVES	65
POLYURETHANE (PU) FLOATS	68
POOL TROWELS	54
POWER SPONGE CLEANERS	35-36
POWER SPONGE FLOATS	25-26
PUMPS	19-20
R	
RAKES (SCREED)	85
RENDER & CEMENT PU PLASTIC FLOATS	68
RENDER & CEMENT SPONGE FLOATS	70
RENDER & MORTAR PETROL MOTOR MIXER	4
RENDER MIXER	14
RENDER POWER FLOAT & SPONGE	25-26
RENDER SCRAPERS	75
RENDER SPONGE FLOATS	71-72
RENDER SPRAY GUNS	17
RENDER, PAINT & TYROLEAN SPRAY GUN	18

RENDERING TOOLS	76
RESIMIXER® AGGREGATE & RESIN MIXER	13
RESIN MIXERS	13-14
REVERSIBLE SLOW SPEED DRILLS	48,50
ROLL GRIP SKIMMING SPATULA-RULES	57-58
ROLLER FRAMES	80
ROLLER PAN MIXER	15
ROTAMIXER® EPOXY & MORTAR MIXERS	12
ROTAPUMP® COATING & GROUT SCREW PUMP	19
S	
SCABBLER	21
SCRAPERS, SCARIFIERS & PLANES	75
SCRATCHERS	75
SCREED BARS	86
SCREED RULES	78
SCREEDMIX RENDER & RESIN MIXER	14
SERRATED FEATHER EDGES	77
SERRATED SLOTTED TROWEL	82
SERRATED SPATULAS	76
SKID LEVELLERS	83
SKIMMING SPATULA-RULES	57-59
SKIMMING SPATULAS & KNIVES	60
SKIMMING TROWELS	51-52,55-56
SLOT CUTTER	40
SLOW SPEED DRILLS	48-50
SMALL TROWELS & DETAIL TOOLS	62
SPATULA-RULES	57-59
SPATULAS	57-60
SPIKED OVERSHOES	79
SPIKED ROLLERS	79
SPIRIT LEVELS	78
SPONGE FLOATS	70-74
SPOT BOARD STANDS	6
SPRAY & POINTING PUMPS	19-20
SPRAY GUNS	17-18
SPRAY PUMPS	19-20
SQUARE & ANGLE TOOL	63
SQUEEGEES & COMB RAKE	84
STAINLESS STEEL PADDLES	5
STAINLESS STEEL TROWELS	51-54,61-65
STEEL DRILLS	48-50
SUPERFLEX® SKIMMING TROWELS	51-52
SURFACE BLASTERS	29-30
SURFACE PREP CHART	37
SURFACE SCABBLER	21
SURFACE SHAVER	27
T	
TAPING KNIVES	65
THIN COAT RENDER TROWELS	66-67
TILE & GROUT POWER SPONGE CLEANERS	35-36
TILE & STONE DIAMOND FIXINGS DRILL	42
TILE CUTTER	39
TILERS BUCKET	74
TILING SPONGE FLOATS	74
TUB & DRUM MIXER CHART	16
TUB MIXERS	9-12
TUBS	6
TWINMIX ENCLOSED MORTAR & EPOXY MIXER	10
TYROLEAN SPRAY GUN	18
V	
VENETIAN PLASTER TROWELS	65
W	
WALL & FLOOR COATING ROLLERS	81
WALL & FLOOR SANDER	28
WALL CHASER & CHANNEL CUTTER	40
WASH BUCKET	74
WOOD DRILLS	48-50
WOOD, GRP & COATING SHAVER	27



Refina Ltd. Unit 7 Factory Road

Upton Industrial Estate, Poole, BH16 5SL UK

Tel: 01202 632270 | Email: sales@refina.co.uk | Website www.refina.co.uk